

---

## Contents

<b>1</b>	<b>Adolescent Sleep Habits Survey</b> .....	001
<b>2</b>	<b>Adolescent Sleep-Wake Scale</b> .....	045
<b>3</b>	<b>Apnea Beliefs Scale</b> .....	047
<b>4</b>	<b>Apnea Knowledge Test</b> .....	049
<b>5</b>	<b>Athens Insomnia Scale (AIS)</b> .....	053
<b>6</b>	<b>Basic Nordic Sleep Questionnaire (BNSQ)</b> .....	055
<b>7</b>	<b>BEARS Sleep Screening Tool</b> .....	059
<b>8</b>	<b>Beck Depression Inventory</b> .....	063
<b>9</b>	<b>Behavioral Evaluation of Disorders of Sleep (BEDS)</b> .....	065
<b>10</b>	<b>Berlin Questionnaire</b> .....	071
<b>11</b>	<b>Brief Fatigue Inventory</b> .....	075
<b>12</b>	<b>Brief Infant Sleep Questionnaire (BISQ)</b> .....	079
<b>13</b>	<b>Brief Pain Inventory (BPI)</b> .....	081
<b>14</b>	<b>Calgary Sleep Apnea Quality of Life Index (SAQLI)</b> .....	089
<b>15</b>	<b>Cataplexy Emotional Trigger Questionnaire (CETQ)</b> .....	091
<b>16</b>	<b>Center for Epidemiological Studies Depression Scale for Children (CES-DC)</b> .....	093
<b>17</b>	<b>Chalder Fatigue Scale</b> .....	097
<b>18</b>	<b>Child Behavior Checklist (CBCL), 1½–5</b> .....	099
<b>19</b>	<b>Child Behavior Checklist (CBCL), 6–18</b> .....	107
<b>20</b>	<b>Children’s Morningness-Eveningness Scale</b> .....	115
<b>21</b>	<b>Children’s Sleep Habits Questionnaire (CSHQ)</b> .....	119
<b>22</b>	<b>Circadian Type Inventory (CTI)</b> .....	123
<b>23</b>	<b>Cleveland Adolescent Sleepiness Questionnaire (CASQ)</b> .....	127
<b>24</b>	<b>Columbia-Suicide Severity Rating Scale (C-SSRS)</b> .....	131

<b>25</b>	<b>Composite Morningness Questionnaire</b> .....	137
<b>26</b>	<b>CPAP Use Questionnaire</b> .....	141
<b>27</b>	<b>Depression and Somatic Symptoms Scale (DSSS)</b> .....	143
<b>28</b>	<b>Dysfunctional Beliefs and Attitudes About Sleep Scale (DBAS)</b> .....	145
<b>29</b>	<b>Epworth Sleepiness Scale (ESS)</b> .....	149
<b>30</b>	<b>Espe Sleep Disturbance Questionnaire (SDQ)</b> .....	153
<b>31</b>	<b>FACES (Fatigue, Anergy, Consciousness, Energy, Sleepiness)</b> .....	155
<b>32</b>	<b>Fatigue Assessment Inventory (FAI)</b> .....	157
<b>33</b>	<b>Fatigue Assessment Scale (FAS)</b> .....	161
<b>34</b>	<b>Fatigue Impact Scale (FIS)</b> .....	163
<b>35</b>	<b>Fatigue Severity Scale (FSS)</b> .....	167
<b>36</b>	<b>Fatigue Symptom Inventory (FSI)</b> .....	169
<b>37</b>	<b>FibroFatigue Scale</b> .....	173
<b>38</b>	<b>Frontal Lobe Epilepsy and Parasomnias (FLEP) Scale</b> .....	177
<b>39</b>	<b>Functional Outcomes of Sleep Questionnaire (FOSQ)</b> .....	179
<b>40</b>	<b>General Sleep Disturbance Scale (GSDS)</b> .....	181
<b>41</b>	<b>Glasgow Content of Thoughts Inventory (GCTI)</b> .....	185
<b>42</b>	<b>Hamilton Rating Scale for Depression (HAM-D)</b> .....	187
<b>43</b>	<b>Insomnia Severity Index (ISI)</b> .....	191
<b>44</b>	<b>International Restless Legs Syndrome Study Group Rating Scale</b> .....	195
<b>45</b>	<b>Jenkins Sleep Scale</b> .....	203
<b>46</b>	<b>Johns Hopkins Restless Legs Severity Scale (JHRLSS)</b> .....	205
<b>47</b>	<b>Karolinska Sleepiness Scale (KSS)</b> .....	209
<b>48</b>	<b>Leeds Sleep Evaluation Questionnaire (LSEQ)</b> .....	211
<b>49</b>	<b>Maastricht Vital Exhaustion Questionnaire (MQ)</b> .....	215
<b>50</b>	<b>Medical Outcomes Study Sleep Scale (MOS-SS)</b> .....	219
<b>51</b>	<b>Mini-Mental State Examination (MMSE)</b> .....	223
<b>52</b>	<b>Modified Checklist for Autism in Toddlers (M-CHAT)</b> .....	225
<b>53</b>	<b>Mood Disorder Questionnaire (MDQ)</b> .....	229
<b>54</b>	<b>Morningness-Eveningness Questionnaire</b> .....	231
<b>55</b>	<b>Motivation and Energy Inventory (MEI)</b> .....	235

---

<b>56</b>	<b>Multidimensional Dream Inventory (MDI)</b> .....	239
<b>57</b>	<b>Multidimensional Fatigue Inventory (MFI)</b> .....	241
<b>58</b>	<b>Munich Chronotype Questionnaire (MCTQ)</b> .....	245
<b>59</b>	<b>Normative Beliefs About Aggression Scale</b> .....	249
<b>60</b>	<b>Parkinson’s Disease Sleep Scale (PDSS)</b> .....	251
<b>61</b>	<b>Pediatric Daytime Sleepiness Scale (PDSS)</b> .....	253
<b>62</b>	<b>Pediatric Quality of Life Inventory (PedsQL) Multidimensional Fatigue Scale</b> .....	255
<b>63</b>	<b>Pediatric Sleep Questionnaire (PSQ)</b> .....	259
<b>64</b>	<b>Perceived Stress Questionnaire (PSQ)</b> .....	273
<b>65</b>	<b>Personal Health Questionnaire (PHQ)</b> .....	275
<b>66</b>	<b>Pictorial Sleepiness Scale Based on Cartoon Faces</b> .....	277
<b>67</b>	<b>Pittsburgh Sleep Quality Index (PSQI)</b> .....	279
<b>68</b>	<b>Profile of Mood States (POMS)</b> .....	285
<b>69</b>	<b>Psychosocial Adjustment to Illness Scale (PAIS)</b> .....	287
<b>70</b>	<b>Quebec Sleep Questionnaire (QSQ)</b> .....	289
<b>71</b>	<b>Resistance to Sleepiness Scale (RSS)</b> .....	295
<b>72</b>	<b>Restless Legs Syndrome Quality of Life Questionnaire (RLSQoL)</b> .....	297
<b>73</b>	<b>Richards–Campbell Sleep Questionnaire (RCSQ)</b> .....	299
<b>74</b>	<b>School Sleep Habits Survey</b> .....	303
<b>75</b>	<b>Self-Efficacy Measure for Sleep Apnea (SEMSA)</b> .....	313
<b>76</b>	<b>SF-36 Health Survey</b> .....	317
<b>77</b>	<b>Sleep-50 Questionnaire</b> .....	319
<b>78</b>	<b>Sleep Beliefs Scale (SBS)</b> .....	323
<b>79</b>	<b>Sleep Disorders Inventory for Students – Adolescent Form (SDIS-A)</b> .....	325
<b>80</b>	<b>Sleep Disorders Inventory for Students – Children’s Form (SDIS-C)</b> .....	327
<b>81</b>	<b>Sleep Disorders Questionnaire (SDQ)</b> .....	329
<b>82</b>	<b>Sleep Disturbance Scale for Children (SDSC)</b> .....	331
<b>83</b>	<b>Sleep Locus of Control Scale (SLOC)</b> .....	335
<b>84</b>	<b>Sleep Preoccupation Scale (SPS)</b> .....	341
<b>85</b>	<b>Sleep Quality Scale (SQS)</b> .....	345

---

<b>86</b>	<b>Sleep Timing Questionnaire (STQ)</b> .....	351
<b>87</b>	<b>Sleep-Wake Activity Inventory (SWAI)</b> .....	355
<b>88</b>	<b>Snore Outcomes Survey (SOS)</b> .....	359
<b>89</b>	<b>St. Mary’s Hospital Sleep Questionnaire</b> .....	363
<b>90</b>	<b>State-Trait Anxiety Inventory (STAI)</b> .....	367
<b>91</b>	<b>Stanford Sleepiness Scale (SSS)</b> .....	369
<b>92</b>	<b>STOP-Bang Questionnaire</b> .....	371
<b>93</b>	<b>Tayside Children’s Sleep Questionnaire (TCSQ)</b> .....	385
<b>94</b>	<b>Teacher’s Daytime Sleepiness Questionnaire (TDSQ)</b> .....	387
<b>95</b>	<b>Time of Day Sleepiness Scale (TODSS)</b> .....	389
<b>96</b>	<b>Toronto Hospital Alertness Test (THAT)</b> .....	391
<b>97</b>	<b>Twenty-Item Toronto Alexithymia Scale (TAS-20)</b> .....	393
<b>98</b>	<b>Ullanlinna Narcolepsy Scale (UNS)</b> .....	395
<b>99</b>	<b>Verran and Snyder-Halpern Sleep Scale (VSH)</b> .....	397
<b>100</b>	<b>Visual Analogue Scale to Evaluate Fatigue Severity (VAS-F)</b> .....	399
<b>101</b>	<b>Women’s Health Initiative Insomnia Rating Scale (WHIIRS)</b> .....	403
<b>102</b>	<b>ZOGIM-A (Alertness Questionnaire)</b> .....	405
	<b>Appendix</b> .....	407
	<b>Index</b> .....	419



<http://www.springer.com/978-1-4419-9892-7>

STOP, THAT and One Hundred Other Sleep Scales

Shahid, A.; Wilkinson, K.; Marcu, S.; Shapiro, C.M. (Eds.)

2012, XVII, 421 p. 233 illus., Hardcover

ISBN: 978-1-4419-9892-7