

Contents

- 1 Introduction and Overview 1**
 - 1.1 Introduction 1
 - 1.2 Basic Network Approaches 1
 - 1.2.1 Shared-Media and Switched Networks 2
 - 1.2.2 Connectionless and Connection-Oriented Networks 3
 - 1.2.3 Circuit Switching and Packet Switching 4
 - 1.3 Major Networking Issues 4
 - 1.3.1 Error Control 5
 - 1.3.2 Medium Access Control (MAC) 5
 - 1.3.3 Addressing, Routing, and Switching 5
 - 1.3.4 Traffic Control Mechanisms 6
 - 1.3.5 Flow Control 7
 - 1.3.6 Congestion Control 8
 - 1.3.7 Transmission Reliability Control 9
 - 1.3.8 Quality of Service (QoS) 10
 - 1.3.9 Mobility Support 11
 - 1.3.10 Network Security 11
 - 1.4 Motivation and Scope of the Monograph 11
 - 1.4.1 The Internet Development versus Networking Modes 12
 - 1.4.2 Structure for All-Optical Packet Switching 12
 - 1.4.3 Granular End-to-End QoS Provisioning 13
 - 1.4.4 Quantitative End-to-End Arguments 13
 - 1.4.5 Decoupling Congestion Control from TCP 14
 - 1.4.6 Enabling Simultaneous MAC Transmission with MIMO 14
 - 1.4.7 Green Networking Strategies 15
 - 1.4.8 Summary and Vision 15
 - References 15
- 2 Internet Development Versus Networking Modes 17**
 - 2.1 Networking Modes 17
 - 2.1.1 Layered Models 18

2.1.2	End-to-End Arguments	20
2.2	Challenges of Wireless and Optical Networks	21
2.2.1	New Requirements of Users and Applications	22
2.2.2	Network Capacity	23
2.2.3	Pervasive Networking	28
2.2.4	Quality of Service	29
2.2.5	Network Security	31
2.2.6	Green Networking	32
2.3	Conclusion	33
	References	34
3	Two-Level Source Routing (TLSR) for All-Optical Packet Switching	37
3.1	Introduction	37
3.2	Related Works	38
3.2.1	Optical Packet Header Processing	39
3.2.2	Typical Optical Networks	39
3.2.3	Addressing Issues	40
3.3	Principle of TLSR	41
3.3.1	Port-Level Routing	42
3.3.2	Domain-Level Routing	43
3.4	Connectionless and Connection-Oriented Services	43
3.4.1	Domain-by-Domain Routing (DBDR)	43
3.4.2	Domain-Level Source Routing (DLSR)	44
3.4.3	Port-Level Routing Versus Domain-Level Routing	45
3.5	Implementation Issues	46
3.5.1	Minimum Packet Header	47
3.5.2	Optical Routes	47
3.5.3	Domain-Level Routes	48
3.5.4	Mixture of Optical and Domain-Level Routes	49
3.5.5	Packet Header for DBDR	49
3.5.6	Flexible Packet Headers	49
3.6	A Design for TLSR	50
3.6.1	Module Structure	51
3.6.2	PLSR Based on Banyan Network	52
3.6.3	Buffering for PLSR	53
3.7	Conclusion	53
	References	54
4	Networking with TLSR	57
4.1	Introduction	57
4.2	Networking Issues	58
4.2.1	Addressing with TLSR	58
4.2.2	Congestion Control	60
4.2.3	End-to-End QoS	60
4.3	Network Interconnection	61
4.3.1	Routing Information Conversion	62

4.3.2	Packet Encapsulation	63
4.3.3	QoS Mapping	64
4.4	Analysis of Packet Headers	65
4.4.1	Packet Header Sizes	65
4.4.2	Sizes of Per-Hop and Per-Domain Segments	67
4.4.3	Numerical Discussion	67
4.4.4	Comparison of Network Structures	69
4.5	Conclusion	70
	References	70
5	Differentiated Queueing Service (DQS) for Granular QoS	73
5.1	Introduction	73
5.2	Evaluation from IntServ, DiffServ to DQS	75
5.2.1	Overview of DQS	75
5.2.2	DQS Versus IntServ and DiffServ	77
5.3	Implementation Issues	79
5.3.1	Queue Structure	79
5.3.2	Buffer Admission Control	80
5.3.3	Call Admission Control (CAC)	81
5.3.4	Estimation of Latest Departure Time	82
5.3.5	Carrying of QoS Information	84
5.4	Conclusion	85
	References	86
6	Cost Model for Granular End-to-End QoS with DQS	89
6.1	Introduction	89
6.2	DQS Services	90
6.2.1	Per-Hop Service (PHS)	90
6.2.2	End-to-End Service (ETES)	91
6.3	Cost Model	92
6.3.1	Cost for Per-Hop Service	92
6.3.2	Cost for End-to-End Service	93
6.4	Example of Average Bandwidth Calculation	94
6.4.1	A Preliminary Per-Hop CAC	94
6.4.2	Average Bandwidth Estimation	95
6.5	Numerical Discussion	95
6.5.1	Bandwidth Versus Traffic and Service	96
6.5.2	Per-Hop Service Cost Versus Traffic and Service	97
6.5.3	End-to-End Cost Versus Traffic and Service	99
6.5.4	Difficulty in QoS Provisioning Versus Route Lengths	100
6.6	Conclusion	101
	References	102
7	Quantitative End-to-End Arguments: Performance Analysis	103
7.1	Introduction	103
7.2	Reliable End-to-End Transmission	104
7.2.1	Basic Reliable End-to-End Transmission Approaches	105

7.2.2	Hybrid Reliable Transmission Approaches	107
7.3	Analysis of Basic Approaches	108
7.3.1	Transmission Cost	109
7.3.2	Transmission Completion Time	112
7.3.3	Congestion Reaction Time	113
7.4	Analysis of Hybrid Approaches	115
7.4.1	End-to-End Plus Hop-by-Hop	115
7.4.2	End-to-End Plus Domain-by-Domain	117
7.5	Simplified Formulas in a Special Case	120
7.5.1	End-to-End (ETE)	120
7.5.2	Hop-by-Hop (HBH)	121
7.5.3	Domain-by-Domain (DBD)	121
7.5.4	End-to-End Plus Hop-by-Hop (ETE+HBH)	122
7.5.5	End-to-End Plus Domain-by-Domain (ETE+DBD)	122
7.6	Conclusion	123
	References	123
8	Quantitative End-to-End Arguments: Complexity Estimation	125
8.1	Introduction	125
8.2	Definition of Relative Complexity	126
8.3	Calculation of Relative Complexity	127
8.3.1	Relative Complexity for ETE	127
8.3.2	Relative Complexity for HBH	128
8.3.3	Relative Complexity for DBD	129
8.3.4	Relative Complexity for ETE+HBH	129
8.3.5	Relative Complexity for ETE+DBD	129
8.4	Simplification in Our Special Case	130
8.4.1	End-to-End	130
8.4.2	Hop-by-Hop	131
8.4.3	Domain-by-Domain	131
8.4.4	End-to-End Plus Hop-by-Hop	131
8.4.5	End-to-End Plus Domain-by-Domain	132
8.5	Conclusion	132
	References	132
9	Numerical Discussion of Quantitative End-to-End Arguments	133
9.1	Introduction	133
9.2	Comprehensive Quantities for Comparison	133
9.2.1	Estimation of Relative Complexity	134
9.2.2	Per-Bit Throughput	136
9.3	Numerical Discussion	136
9.3.1	HBH Versus ETE	136
9.3.2	DBD Versus ETE	137
9.3.3	ETE+HBH Versus ETE	140
9.3.4	ETE+DBD Versus ETE	142
9.3.5	Packet Loss Probability and Link Latency	142

9.4	Conclusion	146
	References	147
10	Decoupling Congestion Control from TCP: Semi-TCP	149
10.1	Introduction	149
10.2	TCP in Multi-hop Wireless Networks	150
10.2.1	Major Challenges	151
10.2.2	Judgement on Congestion Status	152
10.2.3	Hidden Terminal Problem	153
10.2.4	Reducing MAC Contention	154
10.2.5	Decoupling of Reliability and Congestion Control	155
10.2.6	Hop-by-Hop Congestion Control	156
10.3	TCP over Optical Networks	156
10.3.1	TCP over Optical Burst Switching Networks	156
10.3.2	TCP over Hybrid Networks	157
10.4	Semi-TCP	157
10.4.1	Major Features of Semi-TCP	158
10.4.2	Semi-TCP for Multi-Hop Wireless Networks	159
10.4.3	Semi-TCP for All-Optical Networks	161
10.4.4	Interoperability of Semi-TCP with TCP	162
10.5	Conclusion	163
	References	163
11	Enabling Simultaneous MAC Transmission with MIMO: Logical MIMO	167
11.1	Introduction	167
11.2	Logical MIMO	168
11.3	Typical MIMO-Based MAC Schemes	170
11.3.1	Comparison of Three MIMO-Based MAC Schemes	170
11.3.2	Related Works	172
11.4	Analysis of MIMO-Based MAC for Uplink Sharing	173
11.4.1	Analytical Model	174
11.4.2	Request Without Reservation	176
11.4.3	Request with Reservation	178
11.4.4	Stability Condition of Networks	181
11.5	Conclusion	181
	References	182
12	Numerical Evaluation of MAC Schemes Based on Physical and Logical MIMO	185
12.1	Introduction	185
12.2	MIMO Channel Capacity	186
12.2.1	A Capacity Model	186
12.2.2	Numerical Discussion of Capacity	188
12.3	Request Without Reservation	190
12.3.1	MAC Overhead	190
12.3.2	Average MAC Service Time	192

12.3.3 Network Throughput	192
12.4 Request with Reservation	195
12.4.1 MAC Overhead	195
12.4.2 Average MAC Service Time	197
12.4.3 Network Throughput	198
12.5 Conclusion	199
References	201
13 Green Networking Strategies Versus Networking Modes	203
13.1 Introduction	203
13.2 Energy Efficiency for Networking	204
13.2.1 Measurements of Energy Efficiency	205
13.2.2 Energy Consumption Rate	206
13.2.3 Formulation of Green Networking Strategies	207
13.2.4 Categories of Green Networking Strategies	208
13.3 Strategies at Operation Level	209
13.3.1 Time-Based Schemes	209
13.3.2 Location-Based Schemes	210
13.3.3 Configuration Optimization	211
13.4 Strategies at Network Function Level	211
13.4.1 Improving Network Performance	212
13.4.2 Reducing Energy Consumption	212
13.5 Strategies at Network System Level	217
13.5.1 Energy Consumption in Store-and-Forward Mode	218
13.5.2 Switching Versus Routing	220
13.5.3 Wavelength Routing and Switching	221
13.5.4 Optical Burst Switching	221
13.5.5 All-Optical Packet Switching	222
13.5.6 Green Reconfigurable Routers	222
13.6 Conclusion	223
References	224
14 To Be Continued	227
14.1 Summary of the Monograph	227
14.2 Development of Network Technologies	228
14.3 A Strategic Vision of Possible Network Development	229
References	231
Index	233

<http://www.springer.com/978-1-4471-2821-2>

Future Wireless and Optical Networks
Networking Modes and Cross-Layer Design

Jiang, S.

2012, XVIII, 250 p., Hardcover

ISBN: 978-1-4471-2821-2