

Contents

1	Introduction	1
1.1	Ubiquitous Computing: A New Era in Computer History	1
1.2	Wireless Sensor Networks: A Basic Building Block	2
1.3	Vision: A Step Forward in WSNs	2
2	Vision-enabled WSN Nodes: State of the Art	5
2.1	A Brief Introduction to WSNs	5
2.2	A Survey on Vision-enabled WSN Nodes	7
2.2.1	<i>Cyclops</i> (Rahimi et al. 2005)	7
2.2.2	<i>Imote2</i> -based Platform (Teixeira et al. 2006)	9
2.2.3	<i>MeshEye</i> TM (Hengstler et al. 2007)	10
2.2.4	<i>WiCa</i> (Kleihorst et al. 2007)	11
2.2.5	<i>FireFly Mosaic</i> (Rowe et al. 2007b)	13
2.2.6	<i>CITRIC</i> (Chen et al. 2008)	14
2.2.7	<i>EyeRIS</i> TM -based Platform (Bakkali et al. 2010)	16
2.3	Comparative Analysis	17
2.4	Guidelines for a Power-aware Vision-enabled Wireless Node	19
3	Processing Primitives for Image Simplification	21
3.1	Gaussian Filtering	21
3.1.1	Continuous-space Linear Diffusion	22
3.1.2	Discrete-space Linear Diffusion	23
3.2	Reconfigurable Block-wise Image Plane Division	27
3.3	Multiresolution Image Representation	28
3.4	Image Pre-distortion for Reduced Kernel Filtering	29
3.5	Energy-based Scene Representation	32
3.6	Summary	33
4	VLSI Implementation of Linear Diffusion	35
4.1	Introduction	35
4.2	Linear Diffusion in Transconductance-based CNNs	36
4.2.1	Unconstrained Linear Diffusion in CNNs	36
4.2.2	Constrained Linear Diffusion in CNNs	44

4.2.3	Comparison Between Time-controlled Unconstrained Diffusion and Constrained Diffusion	49
4.2.4	Physical Origin for the Non-convergence of the Networks ..	50
4.3	Linear Diffusion in Time-controlled RC Networks	54
4.3.1	Analysis of a Two-node Network	55
4.3.2	Networks of Arbitrary Size	62
4.3.3	Simulation of a 64×64 Network	64
4.4	Summary	66
5	FLIP-Q: A QCIF Resolution Focal-Plane Array for Low-Power Image Processing	67
5.1	Introduction	67
5.2	Architecture	68
5.3	Image Processing Implementation	70
5.3.1	Diffusion-based Gaussian Filtering	70
5.3.2	Block Division Control Logic	74
5.3.3	Energy Computation	74
5.4	Readout Circuitry	78
5.4.1	Reading Control Logic	78
5.4.2	A/D Conversion	78
5.5	Experimental Results	82
5.5.1	Calibration of the Time Constant for Diffusion	83
5.5.2	Scale Space	85
5.5.3	Gaussian Pyramids	86
5.5.4	Multiresolution Scene Representation	87
5.5.5	Image Pre-distortion for Reduced Kernel Filtering	88
5.5.6	Energy-based Scene Representation	91
5.5.7	Power Consumption Analysis	92
5.6	Comparative Analysis	93
5.7	Complementary Information	94
5.7.1	Overview of the Package	94
5.7.2	Pin Description	97
5.7.3	Programming Guide	100
5.8	Summary	108
6	Wi-FLIP: A Low-power Vision-enabled WSN Node	111
6.1	<i>Imote2</i> : System Description	111
6.2	Interconnection Plan	112
6.3	Development Board	114
6.4	<i>Wi-FLIP</i> Programming	114
6.5	Experimental tests	118
6.5.1	<i>FLIP-Q</i> Processing Primitives	118
6.5.2	Exposure Time Control Algorithm	118
6.5.3	Edge detection algorithm	122
6.6	Comparison with the State of the Art	123
6.7	Summary	125

7 Case Study: Early Detection of Forest Fires	127
7.1 Motivations and Background	127
7.2 Forest Fire Detection: State of the Art	127
7.2.1 Ground Systems	128
7.2.2 Airborne Systems	128
7.2.3 Satellite-based Systems	129
7.2.4 Other Approaches	129
7.3 Vision-enabled WSN for Early Detection of Forest Fires	130
7.4 A Vision Algorithm for Smoke Detection	132
7.5 Algorithm Setting and Preliminary Tests	137
7.5.1 Parameter Setting	137
7.5.2 Results of the Tests	140
7.6 On-site Smoke Detection	142
7.7 Tests with <i>Wi-FLIP</i>	143
7.8 Summary	146
References	147
Index	153

<http://www.springer.com/978-1-4614-2391-1>

Low-Power Smart Imagers for Vision-Enabled Sensor
Networks

Fernández-Berni, J.; Carmona-Galán, R.;

Rodríguez-Vázquez, A.

2012, XXIV, 156 p., Hardcover

ISBN: 978-1-4614-2391-1