

Contents

1	Introduction to the Scientific Problem	1
1.1	Star Formation	1
1.1.1	Stars in Context	1
1.1.2	From Clouds to Clumps to Cores	3
1.1.3	Disk-Jet Mediated Accretion	4
1.2	Massive-Star Formation	7
1.2.1	Properties of Massive Star Formation Regions	7
1.2.2	Disk-Outflow Accretion in Massive Star Formation	8
1.3	The Formation of the Most Massive Stars	11
1.3.1	From Massive to Very Massive	11
1.3.2	Ultracompact and Hypercompact HII Regions	11
1.3.3	Accretion and Ionization	12
1.4	Goals	13
2	A MSFR at the Onset of Ionization: W33A	15
2.1	Summary	15
2.2	Introduction	15
2.3	Observations	17
2.3.1	SMA	17
2.3.2	VLA	18
2.4	Results	18
2.4.1	Continuum Emission	18
2.4.2	Molecular Line Emission	21
2.5	Discussion	31
2.5.1	Star Formation from Converging Filaments	31
2.5.2	Cores at Different Evolutionary Stages	34
2.5.3	A Rotating Disk/Outflow System in MM1-Main	36
2.6	Conclusions	38
3	A MSFR with Young UC and HC HII Regions: G20.08N	39
3.1	Summary	39
3.2	Introduction	39

3.3	Observations	42
3.3.1	SMA	42
3.3.2	VLA	45
3.4	Results and Discussion	45
3.4.1	The Continuum Emission	45
3.4.2	The Large-Scale Molecular Cloud	49
3.4.3	Molecular Gas in the Inner 0.1 pc	53
3.4.4	The Ionized Gas: Radio Recombination Lines	64
3.4.5	Outflow Tracers	67
3.4.6	A New NH_3 (3,3) Maser	67
3.5	Hierarchical Accretion in G20.08N	68
3.5.1	The Observations	68
3.5.2	Resupply of the Star-Forming Cores	69
3.5.3	Accretion Rate	70
3.5.4	Transfer of Angular Momentum	71
3.6	Conclusions	71
4	Time Variability of HII Regions: A Signature of Accretion?	73
4.1	Summary	73
4.2	Introduction	73
4.3	Observations	75
4.4	Discussion	76
4.4.1	The Expected Variation Trend	76
4.4.2	The Observed Variation	78
4.4.3	Is G24 A1 Accreting?	78
4.5	Conclusions	79
5	Time Variability of HII Regions in Numerical Simulations of MSFR	81
5.1	Summary	81
5.2	Introduction	82
5.3	Methods	83
5.3.1	The Numerical Simulations	83
5.3.2	Data Sets	84
5.4	Results	84
5.4.1	Variable HII Regions	84
5.4.2	Global Temporal Evolution	86
5.4.3	Comparison to Surveys	88
5.4.4	Long-Term Variation Probabilities	91
5.4.5	Short-Term Variation Probabilities	94
5.4.6	Variations in Other Properties of the HII Regions	95
5.5	Discussion	99
5.5.1	A New View of Early H II Region Evolution	99
5.5.2	Observational Signatures	100
5.5.3	Caveats and Limitations	101
5.6	Conclusions	102

6 Conclusions	103
6.1 General Conclusions	103
A Radio and (Sub)millimeter Interferometers	105
A.1 Aperture Synthesis	105
A.2 Visibility Calibration	107
B Molecular-Line Emission	109
B.1 Molecular Transitions	109
B.2 Carbon Monoxide	110
B.3 Ammonia Inversion Transitions	111
B.4 Methyl Cyanide Transitions.....	112
C Ionized-Gas Emission	115
C.1 Free-Free Continuum Emission	115
C.2 Radio Recombination Lines	116
References	117

<http://www.springer.com/978-1-4614-3307-1>

On the Formation of the Most Massive Stars in the
Galaxy

Galván-Madrid, R.J.

2012, XIII, 122 p. 49 illus., 23 illus. in color., Softcover

ISBN: 978-1-4614-3307-1