

# Contents

|          |   |           |
|----------|---|-----------|
| <b>1</b> | <b>Introduction</b>   | <b>1</b>  |
| 1.1      | A survey of the chapters  | 1         |
| 1.2      | What is $q$ -calculus?  | 6         |
| 1.2.1    | Elementary series manipulations   | 9         |
| 1.3      | Update on $q$ -calculus   | 9         |
| 1.3.1    | Current textbooks on this subject   | 10        |
| 1.3.2    | Comparison with complex analysis  | 11        |
| 1.4      | Comparison with nonstandard analysis  | 11        |
| 1.5      | Comparison with the units of physics  | 12        |
| 1.6      | Analogies between $q$ -analysis and analysis                                    | 17        |
| 1.7      | The first $q$ -functions  | 18        |
| <b>2</b> | <b>The different languages of <math>q</math>-calculus</b>                       | <b>27</b> |
| 2.1      | Schools—traditions  | 28        |
| 2.2      | Ramifications and minor Schools   | 30        |
| 2.2.1    | Different notations   | 34        |
| 2.3      | Finite differences and Bernoulli numbers  | 35        |
| 2.4      | Umbral calculus, interpolation theory   | 37        |
| 2.5      | Elliptic and Theta Schools and notations, the oldest roots—the $q$ -forerunners | 38        |
| 2.6      | Trigonometry, prosthaphaeresis, logarithms                                      | 40        |
| 2.7      | The development of calculus   | 42        |
| 2.8      | The Faulhaber mathematics   | 47        |
| 2.9      | Descartes, Leibniz, Hindenburg, Arbogast  | 48        |
| 2.10     | The Fakultäten  | 50        |
| 2.11     | Königsberg School   | 52        |
| 2.12     | Viennese School   | 52        |
| 2.13     | Göttingen School  | 53        |
| 2.14     | The combinatorial School: Gudermann, Grünert                                    | 53        |
| 2.15     | Heidelberg School   | 55        |
| 2.16     | Weierstraß, formal power series and the $\Gamma$ function                       | 56        |

|          |  |           |
|----------|--|-----------|
| 2.17     | Halle $q$ -analysis School . . . . .   | 56        |
| 2.18     | Jakob Friedrich Fries, Martin Ohm, Babbage, Peacock and Herschel . . . . .   | 57        |
| 2.19     | Different styles in $q$ -analysis . . . . .  | 61        |
| <b>3</b> | <b>Pre <math>q</math>-Analysis . . . . .</b>   | <b>63</b> |
| 3.1      | The early connection between analytic number theory and $q$ -series . . . . .                                      | 63        |
| 3.2      | Some aspects of combinatorial identities . . . . .   | 64        |
| 3.2.1    | Faà di Bruno formula . . . . .   | 66        |
| 3.3      | The duality between Bernoulli and Stirling numbers . . . . .   | 66        |
| 3.4      | Tangent numbers, Euler numbers . . . . .   | 68        |
| 3.5      | The occurrence of binomial coefficient identities in the literature . . . . .                                      | 68        |
| 3.6      | Nineteenth century: Catalan, Grigoriew, Imchenetsky . . . . .  | 68        |
| 3.7      | A short history of hypergeometric series . . . . .   | 69        |
| 3.7.1    | The $\Gamma$ function . . . . .  | 70        |
| 3.7.2    | Balanced and well-poised hypergeometric series . . . . .   | 71        |
| 3.7.3    | Fractional differentiation . . . . .   | 71        |
| 3.7.4    | Newton, Taylor, Stirling, Montmort . . . . .   | 72        |
| 3.7.5    | Euler's contribution . . . . .   | 72        |
| 3.7.6    | Vandermonde and Pfaffian summation formulas . . . . .  | 73        |
| 3.7.7    | Conic sections in the seventeenth century . . . . .  | 74        |
| 3.7.8    | The infinity in England . . . . .  | 74        |
| 3.7.9    | The infinity in the hands of Euler . . . . .   | 74        |
| 3.7.10   | The infinity, the binomial coefficients . . . . .  | 75        |
| 3.7.11   | Gauß' contribution . . . . .   | 75        |
| 3.7.12   | After Gauß; Clausen, Jacobi . . . . .  | 77        |
| 3.7.13   | Kummer's contribution . . . . .  | 77        |
| 3.7.14   | Cauchy, Riemann, Heine, Thomae, Papperitz . . . . .  | 79        |
| 3.7.15   | 1880–1914; Sonine, Goursat, Stieltjes, Schafheitlin,<br>Pochhammer, Mellin . . . . .                               | 80        |
| 3.7.16   | First half of the twentieth century; England, USA . . . . .  | 81        |
| 3.7.17   | Special functions defined by integrals . . . . .   | 85        |
| 3.7.18   | Second half of the twentieth century . . . . .   | 85        |
| 3.8      | The Jacobi theta functions; different notations; properties . . . . .  | 85        |
| 3.9      | Meromorphic continuation and Riemann surfaces . . . . .  | 90        |
| 3.10     | Wave equation . . . . .  | 91        |
| 3.11     | Orthogonal polynomials . . . . .   | 92        |
| 3.11.1   | Legendre-d'Allonville-Murphy polynomials . . . . .   | 92        |
| 3.11.2   | Laguerre-Abel-Sonine-Murphy-Chebyshev-Halphen-<br>Szegő polynomials . . . . .                                      | 93        |
| 3.11.3   | Jacobi polynomials . . . . .   | 95        |
| 3.11.4   | Hermite polynomials . . . . .  | 95        |
| <b>4</b> | <b>The <math>q</math>-umbral calculus and semigroups. The Nørlund calculus<br/>of finite differences . . . . .</b> | <b>97</b> |
| 4.1      | The $q$ -umbral calculus and semigroups . . . . .  | 98        |
| 4.2      | Finite differences . . . . .   | 104       |

|          |  |     |
|----------|--|-----|
| 4.3      | $q$ -Appell polynomials . . . . .  | 114 |
| 4.3.1    | The generalized $q$ -Bernoulli polynomials . . . . .   | 117 |
| 4.3.2    | The Ward $q$ -Bernoulli numbers . . . . .  | 118 |
| 4.3.3    | The generalized JHC $q$ -Bernoulli polynomials . . . . .   | 123 |
| 4.3.4    | NWA $q$ -Euler polynomials . . . . .   | 128 |
| 4.3.5    | The NWA generalized $q$ -Euler numbers . . . . .   | 129 |
| 4.3.6    | Several variables; $n$ negative . . . . .  | 135 |
| 4.3.7    | $q$ -Euler-Maclaurin expansions . . . . .  | 140 |
| 4.3.8    | JHC polynomials of many variables; negative order . . . . .  | 142 |
| 4.3.9    | JHC $q$ -Euler-Maclaurin expansions . . . . .  | 146 |
| 4.3.10   | Euler symbolic formula . . . . .   | 148 |
| 4.3.11   | Complementary argument theorems . . . . .  | 152 |
| 4.4      | $q$ -Lucas and $q$ -G polynomials . . . . .  | 153 |
| 4.4.1    | $q$ -Lucas numbers . . . . .   | 156 |
| 4.4.2    | The $q$ -G polynomials . . . . .   | 158 |
| 4.4.3    | Lucas and G polynomials of negative order . . . . .  | 162 |
| 4.4.4    | Expansion formulas . . . . .   | 165 |
| 4.5      | The semiring of Ward numbers . . . . .   | 167 |
| <b>5</b> | <b><math>q</math>-Stirling numbers</b> . . . . .   | 169 |
| 5.1      | Introduction . . . . .   | 169 |
| 5.2      | The Hahn-Cigler-Carlitz-Johnson approach . . . . .   | 171 |
| 5.3      | The Carlitz-Gould approach . . . . .   | 183 |
| 5.4      | The Jackson $q$ -derivative as difference operator . . . . .   | 189 |
| 5.5      | Applications . . . . .   | 192 |
| <b>6</b> | <b>The first <math>q</math>-functions</b> . . . . .  | 195 |
| 6.1      | $q$ -analogue, $q$ -factorial, tilde operator . . . . .  | 195 |
| 6.2      | The $q$ -derivative . . . . .  | 200 |
| 6.3      | The $q$ -integral . . . . .  | 202 |
| 6.4      | Two other tilde operators . . . . .  | 204 |
| 6.5      | The Gaussian $q$ -binomial coefficients and the $q$ -Leibniz theorem . . . . .                       | 207 |
| 6.5.1    | Other formulas . . . . .   | 211 |
| 6.6      | Cigler's operational method for $q$ -identities . . . . .  | 212 |
| 6.7      | Gould and Carlitz $q$ -binomial coefficient identities . . . . .                                     | 215 |
| 6.8      | $q$ -Exponential and $q$ -trigonometric functions . . . . .  | 218 |
| 6.9      | The Heine function . . . . .   | 224 |
| 6.10     | Oscillations in $q$ -analysis . . . . .  | 226 |
| 6.11     | The Jackson-Hahn-Cigler $q$ -addition and $q$ -analogues of the<br>trigonometric functions . . . . . | 227 |
| 6.11.1   | Further $q$ -trigonometric functions . . . . .   | 228 |
| 6.12     | The Nalli-Ward-Al-Salam $q$ -addition and some variants of the<br>$q$ -difference operator . . . . . | 230 |
| 6.13     | Weierstraß elliptic functions and sigma functions . . . . .  | 234 |
| 6.13.1   | Elliptic functions . . . . .   | 235 |
| 6.13.2   | Connections with the $\Gamma_q$ function . . . . .   | 236 |
| 6.14     | The Chen-Liu operator or parameter augmentation . . . . .  | 239 |

|          |   |     |
|----------|---|-----|
| <b>7</b> | <b><math>q</math>-hypergeometric series</b>   | 241 |
| 7.1      | Definition of $q$ -hypergeometric series  | 241 |
| 7.1.1    | $q$ -difference equation for ${}_{p+1}\phi_p$   | 243 |
| 7.2      | Balanced and well-poised $q$ -hypergeometric series   | 243 |
| 7.3      | Advantages of the Heine definition  | 246 |
| 7.4      | $q$ -Binomial theorem   | 246 |
| 7.5      | Jacobi's elliptic functions expressed as real and imaginary parts of $q$ -hypergeometric series with exponential argument (Heine) | 248 |
| 7.6      | The Jacobi triple product identity  | 248 |
| 7.7      | $q$ -contiguity relations   | 249 |
| 7.8      | Heine $q$ -transformations  | 250 |
| 7.8.1    | The $q$ -beta function  | 252 |
| 7.9      | Heine's $q$ -analogue of the Gauß summation formula   | 252 |
| 7.10     | A $q$ -analogue of the Pfaff-Saalschütz summation formula   | 255 |
| 7.11     | Sears' ${}_4\phi_3$ transformation  | 257 |
| 7.12     | $q$ -analogues of Thomae's transformations  | 258 |
| 7.13     | The Bailey-Daum summation formula   | 259 |
| 7.14     | A general expansion formula   | 260 |
| 7.15     | A summation formula for a terminating very-well-poised ${}_4\phi_3$ series  | 263 |
| 7.16     | A summation formula for a terminating very-well-poised ${}_6\phi_5$ series  | 265 |
| 7.17     | Watson's transformation formula for a terminating very-well-poised ${}_8\phi_7$ series  | 265 |
| 7.18     | Jackson's sum of a terminating very-well-poised balanced ${}_8\phi_7$ series  | 268 |
| 7.18.1   | Three corollaries   | 269 |
| 7.19     | Watson's proof of the Rogers-Ramanujan identities   | 269 |
| 7.20     | Bailey's 1929 transformation formula for a terminating, balanced, very-well-poised ${}_{10}\phi_9$                                | 272 |
| 7.21     | Watson's $q$ -analogue of the Barnes contour integral   | 274 |
| 7.22     | Three $q$ -analogues of the Euler integral formula for the function $\Gamma(x)$   | 275 |
| 7.23     | Inequalities for the $\Gamma_q$ function  | 276 |
| 7.24     | Summary of the umbral method  | 277 |
| <b>8</b> | <b>Sundry topics</b>  | 279 |
| 8.1      | Four $q$ -summation formulas of Andrews   | 279 |
| 8.2      | Some quadratic $q$ -hypergeometric transformations  | 287 |
| 8.3      | The Kummer ${}_2F_1(-1)$ formula and Jacobi's theta function  | 290 |
| 8.4      | Another proof of the $q$ -Dixon formula   | 292 |
| 8.5      | A finite version of the $q$ -Dixon formula  | 293 |
| 8.6      | The Jackson summation formula for a finite, 2-balanced, well-poised ${}_5\phi_4$ series   | 293 |
| 8.7      | The Jackson finite $q$ -analogue of the Dixon formula   | 294 |
| 8.8      | Other examples of $q$ -special functions  | 294 |
| 8.9      | $q$ -analogues of two formulas by Brown and Eastham   | 296 |

|           |   |            |
|-----------|---|------------|
| 8.10      | The $q$ -analogue of Truesdell's function . . . . .               | 297        |
| 8.11      | The Bailey transformation for $q$ -series . . . . .               | 298        |
| 8.12      | $q$ -Taylor formulas with remainder; the mean value theorem . . . | 300        |
| 8.12.1    | The mean value theorem in $q$ -analysis . . . . .                 | 303        |
| 8.13      | Bilateral series . . . . .  | 303        |
| 8.14      | Fractional $q$ -integrals . . . . .                               | 306        |
| <b>9</b>  | <b><math>q</math>-orthogonal polynomials</b> . . . . .            | <b>309</b> |
| 9.1       | Ciglerian $q$ -Laguerre polynomials . . . . .                     | 309        |
| 9.1.1     | The different Laguerre-philosophies . . . . .                     | 309        |
| 9.1.2     | The $q$ -Laguerre polynomials . . . . .                           | 310        |
| 9.1.3     | Generating functions and recurrences . . . . .                    | 312        |
| 9.1.4     | Product expansions . . . . .                                      | 318        |
| 9.1.5     | Bilinear generating functions . . . . .                           | 322        |
| 9.1.6     | Al-Salam operator expressions . . . . .                           | 326        |
| 9.1.7     | The $q$ -Laguerre Rodriguez operator . . . . .                    | 333        |
| 9.1.8     | $q$ -orthogonality . . . . .                                      | 337        |
| 9.2       | $q$ -Jacobi polynomials . . . . .                                 | 338        |
| 9.2.1     | Definition and the Rodriguez formula . . . . .                    | 338        |
| 9.2.2     | The $q$ -Jacobi Rodriguez operator . . . . .                      | 340        |
| 9.2.3     | More generating functions and recurrences . . . . .               | 348        |
| 9.2.4     | $q$ -orthogonality . . . . .                                      | 352        |
| 9.3       | $q$ -Legendre polynomials and Carlitz-Al-Salam polynomials . . .  | 355        |
| 9.3.1     | $q$ -Legendre polynomials . . . . .                               | 355        |
| 9.3.2     | Carlitz-Al-Salam polynomials . . . . .                            | 357        |
| <b>10</b> | <b><math>q</math>-functions of several variables</b> . . . . .    | <b>359</b> |
| 10.1      | The corresponding vector notation . . . . .                       | 359        |
| 10.2      | Historical introduction . . . . .                                 | 364        |
| 10.3      | Transformations for basic double series . . . . .                 | 370        |
| 10.3.1    | Double $q$ -balanced series . . . . .                             | 373        |
| 10.3.2    | Transformation formula of Carlitz-Srivastava . . . . .            | 375        |
| 10.3.3    | Three formulas of Andrews . . . . .                               | 377        |
| 10.3.4    | $q$ -Analogues of Carlson's formulas . . . . .                    | 378        |
| 10.4      | The $q$ -Appell function $\Phi_1$ as $q$ -integral . . . . .      | 381        |
| 10.5      | $q$ -analogues of some of Srivastava's formulas . . . . .         | 382        |
| 10.6      | Some $q$ -formulas of Srivastava . . . . .                        | 391        |
| 10.6.1    | Generating functions . . . . .                                    | 391        |
| 10.6.2    | Transformations . . . . .   | 393        |
| 10.6.3    | Double sum identities (Srivastava and Jain) . . . . .             | 394        |
| 10.7      | Two reduction formulas of Karlsson and Srivastava . . . . .       | 397        |
| 10.8      | $q$ -analogues of reducibility theorems of Karlsson . . . . .     | 399        |
| 10.9      | $q$ -Analogues of Burchall-Chaundy expansions . . . . .           | 401        |
| 10.9.1    | $q$ -analogues of Verma expansions . . . . .                      | 413        |
| 10.9.2    | A similar formula . . . . .                                       | 415        |
| 10.10     | Multiple extensions of the Rothe-von Gröuson-Gauß formula . . .   | 417        |

|           |  |            |
|-----------|--|------------|
| 10.11     | An expansion formula in the spirit of Chaundy . . . . .                                    | 421        |
| 10.12     | Formulas according to Burchnall-Chaundy and Jackson . . . . .                              | 422        |
| <b>11</b> | <b>Linear partial <math>q</math>-difference equations . . . . .</b>                        | <b>427</b> |
| 11.1      | Introduction . . . . .   | 427        |
| 11.2      | Canonical equations and symmetry techniques for $q$ -series<br>(Kalnins, Miller) . . . . . | 428        |
| 11.3      | $q$ -difference equations for $q$ -Appell and $q$ -Lauricella functions .                  | 432        |
| <b>12</b> | <b><math>q</math>-Calculus and physics . . . . .</b>                                       | <b>441</b> |
| 12.1      | The $q$ -Coulomb problem and the $q$ -hydrogen atom . . . . .                              | 441        |
| 12.2      | Connections to knot theory . . . . .   | 442        |
| 12.3      | General relativity . . . . .   | 442        |
| 12.4      | Molecular and nuclear spectroscopy . . . . .   | 442        |
| 12.5      | Elementary particle physics and chemical physics . . . . .                                 | 443        |
| 12.6      | Electroweak interaction . . . . .  | 444        |
| 12.7      | String theory . . . . .  | 444        |
| 12.8      | Wess-Zumino model . . . . .  | 445        |
| 12.9      | Quantum Chromodynamics . . . . .   | 446        |
|           | <b>References . . . . .</b>  | <b>447</b> |
|           | <b>Index before 1900 . . . . .</b>   | <b>467</b> |
|           | <b>Index after 1900 . . . . .</b>  | <b>469</b> |
|           | <b>Physics index . . . . .</b>   | <b>471</b> |
|           | <b>Name index before 1900 . . . . .</b>  | <b>473</b> |
|           | <b>Name index after 1900 . . . . .</b>   | <b>477</b> |
|           | <b>Name index Physics . . . . .</b>  | <b>481</b> |
|           | <b>Notation index Chapter 1, 2, 6–9 . . . . .</b>  | <b>483</b> |
|           | <b>Notation index Chapter 3 . . . . .</b>  | <b>485</b> |
|           | <b>Notation index Chapter 4, 5 . . . . .</b>   | <b>487</b> |
|           | <b>Notation index Chapter 10–11 . . . . .</b>  | <b>489</b> |
|           | <b>Notation index Chapter 12 . . . . .</b>   | <b>491</b> |

<http://www.springer.com/978-3-0348-0430-1>

A Comprehensive Treatment of q-Calculus

Ernst, Th.

2012, XVI, 492 p., Hardcover

ISBN: 978-3-0348-0430-1

A product of Birkhäuser Basel