

# Preface

With ever increasing global population, intense pressure is being exerted on the Earth's resources, leading to severe changes in its land cover (e.g., forests giving way to settlements), diminishing biodiversity and natural habitats, dwindling fresh water supplies and the degradation in the quality of the little that is available, and changing weather and climatic patterns, especially global warming with its associated predicted catastrophes such as rising sea level and increased numbers of extreme weather events. These human-induced and natural impacts on the environment need to be well understood in order to develop informed policies, decisions, and remedial measures to mitigate current and future negative impacts for the benefit of human society, and the natural world at large.

Such a situation calls for the continuous monitoring of the environment to acquire data that can be soundly and rigorously analyzed to provide information about the current state of the environment and its changing patterns, and to enable predictions of possible future impacts. Environmental monitoring techniques that may provide such information are under scrutiny from an increasingly environmentally conscious society that demands the efficient delivery of such information at a minimal cost. In addition, it is the nature of environmental changes that they vary both spatially and temporally, thereby putting pressure on traditional methods of data acquisition, some of which are very labour intensive, such as animal tracking for conservation purposes. With these challenges, conventional monitoring techniques, particularly those that record spatial changes, call for more sophisticated approaches that deliver the necessary information at an affordable cost. One direction being followed in the development of such techniques involves *satellite environmental monitoring*, which can act as stand-alone methods, or to complement traditional methods.

One of the most versatile means of using satellites for environmental monitoring involves global navigation satellite systems (GNSS), the general term for the US-based Global Positioning System (GPS), Russian's Global Navigation Satellite System (GLONASS), China's Beidou or Compass, and the European Galileo satellite systems. GNSS is a satellite tool with the capability of providing location (spatial) data, remote sensing of the Earth's atmosphere (temperature and

pressure) and surface, assisting in precise orbit determination of low earth orbiting environmental satellites, and supporting the tracking of elusive fresh underground and surface waters, among many other uses. Its spatial data are also integrable with other remote sensing, socio-economic, and field survey data through geographical information systems (GIS) to provide highly continuous real-time spatio-temporal dataset that are of enormous benefit to the emerging field of *geosensor-network* environmental monitoring discussed in [Sect. 14.1.2](#).

For example, *GNSS-based radio telemetry* is a modern method for observing animal movements, thereby moving the burden of making observations from the observer (i.e., researcher) to the observed (i.e., animal), and in so doing alleviating the difficulties associated with personal bias, animal reactions to human presence, and animal habits that make most of them secretive and unseen [1]. This method provides large, continuous, high-frequency data about animal movement, data which, if complemented by other information dealing with animal behaviour, physiology, and the environment itself, contributes significantly to our knowledge of the behaviour and ecological effects of animals, allowing the promotion of quantitative and mechanistic analysis [1]. Another very different example of the use of GNSS for environmental studies is its contribution to weather and climate change monitoring via the new field of *GNSS-meteorology*. Such methods are complimentary to traditional radiosonde techniques, which unfortunately inadequately cover the southern hemisphere and oceanic regions, while water vapor radiometers are adversely affected by clouds. In environmental impact assessment (EIA), strategic environmental assessment (SEA), and sustainability assessment (SA), GNSS methods provide maps, distances, and locations that help in decision making and also in the modelling of the impacts of policies. In epidemiology, GNSS is finding use in the study of the spread of infectious diseases and climate change effects on vector-borne diseases.

It is with this almost overwhelming variety of uses of GNSS for environmental monitoring in mind that this book is written, the purpose being to bring its theory and possible environmental monitoring applications together within one volume. It is hoped that environmentalists will be able to quickly find references to the theory of GNSS, while geodesists and others not specifically working in environmental fields will have numerous examples that could motivate further development of GNSS techniques for the benefit of environmental monitoring. For this reason, the book is divided into two parts. Part I deals with the basics of GNSS, while part II looks at its applications.

Thanks to C. Hirt, A. Elmowafy and J. Walker of Curtin University, C. Ogaja of California State University (Fresno), and G. Odhiambo of UAE University for their valuable comments on the initial chapters of the book. Special thanks to K. Fleming of GFZ-German Research Center for Geoscience (Germany) for sparing his time to proof read the book repeatedly without getting tired. Further thanks to him for providing many valuable comments and for preparing some figures of [Chap. 10](#). Several figures in this book have been generously provided by various authors. In this regard, I would like to thank D. Rieser (Graz University of Technology), M. Motagh (GFZ), M. Jia (Geoscience Australia), F. Urbano

(RICENRA, Edmund Mach Foundation, Italy), and R. Mikosz (Federal University of Pernambuco, Brazil). Some figures and materials also came from the work undertaken jointly with my colleagues B. Heck (Karlsruhe Institute of Technology, Germany), W. Featherstone, M. Kuhn, K. Fleming and I. Anjasmara (Curtin University), M. Sharifi (Tehran University), A. Hunegnaw (University of Edinburgh), O. Baur (Space Research Institute, Austrian Academy of Science), E. Forootan (Bonn University), J. Wickert, T. Schmidt (GFZ, Germany), JBK Kiema (University of Nairobi) and my students N. Wallace, Khandu, G. Schlotterer, M. Bingham, and T. Opande. To you all, “arigato gozaimasu” (Japanese for thank you very much). To all my Curtin University 3rd year (Satellite and Space Geodesy unit), and 2nd year (Civil Engineering) students who used materials from the draft book and provided feedback, I say “Danke sehr” (German for thank you very much).

I wish to express my sincere thanks to *Prof. B. Heck* of the Department of Physical Geodesy (Karlsruhe Institute of Technology, Germany) for hosting me during the period of my Alexander von Humboldt Fellowship (2008–2011) when part of this book was written. In particular, his ideas, suggestions and motivation on [Chaps. 9, 10, and 11](#) have enriched the book considerably. I am also grateful to *Prof. B. Veenendaal* (Head of Department, Spatial Sciences, Curtin University, Australia) and *Prof. F. N. Onyango* (former Vice Chancellor, Maseno University, Kenya) for the support and motivation that enabled the preparation of this edition. Last, but not least, I acknowledge the support of *Curtin Research Fellowship*, while my stay at Karlsruhe Institute of Technology (KIT) was supported by a *Alexander von Humboldt’s Ludwig Leichhardts Memorial Fellowship*. To all, I say, “ahsante sana” (Swahili for thank you very much). To my wife Naomi Awange and daughters Lucy Awange and Ruth Awange, may God bless you for your patience and support, especially the hard times that you endured while I was away in Germany. This is an Institute for Geoscience Research (TIGeR) publication No. 389.

Karlsruhe, Germany, October 2011

Joseph L. Awange

## Reference

1. Cagnacci F, Boitani L, Powell PA, Boyce MS (eds) (2010) Challenges and opportunities of using GPS-based location data in animal ecology. *Philos Trans R Soc B* (365):2155. doi: [10.1098/rstb.2010.0098](https://doi.org/10.1098/rstb.2010.0098)



<http://www.springer.com/978-3-540-88255-8>

Environmental Monitoring using GNSS  
Global Navigation Satellite Systems

Awange, J.L.

2012, XVIII, 382 p., Hardcover

ISBN: 978-3-540-88255-8