
Contents

1	Diffusion-Weighted Imaging: Acquisition and Biophysical Basis	1
	Javier Sánchez-González and Javier Lafuente-Martínez	
1.1	Diffusion-Weighted Imaging: Physical Basis and Types of Acquisition.	1
1.2	Fat Suppression Techniques	7
1.2.1	Advanced Fat Suppression Techniques	11
1.3	Motion Control	11
1.4	Non-Single-Shot EPI Acquisition.	11
	Further Reading	15
2	How to Identify and Avoid Artifacts on DWI	17
	Javier Sánchez-González	
2.1	Optimization of Signal to Noise Ratio	17
2.2	Geometrical Distortion Artifacts	22
2.3	Motion Artifacts	22
2.4	Eddy Currents Artifacts	22
2.5	Fat Suppression Artifacts	22
2.6	Dielectric Shielding Artifacts	28
2.7	Tips in DWI Sequence Design for Body Applications.	28
	Further Reading	31
3	Quantification and Postprocessing of DWI	33
	Javier Sánchez-González and Antonio Luna	
3.1	Biophysical Basis	33
3.2	Estimation of Quantitative Data	33
3.2.1	ADC and eADC Estimation with Two and Multiple b -Values.	33
3.2.2	Multiexponential Modeling of Diffusion	35
3.2.3	Diffusion Tensor Imaging.	37
3.3	DWI Analysis and Postprocessing	39
3.3.1	Diffusion Registration.	39
3.3.2	DWI Analysis and Postprocessing	39
3.3.3	ADC Analysis.	41
	Further Reading	48

4	DWI at 3 T: Advantages, Disadvantages, Pitfalls, and Advanced Clinical Applications	51
	Javier Sánchez-González and Antonio Luna	
4.1	DWI at 3 T	51
4.1.1	Advanced Clinical Applications at 3 T Magnets	52
4.2	Pitfalls in DWI	66
4.2.1	T2 Shine-Through	66
4.2.2	T2 Dark-Through	66
4.2.3	Restriction of Normal Structures	68
4.2.4	Iron Overload	68
4.2.5	Nonmalignant Lesions with Apparent Restrictions on DWI	68
4.2.6	Tumors with Low Cellular Density	70
4.3	Conclusions	72
	Further Reading	72
5	DWI of the Liver	75
	Antonio Luna and Luis Luna	
5.1	Background	75
5.2	DWI: Basic Concepts	75
5.3	DWI: Basic Sequence Design	75
5.4	Quantification	80
5.5	Other Techniques	81
5.6	Clinical Applications in Liver Disease	81
5.6.1	Focal Liver Lesion Detection	81
5.6.2	Characterization of Focal Liver Lesions	83
5.6.3	Benign Focal Liver Lesions	84
5.6.4	Malignant Focal Liver Lesions	85
5.6.5	Focal Liver Lesions in the Cirrhotic Liver	86
5.6.6	Monitoring Response to Treatment	90
5.6.7	Diffuse Liver Disease	90
5.7	Conclusions	96
	Further Reading	96
6	Diffusion-Weighted MR Imaging of the Pancreas	99
	Jorge A. Soto, German A. Castrillon, Stephan Anderson, and Nagaraj Holalkere	
6.1	Introduction	99
6.2	Pancreatic Cancer	100
6.3	Cystic Masses	100
6.4	Other Applications	100
6.5	Biliary Tract	101
	Case 6.1: Mass-Forming Focal Pancreatitis	102
	Case 6.2: Pancreatic Ductal Adenocarcinoma	104
	Case 6.3: Serous Cystadenoma	106
	Case 6.4: Pancreatic Pseudocyst	108
	Case 6.5: Von Hippel Lindau Disease with Simple Pancreatic Cysts	110

Case 6.6: Mucinous Cystadenoma	112
Case 6.7: Intraductal Papillary Mucinous Neoplasm	114
Case 6.8: Sclerosing Pancreatitis and Peripancreatic Collection	116
Case 6.9: Hilar Cholangiocarcinoma	118
Case 6.10: Acute Cholecystitis	120
Further Reading	122
 7 Diffusion-Weighted MR Imaging of the Renal and Adrenal Glands	 123
Nagaraj Holalkere, Stephan Anderson, and Jorge A. Soto	
7.1 Introduction.	123
7.2 Technique	123
7.3 Renal DWI	124
7.4 Adrenal DWI.	125
Case 7.1: Papillary Cell Carcinoma	126
Case 7.2: Cystic Clear Cell Carcinoma.	128
Case 7.3: Hemorrhagic Renal Cyst.	130
Case 7.4: Lymph Node Metastasis	132
Case 7.5: Alternative to Contrast-Enhanced MR Imaging	134
Case 7.6: Recurrent Renal Cancer	136
Case 7.7: Adrenal Metastatic Lesion	137
Case 7.8: Lipid Rich Adrenal Adenoma.	139
Case 7.9: Adrenal Hematoma.	141
Case 7.10: Collision Tumor	142
Further Reading	144
 8 Diffusion-Weighted Imaging of Prostate, Bladder, and Retroperitoneum	 145
Joan C. Vilanova, Roberto García-Figueiras, Joaquim Barceló, and Antonio Luna	
8.1 DWI of Prostate	145
8.1.1 Biophysical Basis	145
8.1.2 Technical Adjustments	145
8.1.3 DWI of the Prostate at 3 T	146
8.1.4 Benign Conditions	146
8.1.5 Cancer Detection	147
8.1.6 Cancer Localization	147
8.1.7 Tumoral Grading and Local Staging (T-Staging)	148
8.1.8 N and M Staging.	148
8.1.9 Posttreatment Monitorization, Detection of Recurrence, and Prediction of Response to Treatment.	148
8.1.10 Diffusion Tensor Imaging (DTI).	149
8.2 Applications of DWI in Bladder Cancer.	150
8.3 Assessment of the Retroperitoneum with DWI	150
Case 8.1: Evaluation of Prostatic Cancer with DWI at 3 T Magnet.	151
Case 8.2: Chronic Prostatitis.	154

Case 8.3:	Central Gland Prostate Cancer	156
Case 8.4:	Bilateral Peripheral Prostate Cancer	158
Case 8.5:	Seminal Vesicles Infiltration	160
Case 8.6:	Monitorization of Response to Hormonal Therapy in a Patient with Prostate Cancer and Metastatic Pelvic Lymph Nodes	162
Case 8.7:	Local Recurrence After Brachytherapy	164
Case 8.8:	Local Recurrence After Radical Prostatectomy	166
Case 8.9:	Bladder Carcinoma	169
Case 8.10:	Recurrent Retroperitoneal Leiomyosarcoma	172
	Further Reading	174
9	Use of DWI in Female Pelvis	177
	German A. Castrillon, Stephan Anderson, Nagaraj Holalkere, and Jorge A. Soto	
9.1	Introduction.	177
9.2	Normal Appearance of Uterus and Cervix on DWI	177
9.3	Clinical Applications	178
9.3.1	Cervical Carcinoma	178
9.3.2	Endometrial Cancer	178
9.3.3	Myometrium	179
9.3.4	Characterization of Ovarian Masses	180
9.3.5	Assessment of Peritoneal Spread of Ovarian Carcinoma	180
9.3.6	Vagina and Vulva	180
Case 9.1:	Residual Cervical Carcinoma	181
Case 9.2:	Characterization of Endometrial Adenocarcinoma.	183
Case 9.3:	Early Endometrial Adenocarcinoma	185
Case 9.4:	Adenomyosis.	187
Case 9.5:	Uterine Leiomyoma	189
Case 9.6:	Adnexal Endometrioma	191
Case 9.7:	Ovarian Fibroma	193
Case 9.8:	Didelphus Uterus and Ovarian Dermoid Tumor	195
Case 9.9:	Ovarian Carcinoma	197
Case 9.10:	Vulvar Sarcoma	199
	Further Reading	200
10	DWI of the Breast	203
	Joaquim Barceló, Joan C. Vilanova, and Antonio Luna	
10.1	Introduction.	203
10.2	Quantification in Breast DWI	203
10.3	Assessment of Breast Lesions	204
10.4	Technical Considerations of Breast DWI	205
10.5	Breast Cancer: Monitorization and Prediction of Response to Treatment with DWI	206
10.6	Breast Cancer: Screening and Staging with DWI.	206
Case 10.1:	Invasive Ductal Carcinoma	208
Case 10.2:	Pure Mucinous Carcinoma	210
Case 10.3:	Ductal Carcinoma In Situ	211
Case 10.4:	Fibroadenoma	214
Case 10.5:	Borderline Phyllodes Tumor	215
Case 10.6:	Infiltrating Lobulillar Carcinoma	217

Case 10.7: Invasive Lobulillar Carcinoma – IVIM Approach	219
Case 10.8: Post-treatment Monitorization of Lobulillar Carcinoma.	222
Case 10.9: Post-treatment Monitorization of Multifocal Infiltrating Ductal Carcinoma	225
Case 10.10: Recurrent Invasive Ductal Carcinoma.	227
Further Reading	228
11 Diffusion-Weighted Imaging of the Gastrointestinal Tract and Peritoneum	231
German A. Castrillon, Stephan Anderson, Jorge A. Soto, and Antonio Luna	
11.1 Malignant Lesions of GI Tract on DWI	231
11.1.1 Colorectal Carcinoma	232
11.1.2 Stomach	232
11.1.3 Small Bowel Tumors	233
11.1.4 Esophagus	234
11.2 Inflammatory Diseases	234
11.2.1 Acute Appendicitis	235
11.2.2 Acute Diverticulitis	236
11.2.3 Colitis and Enteritis	236
11.2.4 Epiploic Appendagitis and Omental Infarction	236
11.3 Evaluation of the Peritoneum	237
Case 11.1: Colon Carcinoma	238
Case 11.2: Gastric Carcinoma.	240
Case 11.3: Gastric Lymphoma	240
Case 11.4: Duodenal Non-Hodgkin Lymphoma.	243
Case 11.5: Esophageal Carcinoma	245
Case 11.6: Acute Appendicitis	246
Case 11.7: Acute Diverticulitis with Abscess Formation	247
Case 11.8: Crohn's Disease – Active Inflammation	249
Case 11.9: Crohn's Disease: Fibrostenotic Stage	250
Case 11.10: Peritoneal Metastases of Ovarian Carcinoma	252
Further Reading	253
12 Diffusion-Weighted Imaging of Anorectal Region	255
Lidia Alcalá, Teodoro Martín, and Antonio Luna	
12.1 Technical Considerations	255
12.2 Clinical Applications	255
12.2.1 Rectal Cancer Detection	255
12.2.2 Rectal Cancer Staging	256
12.2.3 Prediction of Rectal Cancer Outcome and Early Detection of Tumor Response	256
12.2.4 Posttreatment Restaging and Detection of Recurrence	257
12.2.5 Applications of DWI in Other Rectal Tumors	257
12.2.6 Inflammatory Conditions	258
12.2.7 Evaluation of Fistula-In-Ano	258
12.3 Conclusions.	258
Case 12.1: T1-Stage Concurrent Carcinomatous Rectal Polyps.	259
Case 12.2: Detection of Mesorectal Lymphadenopathies Using DWI	261

Case 12.3:	Prediction of Response to Neoadjuvant Treatment.	263
Case 12.4:	Mucinous Adenocarcinoma of the Rectum with Poor Response to Treatment	265
Case 12.5:	Diagnosis and Monitoring of Presacral Recurrence of Rectal Carcinoma	267
Case 12.6:	Cystic Retrorectal Hamartoma or Tailgut Cyst.	269
Case 12.7:	Monitorization of Response to Treatment with Imatinib of a Rectal GIST.	270
Case 12.8:	Perirectal Abscess Secondary to Postsurgical Dehiscence of Sutures.	273
Case 12.9:	Complicated Acute Diverticulitis	275
Case 12.10:	Crohn's Disease and Perianal Fistulas	276
	Further Reading	277

13	Diffusion-Weighted Imaging in the Evaluation of Lung, Mediastinum, Heart, and Chest Wall.	279
	Antonio Luna, Teodoro Martín, and Javier Sánchez González	
13.1	Introduction.	279
13.2	Technical Considerations	279
13.3	Clinical Applications	280
13.3.1	Detection of Pulmonary Nodules	280
13.3.2	Pulmonary Nodule Characterization.	280
13.3.3	Lung Cancer Evaluation	280
13.3.4	Staging of NSCLC with DWI.	281
13.3.5	Mediastinum	282
13.3.6	Pleural Disease	282
13.3.7	Hyperpolarized Gases DWI	282
13.3.8	Chest Wall.	282
13.3.9	Cardiac DWI and DTI.	283
13.4	Conclusions.	283
Case 13.1:	Synchronization on Chest DWI	284
Case 13.2:	Pulmonary Metastasis of Renal Cell Carcinoma	286
Case 13.3:	Solitary Benign Lung Nodule in an Asymptomatic Patient	288
Case 13.4:	Histological Grading and Prediction of Response and Posttreatment Monitorization of Lung Adenocarcinoma.	290
Case 13.5:	Distinction of Central Bronchogenic Carcinoma and Peripheral Obstructive Atelectasis	292
Case 13.6:	Staging and Posttreatment Monitorization of Small Cell Lung Carcinoma	294
Case 13.7:	Exudative Pleural Effusion	297
Case 13.8:	Chronic and Occult Acute Rib Fractures	299
Case 13.9:	Pericardial Neuroblastoma	301
Case 13.10:	Ex Vivo DTI of a Pig Heart.	303
	Further Reading	305

14 Role of DWI in the Evaluation of Tumors of the Head and Neck and in the Assessment of Lymph Nodes	307
Inmaculada Rodriguez, Teodoro Martín, and Antonio Luna	
14.1 DWI in Head and Neck Regions	307
14.1.1 Technical Aspects and Field-Strength	307
14.1.2 Characterization of Benign and Malignant Tumors	308
14.1.3 Salivary Gland Tumors	309
14.1.4 Monitoring and Predicting Response to Treatment	309
14.1.5 Detection of Recurrence	310
14.2 Evaluation of Lymph Nodes With DWI	310
14.2.1 Evaluation of Cervical Lymph Nodes	310
14.2.2 DWI of Lymph Nodes in Chest, Abdomen, and Pelvis	311
Case 14.1: Intraorbital Metastasis from Retroperitoneal Leiomyosarcoma	312
Case 14.2: Oropharynx Cancer with Nodal Metastases	314
Case 14.3: Superficial Giant Neurofibroma	317
Case 14.4: Cervical Esophageal Cancer	319
Case 14.5: Recurrent Lingual Carcinoma	321
Case 14.6: Cellulitis and Sialadenitis of Parotid Gland with Abscess Formation	325
Case 14.7: Nodal and Local Recurrence of Parotid Squamous Cell Carcinoma	327
Case 14.8: Posttreatment Monitorization and Prediction of Response to Treatment of Occult Cavum Carcinoma with Metastatic Cervical Lymph Nodes	329
Case 14.9: Nodal Metastasis in the Neck from Squamous Cell Carcinoma	333
Case 14.10: Vertebral, Nodal, and Peritoneal Metastases of Surgically Removed Endometrial Cancer	335
Further Reading	337
15 Musculoskeletal Applications of DWI	339
Joan C. Vilanova, Sandra Baleato, and Elda Balliu	
15.1 DWI Sequences	339
15.2 Clinical Applications	340
15.2.1 Bone Marrow Assessment	340
15.2.2 Evaluation of the Spine	340
15.2.3 Soft-tissue Tumors	340
15.2.4 Posttreatment Monitorization	341
15.2.5 Infection and Inflammation	342
15.2.6 Bone Ischemia and Trauma	342
15.2.7 Cartilage	342
15.3 New Approaches to DWI of the Musculoskeletal System	342
Case 15.1: Bone Plasmacytoma	343
Case 15.2: Benign Vertebral Fracture	346
Case 15.3: Spondylodiscitis	348
Case 15.4: Liposclerosing Myxofibrous Tumor	350

Case 15.5: Chronic Popliteal Cyst	352
Case 15.6: Recurrent Malignant Soft Tissue Tumor.	354
Case 15.7: Postsurgical Follow-up of Degenerative Disk Disease	356
Case 15.8: Diabetic Osteomyelitis and Neuropathic Foot	358
Case 15.9: Pelvic Abscesses Secondary to Symphysis Pubis Septic Arthritis and Osteomyelitis	360
Case 15.10: Rheumatoid Arthritis.	362
Further Reading	364
16 Whole-Body Applications of DWI	365
Joan C. Vilanova, Sandra Baleato, Joaquim Barceló, and Antonio Luna	
16.1 General and Technical Considerations	365
16.2 Oncological Applications	366
16.3 Comparison of WB-DWI to PET and PET-CT.	367
16.4 Non Oncological Applications	368
Case 16.1: Multifocal Bone Tuberculosis.	369
Case 16.2: Bone Metastases from Breast Cancer	372
Case 16.3: Bone and Lymph Node Metastases from Prostate Cancer . .	374
Case 16.4: Multiple Myeloma.	376
Case 16.5: Bone Metastases from Unknown Primary	378
Case 16.6: Liver and Bone Metastases from Lung Cancer.	380
Case 16.7: Search for the Primary Neoplasm in a Patient with Hepatic Metastases	382
Case 16.8: Staging and Posttreatment Monitorization of Non-Hodgkin Lymphoma in a Pregnant Woman	385
Case 16.9: Unique Spleen Metastasis from Rectal Cancer.	387
Case 16.10: Neurofibromatosis Type 1	389
Further Reading	392
Index	395

Diffusion MRI Outside the Brain

A Case-Based Review and Clinical Applications

Luna, A.; Ribes, R.; Soto, J.A.

2012, XXI, 400 p., Hardcover

ISBN: 978-3-642-21051-8