

Contents

NetLogo Syntax Glossary	xxvii
--------------------------------------	-------

NetLogo Parameters Glossary	xxix
--	------

Part I Introduction

1 Nature Is Lazy	3
William M. Spears	
1.1 What Are Swarms?	3
1.2 Why Do We Care About Swarms?	4
1.3 What Is the Modern History of Swarms?	7
1.4 Why Do We Need Physicomimetics?	9
1.5 Where Did Physicomimetics Come From?	13
1.6 What Is This Book About?	18
1.6.1 A Holistic View	19
1.6.2 An Atomistic View	20
1.7 Where Do We Go From Here?	24
2 NetLogo and Physics	27
William M. Spears	
2.1 A Spring in One Dimension	27
2.1.1 NetLogo Details and Newtonian Physics	32
2.1.2 Conservation Laws	38
2.2 A Spring in Two Dimensions	42
2.3 A Simple Solar System	47
3 NetLogo and Physicomimetics	55
William M. Spears	
3.1 Biomimetic Formations	55
3.2 Physicomimetic Formations	65
3.2.1 Hooke's Law for Triangular Formations	67

3.2.2	Newton's Gravitational Force Law for Triangular Formations	73
3.2.3	Newton's Gravitational Force Law for Square Formations	77
3.2.4	Newton's Gravitational Force Law for Honeycomb Formations	82
3.3	Physicomimetics for Moving Formations	84
3.4	Hardware Requirements	90
3.5	Summary	92
4	Pushing the Envelope	93
	William M. Spears	
4.1	Perfect Formations	93
4.2	Chain Formations	100
4.3	Uniform Coverage	107
4.4	Couette Flow	116
4.5	Summary	124
 Part II Robotic Swarm Applications		
5	Local Oriented Potential Fields: Self Deployment and Coordination of an Assembling Swarm of Robots	129
	Andrea Bravi, Paolo Corradi, Florian Schlachter, and Arianna Menciassi	
5.1	Introduction	129
5.2	Methods	131
5.2.1	Behavioral Coordination	131
5.2.2	Local Oriented Potential Fields	132
5.3	Applications	133
5.3.1	Local Oriented Potential Fields for Deployment	133
5.3.2	Achieving Behavioral Coordination	136
5.4	Experimental Results	137
5.5	Discussion	142
5.5.1	Deployment Properties	142
5.5.2	Sensorial and Actuate Properties	143
5.5.3	Behavioral Coordination, Physicomimetics, and LOPFs	143
5.6	Conclusions	144
6	Physicomimetics for Distributed Control of Mobile Aquatic Sensor Networks in Bioluminescent Environments	145
	Christer Karlsson, Charles Lee Frey, Dimitri V. Zarzhitsky, Diana F. Spears, and Edith A. Widder	
6.1	Introduction	145
6.2	Background on Bioluminescence	146
6.2.1	The Coastal Bioluminescence Application	148

6.2.2	Tasks Within This Application	149
6.3	NetLogo Bioluminescence Simulator	151
6.3.1	Simulating Dinoflagellates Using NetLogo Patches . .	152
6.3.2	Simulating the Autonomous Surface Vehicles	157
6.3.3	Seeking the Maximum or the Minimum	157
6.3.4	Seeking the Goal	160
6.3.5	Graphical User Interface and Parameters	161
6.3.6	Theory for Setting Parameters	165
6.3.7	Experimental Performance on the Two Tasks	167
6.4	Multi-drone Simulator (MDS) for the Bioluminescence Application	179
6.4.1	Motivation	179
6.4.2	MDS Architecture	181
6.4.3	Using the MDS	187
6.5	Hardware Drone ASV Platforms	187
6.5.1	Hardware Objectives	187
6.5.2	Drone Specifications	189
6.5.3	Testing in Florida's Waters	191
6.6	Chapter Summary	191
7	Gas-Mimetic Swarms for Surveillance and Obstacle Avoidance . . .	193
	Wesley Kerr	
7.1	Introduction	193
7.2	The Coverage Task	194
7.3	Physics-Based Swarm System Design	195
7.4	Kinetic Theory	197
7.4.1	Robot–Wall Collisions	201
7.4.2	Robot–Robot Collisions	203
7.5	Theoretical Predictions	205
7.6	Experiment 1: Spatial Distribution	208
7.7	Experiment 2: Average Speed	209
7.8	Experiment 3: Velocity Distribution	210
7.9	Summary of Theoretical/Empirical Comparisons	213
7.10	Performance Evaluation Algorithms	213
7.10.1	Default Controller	213
7.10.2	Ant Controller	214
7.11	Performance Evaluation: Experimental Setup	215
7.12	Performance Evaluation: Experimental Results	216
7.12.1	Temporal Coverage (w) Results	216
7.12.2	Total Spatial Coverage (p_c) Results	218
7.12.3	Shadow Coverage (p_s) Results	219
7.13	Performance Evaluation: Conclusions	220
7.14	Summary and Future Work	221

8	A Multi-robot Chemical Source Localization Strategy Based on Fluid Physics: Theoretical Principles	223
	Diana F. Spears, David R. Thayer, and Dimitri V. Zarzhitsky	
8.1	Introduction	223
8.2	Background	225
8.2.1	Brief Overview of the Chemical Source Localization Task	225
8.2.2	Fluid Dynamics As a Physicomimetic Foundation for Solving the Task	226
8.2.3	The Chemical Source Localization Task and Its Subtasks	229
8.2.4	Applying Swarms of Robots to the Task	231
8.3	Prior Research on Biomimetic Chemical Plume Tracing	233
8.3.1	Chemotaxis	234
8.3.2	Anemotaxis	234
8.3.3	Hybrid Strategies	235
8.4	Physicomimetic Chemical Source Localization Algorithm	235
8.4.1	Emitter Identification Based on Fluid Dynamics	236
8.4.2	Deriving Our Fluxotaxis Swarm Navigation Strategy from the Emitter Signature	238
8.5	Theoretical Comparisons of Biomimetic and Physicomimetic Approaches to the Task	240
8.5.1	Anemotaxis Versus Fluxotaxis	241
8.5.2	Chemotaxis Versus Fluxotaxis	242
8.5.3	The Continuous Emitter Case	244
8.5.4	The Single-puff Emitter Case	246
8.6	Summary and Conclusions	249
9	A Multi-robot Chemical Source Localization Strategy Based on Fluid Physics: Experimental Results	251
	Dimitri V. Zarzhitsky	
9.1	Introduction	251
9.2	Motivation and Background	253
9.2.1	Chemical Plume	255
9.2.2	CPT Algorithms	257
9.2.3	Fluxotaxis for CPT	258
9.3	Numerical Model of the Chemical Plume	260
9.3.1	Advection Due to Wind	263
9.3.2	Mixing Due to Random Velocity	263
9.3.3	Growth Due to Diffusion	263
9.3.4	Density Computation	264
9.4	Swarms of Chemical Plume-Tracing Robots	264
9.4.1	Physicomimetics Control Architecture	265
9.4.2	Simulated Environment	266
9.4.3	General Implementation Details	267

9.4.4	Seven-robot Lattice Implementation	269
9.4.5	Large Swarm Implementation	275
9.5	Seven-robot CPT Study	281
9.5.1	Experiment in an Unobstructed Environment	281
9.5.2	Experiment in an Obstructed Environment	284
9.6	CPT Study of a Large Decentralized Swarm	287
9.6.1	Experiment with Increasing Number of Obstacles	287
9.6.2	Experiment with Increasing Swarm Size	292
9.7	Lessons Learned	295

Part III Physicomimetics on Hardware Robots

10	What Is a Maxelbot?	301
	Paul M. Maxim	
10.1	Introduction	301
10.2	Localization	301
10.3	Triangulation Versus Trilateration	302
10.4	Our Trilateration Approach	303
10.5	Trilateration Implementation	305
10.5.1	Measuring Distance	305
10.5.2	SRF04 Ultrasonic Range Finder	305
10.5.3	Our Prototype XSRF	307
10.5.4	Trilateration Module	314
10.6	Trilateration Evaluation	319
10.6.1	Trilateration Accuracy Experiment	320
10.7	Synchronization Protocol	320
10.7.1	High-Level Protocol Description	321
10.7.2	Low-Level Protocol Description	322
10.7.3	Protocol Recovery	324
10.8	Maxelbot	325
10.8.1	Centralized Versus Modularized	325
10.8.2	Inter-Integrated Circuit I ² C Bus	326
10.8.3	Trilateration Module Connectivity	327
10.8.4	Mobile Robot Platform	330
10.8.5	PIC-Based Controller Board	331
10.9	Add-Ons	333
10.9.1	Obstacle Detection Module	333
10.9.2	LCD	335
10.9.3	Digital Compass	336
10.9.4	Digital Temperature Sensor	336
10.9.5	Serial Over Bluetooth	337
10.10	Summary	337

11	Uniform Coverage	341
	Paul M. Maxim	
11.1	Introduction	341
11.2	Simulation	342
11.2.1	Environment Setup	342
11.2.2	Configuration and Control	343
11.2.3	Kullback–Leibler Divergence	344
11.2.4	Markov Chain Analysis	345
11.2.5	First Algorithm	347
11.2.6	Environments	347
11.2.7	Second Algorithm	348
11.3	Derivation of the Mean Free Path	349
11.4	Further Confirmation	352
11.5	Theory for Multiple Robots	353
11.6	Hardware Implementation	353
11.6.1	Square Environment	356
11.6.2	Rectangular Environment	359
11.6.3	L-Shaped Environment	363
11.7	Summary	366
12	Chain Formations	367
	Paul M. Maxim	
12.1	Introduction	367
12.2	Modification to the Force Law	368
12.3	Backflow Force	370
12.4	Front Tangential Force	371
12.5	Parameter Optimization with Evolutionary Algorithms	371
12.6	Simulation	372
12.6.1	A Maxelbot-Faithful Simulation Engine	373
12.6.2	Performance Metrics	379
12.6.3	Experimental Test Environments	381
12.6.4	Experimental Design	381
12.6.5	Experiment I: Variable Number of Robots	383
12.6.6	Experiment II: Effect of Motor and Sensor Noise	384
12.6.7	Experiment III: Robustness	386
12.6.8	Backflow Force Analysis	388
12.6.9	Analysis of an Ideal Chain Formation	388
12.7	Hardware Implementation	390
12.7.1	Modified Communication Protocol	391
12.7.2	Real-Time Graphical Representation Tool	395
12.7.3	Connectivity Options	396
12.7.4	Communication Protocol Performance Analysis	397
12.7.5	Static Maxelbot Experiments	398
12.7.6	Dynamic Maxelbot Experiments	404
12.8	Summary and Conclusions	412

13	Physicomimetic Motion Control of Physically Constrained Agents	413
	Thomas B. Apker and Mitchell A. Potter	
13.1	Introduction	413
13.1.1	Challenges for Physical Implementation	414
13.1.2	Defining Physically Useful Artificial Physics	414
13.2	The Extended Body Control Problem	415
13.2.1	Reachable Space for Real Vehicles	418
13.2.2	Case Study: Wheeled Robots	422
13.2.3	Case Study: Fixed-Wing UAV	426
13.2.4	Summary	429
13.3	Beyond Point-Mass Particles	429
13.3.1	Incorporating Vehicle Heading	429
13.4	Multi-particle Agents	431
13.4.1	Case Study: Wheeled Robot	432
13.4.2	Case Study: Fixed-Wing UAV	434
13.5	Conclusions	435

Part IV Prediction, Adaptation, and Swarm Engineering

14	Adaptive Learning by Robot Swarms in Unfamiliar Environments	441
	Suranga Hettiarachchi	
14.1	Introduction	441
14.2	Adaptive Swarms	442
14.3	Lennard-Jones Force Law	443
14.4	Swarm Learning: Offline	444
14.5	The DAEDALUS Paradigm	453
14.6	Swarm Learning: Online	454
14.7	Robot Learning with Obstructed Perception	458
14.8	Survival Through Cooperation	460
14.8.1	Initial Experiments	460
14.8.2	Survival in High Obstacle Density Environments	466
14.9	Summary of Research	470
14.10	Related Work	470
14.11	Future Work	472
15	A Statistical Framework for Estimating the Success Rate of Liquid-Mimetic Swarms	475
	Diana F. Spears, Richard Anderson-Sprecher, Aleksey Kletsov, and Antons Rebguns	
15.1	Introduction	475
15.1.1	The Main Idea and Research Goals	476
15.1.2	Success Probability and Risk Assessment	476
15.1.3	Scouts for Assessing Risk	477
15.1.4	Physicomimetics As the Control Algorithm	477
15.1.5	Case Study: Navigation Through Obstacles	478
15.1.6	Chapter Outline	479

15.2	A Brief Review of Probability	479
15.2.1	Probability and Uncertainty	480
15.2.2	Bernoulli Trials and the Binomial Probability Distribution	480
15.2.3	Bayes' Theorem for Calculating the Posterior Probability	482
15.3	Statistical Scouts Framework for Risk Assessment	483
15.3.1	Stochastic Predictions of Success: From Scouts to Swarms	483
15.3.2	The Standard Bernoulli Trials Formula	484
15.3.3	Our Novel Bayesian Formula	484
15.4	Swarm Navigation Simulator	486
15.5	Experimental Design	488
15.5.1	The Environments and the Prior Distribution for the Bayesian Formula	489
15.5.2	Experimental Parameters	490
15.5.3	The Performance Metric	491
15.6	The Experimental Algorithms	492
15.7	Experimental Hypotheses and Results	493
15.8	Experimental Conclusions	500
15.9	The Role of Physicomimetics	501
15.10	Issues for Porting to Real Robots	502
15.11	Summary	502
16	Physicomimetic Swarm Design Considerations: Modularity, Scalability, Heterogeneity, and the Prediction Versus Control Dilemma	505
	R. Paul Wiegand and Chris Ellis	
16.1	Introduction	505
16.2	Existing Swarm Engineering Approaches	507
16.3	Heterogeneous Behaviors	508
16.3.1	Physicomimetics	509
16.3.2	Differentiating Particle Types	510
16.3.3	Virtual Particles	511
16.3.4	Differentiating Interaction Types	511
16.4	Heterogeneous Problems	512
16.4.1	Example: Centralized Resource Protection	512
16.4.2	Example: Multi-field Surveillance	514
16.4.3	Example: Covert Tracking	515
16.5	Designing Modular and Scalable Heterogeneous Swarms	516
16.5.1	Graph-Based Interaction Design	516
16.5.2	Design Modularity via Index Variables	517
16.5.3	Behavior Modularity via Wildcard Indices	518
16.5.4	Designing for Scalability with Interaction Models	519
16.5.5	Example Interaction Model	519

16.5.6	Unit Testing the Behavior Modules	522
16.6	The Prediction Versus Control Dilemma	523
16.6.1	Modeling Natural Phenomena	523
16.6.2	Control Input	524
16.6.3	Summarizing: Three Sources of Challenges	525
16.6.4	Testing Strategies for Agents with Constrained Motion	525
16.7	Conclusions	526
17	Using Swarm Engineering to Design Physicomimetic Swarms	529
	Sanza Kazadi	
17.1	Introduction	529
17.2	Swarm Engineering	531
17.3	Swarm Engineering Artificial Physics Systems	535
17.3.1	Microtheory	536
17.3.2	Lowest Energy Configuration	540
17.3.3	Transitioning Between Minima	541
17.4	Simulation	541
17.4.1	Description of the Simulation	542
17.4.2	Swarm Control Method 1	544
17.4.3	Swarm Control Method 2	547
17.5	The Quark Model	548
17.5.1	Simple Lossless Flocks	550
17.5.2	Directional Coherent Flocking	552
17.5.3	Directional Coherent Flocking in the Presence of Obstacles	554
17.5.4	Quark Model	555
17.6	Discussion	559
17.7	Conclusion	560

Part V Function Optimization

18	Artificial Physics Optimization Algorithm for Global Optimization	565
	Liping Xie, Ying Tan, and Jianchao Zeng	
18.1	Introduction	565
18.2	Motivation	567
18.3	General Framework of the APO Algorithm	570
18.3.1	APO Framework	570
18.3.2	Force Law Design	572
18.3.3	Mass Function Selection	579
18.4	Convergence Analysis of the APO Algorithm	581
18.4.1	Convergence Analysis	582
18.4.2	Guidelines for Selecting G	584
18.5	Improvements to APO	585
18.5.1	An Extended APO	585
18.5.2	A Vector Model of APO	587

18.5.3	Local APO	589
18.6	Conclusions and Future Work	589
19	Artificial Physics for Noisy Nonstationary Environments	591
	William M. Spears	
19.1	Artificial Physics Optimization and Tracking	591
19.2	NetLogo Implementation of APO	593
19.3	Comparison of APO and PSO	600
19.3.1	Comparison of APO and PSO in Two Dimensions ..	601
19.3.2	Comparison of APO and PSO in Higher Dimensions	606
19.4	Summary	612
A	Anomalous Behavior of the <code>random()</code> Number Generator	615
	William M. Spears and Derek T. Green	
Index	623
References	629

Physicomimetics

Physics-Based Swarm Intelligence

Spears, W.M.; Spears, D.F. (Eds.)

2012, XXX, 646 p. With online files/update., Hardcover

ISBN: 978-3-642-22803-2