

Contents

**Part I Introductory Concepts, Characterization
and Optimization Strategies**

| | |
|---|-----------|
| 1 Fundamentals of Femtosecond Laser Modification of Bulk Dielectrics | 3 |
| Shane M. Eaton, Giulio Cerullo, and Roberto Osellame | |
| 1.1 Introduction | 3 |
| 1.2 Femtosecond Laser–Material Interaction | 4 |
| 1.2.1 Free Electron Plasma Formation | 4 |
| 1.2.2 Relaxation and Modification | 7 |
| 1.3 Exposure Variables and Considerations..... | 11 |
| 1.3.1 Focusing | 11 |
| 1.3.2 Writing Geometry..... | 13 |
| 1.3.3 Influence of Exposure Variables Within Low- and High-Repetition Rate Regimes | 14 |
| 1.4 Summary | 16 |
| References | 16 |
| 2 Imaging of Plasma Dynamics for Controlled Micromachining..... | 19 |
| Jan Siegel and Javier Solis | |
| 2.1 Introduction | 19 |
| 2.2 Assessment of the Interaction of Ultrashort Pulses with Dielectrics Using Optical Probes | 20 |
| 2.2.1 Interaction Mechanisms and Characteristic Time Scales | 20 |
| 2.2.2 Time-resolved Optical Techniques | 22 |
| 2.2.3 Exploiting Spatial Resolution | 23 |
| 2.2.4 Basic Models for Quantitative Analysis of Experimental Data | 25 |

| | | |
|----------|--|-----------|
| 2.3 | Ultrafast Imaging at the Surface of Dielectrics | 27 |
| 2.3.1 | Experimental Configurations and Constraints | 27 |
| 2.3.2 | Transient Plasma Dynamics and Permanent Material Modifications | 29 |
| 2.4 | Ultrafast Imaging in the Bulk of Dielectrics | 32 |
| 2.4.1 | Experimental Configurations and Constraints | 32 |
| 2.4.2 | Transient Plasma Dynamics in Glasses Under Waveguide Writing Conditions: Role of Pulse Duration, Energy, Polarization, and Processing Depth | 35 |
| 2.5 | Outlook and Conclusions | 38 |
| | References | 40 |
| 3 | Spectroscopic Characterization of Waveguides | 43 |
| | Denise M. Krol | |
| 3.1 | Introduction | 43 |
| 3.2 | Spectroscopic Analysis of Glass | 44 |
| 3.2.1 | Fluorescence Spectroscopy | 44 |
| 3.2.2 | Raman Spectroscopy | 47 |
| 3.2.3 | Confocal Imaging | 49 |
| 3.3 | Experimental Equipment and Procedures | 49 |
| 3.3.1 | Femtosecond Laser Systems and Micromachining Procedures | 50 |
| 3.3.2 | Confocal Microscope System and Spectroscopy Procedures | 51 |
| 3.4 | Spectroscopic Analysis of fs-laser Modification in Fused Silica | 52 |
| 3.4.1 | Fluorescence Spectroscopy and Imaging of Waveguides and Bragg Gratings | 52 |
| 3.4.2 | Photobleaching of Defects | 55 |
| 3.4.3 | Raman Spectroscopy and Imaging | 55 |
| 3.5 | Spectroscopic Analysis of Waveguides in Phosphate Glasses | 57 |
| 3.5.1 | Fluorescence Spectroscopy and Imaging of IOG-1 | 57 |
| 3.5.2 | Comparison of Waveguides in Fused Silica and IOG-1 | 59 |
| 3.5.3 | Raman Spectroscopy and Imaging of Rare Earth-doped Phosphate Glass | 60 |
| 3.6 | Summary | 63 |
| | References | 63 |

| | | |
|----------|--|-----|
| 4 | Optimizing Laser-Induced Refractive Index Changes in Optical Glasses via Spatial and Temporal Adaptive Beam Engineering | 67 |
| | Razvan Stoian | |
| 4.1 | Introduction | 67 |
| 4.2 | Mechanisms of Laser-Induced Refractive Index Changes | 69 |
| 4.3 | Experimental Implementations for Pulse Engineering | 73 |
| 4.3.1 | Spatio-Temporal Beam Shaping | 73 |
| 4.3.2 | Microscopy Based Adaptive Loops | 75 |
| 4.4 | Material Interaction with Tailored Pulses | 76 |
| 4.4.1 | Refractive Index Engineering by Temporally Tailored Pulses | 76 |
| 4.4.2 | Energy Confinement and Size Corrections | 78 |
| 4.4.3 | Adaptive Correction of Wavefront Distortions | 80 |
| 4.4.4 | Dynamic Parallel Processing | 84 |
| 4.5 | Outlook and Conclusions | 87 |
| | References | 88 |
| 5 | Controlling the Cross-section of Ultrafast Laser Inscribed Optical Waveguides | 93 |
| | Robert R. Thomson, Nicholas D. Psaila, Henry T. Bookey, Derryck T. Reid, and Ajoy K. Kar | |
| 5.1 | Introduction | 93 |
| 5.2 | The Effect of the Waveguide Cross-section on the Properties of the Guided Modes | 94 |
| 5.3 | The Importance of Controlling the Waveguide Cross-section from a Device Engineering Perspective | 97 |
| 5.3.1 | Effect of Mode Field Distribution on Waveguide Coupling Loss | 97 |
| 5.3.2 | Effect of Mode Field Distribution on Waveguide Propagation Loss | 98 |
| 5.3.3 | Effect of Mode Field Distribution on Evanescent Coupling | 99 |
| 5.3.4 | Effect of Waveguide Asymmetry on Polarisation Dependent Guiding Properties | 100 |
| 5.4 | Experimental Techniques for Measuring the Refractive Index Profile of Ultrafast Laser Inscribed Waveguides | 100 |
| 5.4.1 | Refracted Near-field (RNF) Method | 100 |
| 5.4.2 | Micro-reflectivity | 101 |
| 5.4.3 | Quantitative Phase Microscopy | 102 |
| 5.4.4 | Inverse Helmholtz Technique | 104 |

| | | |
|----------|---|------------|
| 5.5 | Effect of Inscription Parameters on the Waveguide Cross-section | 105 |
| 5.6 | Experimental Techniques for Controlling the Waveguide Cross-section | 108 |
| 5.6.1 | The Astigmatic Beam Shaping Technique | 108 |
| 5.6.2 | The Slit Beam Shaping Technique | 111 |
| 5.6.3 | Waveguide Shaping Using Active Optics | 114 |
| 5.6.4 | Spatiotemporal Focussing | 118 |
| 5.6.5 | The Multiscan Technique | 120 |
| 5.7 | Conclusions and Outlook | 121 |
| | References | 122 |
| 6 | Quill and Nonreciprocal Ultrafast Laser Writing | 127 |
| | Peter G. Kazansky and Martynas Beresna | |
| 6.1 | Introduction | 128 |
| 6.2 | Quill Writing | 128 |
| 6.3 | Anisotropic Bubble Formation | 137 |
| 6.4 | Nonreciprocal Writing | 139 |
| 6.5 | Conclusion | 149 |
| | References | 150 |

Part II Waveguides and Optical Devices in Glass

| | | |
|----------|--|------------|
| 7 | Passive Photonic Devices in Glass | 155 |
| | Shane M. Eaton and Peter R. Herman | |
| 7.1 | Introduction | 155 |
| 7.2 | Characterization of Femtosecond Laser-Written Waveguides | 157 |
| 7.2.1 | Microscope Observation | 158 |
| 7.2.2 | Insertion Loss | 158 |
| 7.2.3 | Mode Profile and Coupling Loss | 159 |
| 7.2.4 | Propagation Loss | 160 |
| 7.2.5 | Refracted Near Field Method | 161 |
| 7.3 | Femtosecond Laser Microfabrication of Optical Waveguides | 161 |
| 7.3.1 | Low-Repetition Rate Regime | 162 |
| 7.3.2 | High-Repetition Rate Regime | 164 |
| 7.4 | Devices | 172 |
| 7.4.1 | Y-Junctions | 173 |
| 7.4.2 | Directional Couplers | 175 |
| 7.4.3 | Mach–Zehnder Interferometers | 186 |
| 7.4.4 | Other Devices | 186 |
| 7.5 | Summary and Future Outlook | 192 |
| | References | 193 |

| | | |
|----------|--|-----|
| 8 | Fibre Grating Inscription and Applications | 197 |
| | Nemanja Jovanovic, Alex Fuerbach, Graham D. Marshall, Martin Ams, and Michael J. Withford | |
| 8.1 | Introduction | 197 |
| 8.2 | Review of Gratings Types | 199 |
| 8.2.1 | Long Period Gratings | 199 |
| 8.2.2 | Fibre Bragg Gratings | 200 |
| 8.3 | Point-by-Point Inscribed Gratings | 202 |
| 8.3.1 | Fabrication Methods | 202 |
| 8.3.2 | Development of Femtosecond Laser Direct-Write LPGs | 204 |
| 8.3.3 | Development of Femtosecond Laser Direct-Write FBGs | 205 |
| 8.4 | Phase Mask Inscribed Gratings | 206 |
| 8.4.1 | Fabrication Method | 206 |
| 8.4.2 | Development of Femtosecond Laser-Phase Mask Inscription | 207 |
| 8.5 | Properties of Femtosecond Laser Written Gratings | 209 |
| 8.5.1 | Thermal Stability | 209 |
| 8.5.2 | Stress and Birefringence | 212 |
| 8.5.3 | Photoattenuation | 214 |
| 8.6 | Applications | 216 |
| 8.6.1 | Fibre Lasers | 216 |
| 8.6.2 | Sensors | 218 |
| 8.6.3 | Other Applications | 220 |
| 8.7 | Novel Fibre Types and Challenges | 220 |
| 8.7.1 | Microstructured Optical-Fibres (MOFs) | 220 |
| 8.7.2 | Polymer and Non-linear Fibres | 222 |
| 8.7.3 | Through Jacket Grating Writing | 222 |
| 8.8 | Summary | 222 |
| | References | 223 |
| 9 | 3D Bragg Grating Waveguide Devices | 227 |
| | Haibin Zhang and Peter R. Herman | |
| 9.1 | Introduction | 227 |
| 9.2 | Bragg Grating Waveguide Fabrication | 230 |
| 9.2.1 | BGW Fabrication Method 1: Single-pulse Writing | 231 |
| 9.2.2 | BGW Fabrication Method 2: Burst Writing | 238 |
| 9.2.3 | BGW Thermal Stability | 244 |
| 9.3 | BGW Devices | 247 |
| 9.3.1 | Multi-wavelength BGWs | 247 |
| 9.3.2 | Chirped BGWs | 250 |
| 9.3.3 | 3D BGW Sensor Network | 253 |
| 9.4 | Summary and Future Outlook | 259 |
| | References | 261 |

| | | |
|-----------|---|-----|
| 10 | Active Photonic Devices | 265 |
| | Giuseppe Della Valle and Roberto Osellame | |
| 10.1 | Introduction | 265 |
| 10.2 | Active Ions for Waveguide Devices | 266 |
| 10.3 | Gain Definitions and Measurement Technique | 270 |
| 10.3.1 | Definition of the Main Figures of An Active Waveguide | 270 |
| 10.3.2 | The On/Off Technique for Gain Measurement | 274 |
| 10.4 | Active Waveguides and Amplifiers | 277 |
| 10.4.1 | Internal Gain in Nd-Doped Active Waveguides | 277 |
| 10.4.2 | Waveguide Amplifier in Er:Yb-Doped Phosphate Glass | 277 |
| 10.4.3 | Waveguide Amplifier in Er:Yb-Doped Oxyfluoride Silicate Glass | 278 |
| 10.4.4 | Active Waveguides in New Glass Materials | 281 |
| 10.5 | Waveguide Lasers | 281 |
| 10.5.1 | Waveguide Lasers in Er:Yb-Doped Phosphate Glass | 281 |
| 10.5.2 | Waveguide Laser in Er:Yb-Doped Oxyfluoride Silicate Glass | 283 |
| 10.6 | Advanced Waveguide Lasers | 283 |
| 10.6.1 | Single-Longitudinal-Mode Operation | 283 |
| 10.6.2 | Mode-Locking Regime | 288 |
| 10.7 | Outlook and Conclusions | 289 |
| | References | 290 |

Part III Waveguides and Optical Devices in Other Transparent Materials

| | | |
|-----------|--|-----|
| 11 | Waveguides in Crystalline Materials | 295 |
| | Matthias Heinrich, Katja Rademaker, and Stefan Nolte | |
| 11.1 | Origins of Refractive Index Changes | 295 |
| 11.2 | Waveguides Characteristics in Various Crystals | 298 |
| 11.2.1 | Waveguide Fabrication in LiNbO_3 | 299 |
| 11.2.2 | Other Crystals | 300 |
| 11.2.3 | Actively Doped Crystals and Ceramics | 302 |
| 11.3 | Nonlinear Properties | 304 |
| 11.3.1 | Lithium Niobate | 304 |
| 11.4 | Integrated Optical Devices | 306 |
| 11.4.1 | Mach-Zehnder Interferometer | 306 |
| 11.4.2 | Electrooptic Modulator | 307 |
| 11.4.3 | Waveguide Lasers | 308 |
| 11.5 | Conclusion | 310 |
| | References | 311 |

| | | |
|-----------|--|------------|
| 12 | Refractive Index Structures in Polymers | 315 |
| | Patricia J. Scully, Alexandra Baum, Dun Liu, and Walter Perrie | |
| 12.1 | Introduction | 315 |
| 12.2 | Motivation for Refractive Index Structures in Polymers | 316 |
| 12.3 | Laser Photomodification of PMMA | 317 |
| 12.3.1 | Continuous Wave UV Laser Sources | 317 |
| 12.3.2 | Long Pulse (ns, ps) Laser Sources | 317 |
| 12.3.3 | Ultrashort fs Laser Sources | 318 |
| 12.4 | Waveguiding and Positive/Negative Refractive Index | 319 |
| 12.5 | Direct Writing | 320 |
| 12.5.1 | Simple Transmission Gratings (2D) | 321 |
| 12.5.2 | Production of Waveguides (1D) | 322 |
| 12.6 | Holographic Writing | 323 |
| 12.7 | Comparisons of Commercial and Clinical Grade PMMA | 325 |
| 12.8 | Pulse Duration, Wavelength, and Bandgap Dependence of Refractive Index Modification | 325 |
| 12.8.1 | Pulse Duration Dependence of Refractive Index Modification | 326 |
| 12.8.2 | Effect of Bandgap and Wavelength on Refractive Index Modification | 331 |
| 12.9 | Relating Photochemistry to Writing Conditions | 332 |
| 12.9.1 | Size Exclusion Chromatography | 334 |
| 12.9.2 | Thermal Desorption Volatile Analysis | 334 |
| 12.9.3 | Thermogravimetric Analysis | 334 |
| 12.9.4 | Optical Spectroscopy | 335 |
| 12.9.5 | Etching of Structures | 335 |
| 12.9.6 | Summary of Photochemical Analysis | 336 |
| 12.10 | Effect of Self-Focusing | 336 |
| 12.11 | Effects of Depth | 339 |
| 12.12 | Parallel Processing Using Spatial Light Modulator | 340 |
| 12.13 | Applications of Refractive Index Structures in Polymers | 342 |
| 12.13.1 | Polymer Optical Fibre Sensors and Devices | 343 |
| 12.14 | Summary | 343 |
| | References | 344 |

Part IV Microsystems and Applications

| | |
|---|------------|
| 13 Discrete Optics in Femtosecond Laser Written Waveguide Arrays... | 351 |
| Alexander Szameit, Felix Dreisow, and Stefan Nolte | |
| 13.1 Introduction to Waveguide Arrays | 351 |
| 13.2 Fundamental Principles of Discrete Light Propagation | 353 |
| 13.3 Basic Experimental Techniques | 355 |
| 13.3.1 Evanescent Coupling | 355 |
| 13.3.2 Waveguide Imaging Microscopy | 356 |
| 13.3.3 Multi-waveguide Excitation | 357 |
| 13.4 Linear Propagation Effects | 358 |
| 13.4.1 Straight Lattices | 358 |
| 13.4.2 Curved Lattices | 365 |
| 13.4.3 Quantum-Mechanical Analogies | 370 |
| 13.5 Nonlinear Propagation Effects | 373 |
| 13.5.1 Nonlinear Refractive Index | 373 |
| 13.5.2 One-Dimensional Solitons | 374 |
| 13.5.3 Two-Dimensional Solitons | 381 |
| 13.6 Conclusions | 385 |
| References | 386 |
| 14 Optofluidic Biochips | 389 |
| Rebeca Martínez Vázquez, Giulio Cerullo, Roberta Ramponi, and Roberto Osellame | |
| 14.1 Introduction | 389 |
| 14.2 Femtosecond Laser Microfluidic Channel Fabrication | 392 |
| 14.2.1 Fundamental Physical Mechanisms | 392 |
| 14.2.2 Microchannel Properties | 394 |
| 14.2.3 Integration of Optical Waveguides and Microfluidic Channels | 398 |
| 14.3 Integration of Photonic Sensors in LOCs | 400 |
| 14.3.1 Cell Sorting | 400 |
| 14.3.2 Microchip Capillary Electrophoresis | 402 |
| 14.3.3 Label-Free Sensing with Mach–Zehnder Interferometers | 405 |
| 14.4 Femtosecond Laser Fabrication of Optofluidic Devices | 409 |
| 14.4.1 Flow Cytometry | 409 |
| 14.4.2 Label-Free Sensing with Bragg Gratings | 411 |
| 14.4.3 Cell Trapping and Stretching | 413 |
| 14.5 Outlook and Conclusions | 416 |
| References | 417 |

| | | |
|-----------|--|-----|
| 15 | Microstructuring of Photosensitive Glass | 421 |
| | Koji Sugioka | |
| 15.1 | Introduction | 421 |
| 15.2 | Photosensitive Glass | 422 |
| 15.2.1 | Characteristics | 422 |
| 15.2.2 | Microstructuring Procedure | 424 |
| 15.2.3 | Microstructuring Mechanism..... | 425 |
| 15.3 | Fabrication of Microfluidic Structures | 428 |
| 15.4 | Fabrication of Micro-Optic Structures | 430 |
| 15.4.1 | Micro-Optics | 430 |
| 15.4.2 | Optical Waveguides..... | 431 |
| 15.4.3 | Integration of Optical Microcomponents | 432 |
| 15.5 | Fabrication of Microchip Devices..... | 433 |
| 15.5.1 | Microfluidic Dye Laser | 433 |
| 15.5.2 | Optofluidics | 435 |
| 15.5.3 | Nano-Aquarium | 436 |
| 15.6 | Summary | 439 |
| | References | 439 |
| 16 | Microsystems and Sensors | 443 |
| | Yves Bellouard, Ali A. Said, Mark Dugan, and Philippe Bado | |
| 16.1 | Introduction | 443 |
| 16.2 | Micro- and Nano-Systems..... | 444 |
| 16.2.1 | A Brief Overview of Microsystems | 444 |
| 16.2.2 | Issues on Microsystems Integration and Fabrication..... | 444 |
| 16.3 | Microsystems Fabricated Using Femtosecond Lasers: Review and State of the Art | 446 |
| 16.3.1 | Specificities of Femtosecond Laser–Matter Interaction from the View-Point of Microsystems Design | 446 |
| 16.3.2 | Integrated Optics Devices | 447 |
| 16.3.3 | Opto-Fluidics | 448 |
| 16.3.4 | Micromechanical Functionality | 448 |
| 16.4 | Multifunctional Monolithic System Integration | 448 |
| 16.4.1 | Concept..... | 448 |
| 16.4.2 | Taxonomy of Individual Elements Used in a Monolithic Design | 449 |
| 16.4.3 | System Integration: Design Strategies and Interfacing | 456 |
| 16.4.4 | Illustration: Micro-Displacement Sensors and Micro-Force Sensors | 456 |
| 16.5 | Summary, Benefits, Future Prospects, and Challenges..... | 464 |
| | References | 464 |

17 Ultrashort Laser Welding and Joining 467
Wataru Watanabe, Takayuki Tamaki, and Kazuyoshi Itoh

17.1 Introduction 467

17.2 Laser Welding 468

17.3 Ultrashort Laser Welding of Transparent Materials 469

 17.3.1 Ultrashort Laser Welding
 with Low-Repetition Rate 469

 17.3.2 Ultrashort Laser Welding
 with High-Repetition Rate 473

17.4 Outlook and Conclusions 474

References 476

Index 479

Femtosecond Laser Micromachining
Photonic and Microfluidic Devices in Transparent
Materials

Osellame, R.; Cerullo, G.; Ramponi, R. (Eds.)

2012, XVIII, 486 p., Hardcover

ISBN: 978-3-642-23365-4