

Contents

1	Introduction	1
	References	4
2	Yang-Mills Theory and its Infrared Behavior	7
2.1	The Action of Yang-Mills Theory	7
2.1.1	The Gauge Invariant Action	8
2.1.2	Fixing the Gauge	9
2.1.3	The Faddeev-Popov Operator and the Gribov Region	11
2.1.4	Replacing Gauge Symmetry by the BRST Symmetry	13
2.2	Aspects of the Asymptotic Infrared Regime	14
2.2.1	The Gribov-Zwanziger Confinement Scenario	15
2.2.2	The Kugo-Ojima Confinement Scenario	16
2.3	Solutions of Landau Gauge Yang-Mills Theory in the Infrared	18
2.3.1	From Infrared Slavery to Ghost Dominance in the Landau Gauge	19
2.3.2	The Decoupling Solutions and the Scaling Solution	20
	References	22
3	Functional Equations	25
3.1	Dyson-Schwinger Equations	25
3.1.1	The Generating Functionals	26
3.1.2	Derivation of Dyson-Schwinger Equations	27
3.1.3	<i>DoDSE</i> : Derivation of Dyson-Schwinger Equations	30
3.2	Functional Renormalization Group Equations	31
3.2.1	The Effective Average Action	31
3.2.2	Flow Equations	32
	References	34

4	Scaling Solutions	37
4.1	Infrared Power Counting	38
4.1.1	Integrals of DSEs at Low External Momenta	38
4.1.2	Dyson-Schwinger Equations in the Infrared	40
4.1.3	Functional Renormalization Groups Equations in the Infrared	41
4.1.4	The Role of Cancelations	42
4.2	Basic Relations Derived From Functional Equations	43
4.2.1	Inequalities From FRGEs and DSEs	44
4.2.2	Infrared Exponent of an Arbitrary Diagram	47
4.2.3	Skeleton Expansion of Higher Vertices	48
4.3	Solution for the System of IREs	49
4.3.1	Analysis of Two-Point Equations	49
4.3.2	Infrared Exponents of Vertices	52
4.4	Examples of Infrared Scaling Relations	53
4.4.1	Infrared Analysis of the Linear Covariant Gauge	53
4.4.2	Infrared Analysis of the Ghost Anti-Ghost Symmetric Gauge	54
4.5	Extension to Actions with Mixed Two-Point Functions	55
	References	57
5	The Infrared Regime of the Maximally Abelian Gauge	59
5.1	The Dual Superconductor Confinement Scenario	59
5.2	The Maximally Abelian Gauge	61
5.2.1	Identifying the Abelian Part of the Gauge Field	61
5.2.2	Gauge Fixing and Renormalizability	63
5.2.3	The Dyson-Schwinger Equations of the Maximally Abelian Gauge	67
5.3	Infrared Scaling Solution for the Maximally Abelian Gauge	69
5.3.1	Obtaining the Scaling Relation	69
5.3.2	The Infrared Exponents of Vertices	71
5.3.3	Aspects of the Infrared Solution and Comparison to Landau Gauge	73
5.3.4	Calculation of the Parameter κ_{MAG}	75
	References	78
6	Dyson-Schwinger Equations in the Gribov Region	81
6.1	The Gribov-Zwanziger Action	82
6.1.1	Restriction to the First Gribov Region	82
6.1.2	The Local Action	84
6.1.3	The First Gribov Region on the Lattice	88
6.1.4	The Dyson-Schwinger Equations of the Gribov-Zwanziger Action	89

6.2	Infrared Analysis of the Gribov-Zwanziger Action	90
6.2.1	Two-Point Functions and Propagators	92
6.2.2	Infrared Behavior of the Propagators	94
6.2.3	The Infrared Behavior of the Propagators in the Gribov-Zwanziger Theory	104
	References	105
7	Conclusions	107
	Appendix A: Details on the Formulae for the Scaling Analysis	109
	Appendix B: Grassmann Fields	117
	Appendix C: Feynman Rules of the Maximally Abelian Gauge	121
	Appendix D: Calculation of the Sunset Diagram	123
	Appendix E: Deriving Dyson-Schwinger Equations with <i>DoDSE</i>	125
	Curriculum Vitae	137

On Gauge Fixing Aspects of the Infrared Behavior of
Yang-Mills Green Functions

Huber, M.Q.

2012, XII, 140 p., Hardcover

ISBN: 978-3-642-27690-3