

Contents

1	Introduction to Shock Wave Physics of Condensed Matter	1
1.1	Introduction	1
1.2	General Assumptions	1
1.3	Brief History of Shock Field in the United States of America . . .	2
1.4	Practical Value of Shock Field	3
1.5	Techniques for Producing 1-D Plane Shock Waves	4
1.6	Dynamic Versus Static Compression	5
1.7	Select Areas of Shock Wave Research	5
1.8	What Does a Shock Wave in Condensed Matter Look Like? . . .	6
	References	8
2	Plane One-Dimensional Shock Waves	13
2.1	Definition of a Plane One-Dimensional Shock Wave	13
2.1.1	A More Practical Definition for a Steady Shock Wave . . .	13
2.2	Practical Description of U_s , u_p , E , P and Disturbance Velocity . . .	14
2.3	Conservation Equations for a 1-D Plane Steady Shock Wave . . .	16
2.4	A Single Shock Wave Defines Only One (P, v) Point on a Hugoniot	18
2.5	Two Plane Shock Waves 1-D Conservation Relations	20
2.6	Wave Stability	21
2.6.1	Necessary Condition for a Shock Wave to Form	22
	References	29
3	Impedance Matching Technique	31
3.1	Waves Response to Material Interfaces and Intersection with Other Waves	31
3.1.1	Practical Uses for Impedance Matching	31
3.2	Distance-Time (x - t) Wave Propagation Diagrams	31
3.3	Introduction to Principal P - u Curves with Initial State ($P = 0$, $u = 0$)	33
3.4	Introduction to P - u Curve with Initial State (P_1 , u_1)	34
3.5	P - u Curves for Materials with $U_s = A + bu_p$	36

3.6	P-u Diagram for a Shock Crossing a Boundary into a Material of Higher Impedance	37
3.7	Impedance Matching Treatment of Rarefaction Waves	38
3.8	Impedance Matching for a Shock Reaching a Free Surface	39
3.9	Impedance Matching for a Flyer Plate Hitting a Stationary Plate of the Same Material	41
3.10	Disturbance Velocity in a 1-D Eulerian Cartesian Coordinate System Fixed in Space	42
3.10.1	Symmetric Impact Example	42
3.10.2	Disturbance Velocity for General Case	44
3.11	Impedance Matching for Four Basic Cases	45
3.12	Impedance Matching for Thin Foils	48
3.12.1	Summary of the Practical Lessons for Thin Foils	49
3.13	Impedance Matching for Multiple Waves Is an Approximation	52
3.14	Wave-Wave Interaction and Contact Discontinuity	53
	References	57
4	Experimental Techniques	59
4.1	Selected Experimental Techniques to Measure Shock Wave Parameters	59
4.2	Explosive and Flyer Plate Shock Driver Systems	59
4.3	Laser Shock Drivers	62
4.4	Early Impedance Matching Experiments	63
4.5	Shock Velocity Measurements	64
4.6	Free Surface Velocity Measurement Using a Streak Camera . . .	66
4.7	Electromagnetic Particle Velocity Gauge	67
4.8	Laser Velocity Interferometry	68
4.9	VISAR	68
4.10	ORVIS	69
4.11	Fabry-Perot	70
4.12	Heterodyne System	71
4.13	Optical Windows on Test Samples	72
4.14	Quartz Stress Gauge	72
4.15	Quartz Gauge Technique for Measuring Low Pressure Hugoniot	74
4.16	Quartz Gauge Technique for Measuring the Hugoniot of a Thin Material	75
4.17	Manganin Stress Gauge	75
4.18	Other Stress Gauges	78
4.19	Proton Radiography for Accurate Density Measurements of Shock Wave	80
4.20	Issues for Making Temperature Measurements Behind Shock Waves	80
4.21	Error Analysis for Experiments	82
4.22	Random Errors	83

4.23	Systematic Errors	85
4.24	Combining Random and Systematic Errors to Get Final Error . . .	86
4.25	Example of Errors in Measurement of a Cylinders Density	86
4.26	Error Analysis for a Rotating Mirror Streak Camera	
	Measurement of Free Surface Velocity	88
4.26.1	Sources of Various Errors	89
4.26.2	Errors in Trace Angle γ and Wave Tilt Angle ω	90
	References	94
5	Thermodynamics of Shock Waves	101
5.1	Thermodynamics Review	101
5.2	Fundamental Thermodynamic Relation	102
5.3	Equations of State	103
5.4	Hugoniot Is Steeper than Isentrope from Same Initial State . . .	105
5.5	Isentrope is Steeper than Isotherm from Same Initial State . . .	106
5.6	Entropy Along Hugoniot	107
5.7	Isentrope and Hugoniot Are Same to Second Order in	
	Compression at a Common (P, v) Point	109
5.8	Differential Equation for Hugoniots	110
5.9	Temperature at an Isentrope Point with $C_v\gamma/v$ Constant	111
5.10	Temperature at a Hugoniot Point for $C_v\gamma/v$ Constant	112
5.11	Calculation of Gruneisen Parameter at ($P = 0, v_0$) from	
	Thermodynamic Parameters and Sound Speed Values	114
5.12	Determination of Gruneisen Parameter from Shock Wave	
	Release Velocity Measured at Peak Shock Pressure	115
5.13	Numerical Calculations of Isentropes and Isotherms from	
	Hugoniot Data for C_v and γ/v Assumed Constant	116
5.14	Thermodynamic Consistent Surface	118
5.15	Complete Consistent Equation of State for Materials with	
	a Constant C_v	120
5.16	Thermodynamic Surface Defined by Isotherm with	
	a Constant C_v	122
5.17	Isentrope and Isotherm on the Thermodynamic Surface with	
	C_v and γ/v Constant and Principal Hugoniot as the Reference	
	Curve	130
5.18	Mie-Gruneisen Equation of State	133
5.19	Mie-Gruneisen Equation of State with $C_v\gamma/v$ Constant and	
	Principal Hugoniot as the Reference Curve	134
5.20	Thermodynamics Impose Stringent Constraints on Use of	
	the Gruneisen Equation of State With Hugoniot as	
	Thermodynamic Reference Curve	135
5.21	Calculation of Hugoniot Where Initial Temperature Is Different	
	than Principal Hugoniot's with C_v and γ/v Assumed Constant . .	136
5.22	Recentered Hugoniots Using Gruneisen Equation of State with	
	C_v and γ/v Constant	137
5.23	Determination of Volume Dependence of $\partial P/\partial T)_V$ or $\gamma(v)$. . .	139
	References	144

6 Solids	147
6.1 Compression of Solids	147
6.2 Hookes Tensor Law for Elastic Isotropic Solids	149
6.3 Uniaxial Stress	149
6.4 Hydrostatic Pressure on a Solid	151
6.5 Uniaxial Strain	151
6.6 Elastic–Plastic Solids Under 1-D Plane Shock Loading	152
6.7 Elastic–Plastic 1-D Plane Shock Compression Treatment Using Hooks Law for Isotropic Solids	153
6.8 Impedance Matching Issues for Elastic–Plastic Material with a Free Surface	157
6.9 Material Strength at High Stress Hugoniot States	163
6.10 Porous Materials	164
6.11 Simple Model for Totally Compacted Porous Material When Strength Can Be Ignored	166
6.12 Gruneisen EOS for Porous Material with Principal Hugoniot as Reference and γ/v Constant	167
6.13 Temperature for a Shocked Porous Material with C_v Constant and Pores Are Totally Compacted with Strength Ignored	168
6.14 Phenomenological P - α Model for Porous Material Not Totally Compacted	170
6.15 Snowplow Model for Shock Wave Attenuation in Porous Solids	173
References	177
7 Differential Conservation Equations and Time-Dependent Flow	179
7.1 Mass, Momentum and Internal Energy Fluxes for 1-D Flow	179
7.2 Mass Differential Conservation Equation	180
7.3 Momentum Differential Conservation Equation	182
7.4 Rayleigh Line Is Compression Path for a Steady Shock Wave	183
7.5 Energy Differential Conservation Equation	184
7.6 Summary of Eulerian Differential Conservation Equations	186
7.7 Rise-Time and Shape of a Steady Shock Wave Due to Viscosity	186
7.8 Visco-Elastic Properties Represent Behavior of Polymethylmethacrylate (PMMA) Under Shock Loading	189
7.9 Time-Dependent Material Properties Overview	192
7.9.1 Elastic–Plastic Solids	192
7.9.2 Elastic–Plastic Solid that Undergoes a Phase Transition	193
7.9.3 Initiating High Explosive	195
7.10 Time and Spatial Scales Affect Dynamic Material Response	196
7.11 Elastic Wave Stress Decay Described by a Maxwell-Like Material Model	197
References	199

8 First-Order Polymorphic and Melting Phase Transitions Under Shock Loading	201
8.1 Introduction	201
8.2 General Background of Polymorphism Under Shock Compression	203
8.3 Select Observed Transitions in Shocked Materials	203
8.4 Fast Reversible Phase Transition in Iron	206
8.4.1 Evidence for Non-equilibrium Behavior in Mixed Phase Region of Iron	208
8.4.2 Martensitic Phase Transition	209
8.5 Steady Shock Wave Profiles for Shock Compressed Thick Iron Samples	210
8.6 Experimental Rise-Time Measurements of the Steady Plastic II Shock in Polycrystalline Iron	212
8.7 Permanent Regime Theory for Rise-Time of a Steady Transmitted Shock Wave Front Where the Phase Transition Occurs and Material Strength Is Ignored	213
8.8 Time-Dependent Flow for Transmission Shock Waves in Iron for Thin Samples	217
8.9 Kinetics of Plastic I Shock Decay	222
8.10 Reverse Impact Experiments of Iron onto a VISAR Window	225
8.11 Fast Shock Induced Phase Transition in KCL with Two Measured Rates from Reverse Impact Experiments	226
8.12 Polymorphic Phase Transitions with Slow Transition Rates	228
8.13 Nucleation of Phase Transitions Under Shock Loading	229
8.14 Solid and Liquid Phase Thermodynamic Surface for Aluminum	232
8.15 Melting in Shocked Porous Aluminum	234
8.16 Shock Loading Porous Aluminum Along Metastable Extension of Solid Hugoniot Above the Solid Melt Line	236
8.17 Determination if Fully Compacted Aluminum Can Melt Under Pressure Release Down an Isentrope After Being Shock Loaded	237
References	238
9 Secondary Ideal High Explosives Non-steady Initiation Process and Steady Detonation Wave Models	243
9.1 Explosives	243
9.2 Secondary Explosives Initiation	245
9.3 High Pressure Shock Initiation of Homogeneous Explosives	247
9.4 Low Pressure Shock Initiation of Heterogeneous Explosives	247
9.5 High Pressure Shock Initiation of Heterogeneous Explosives	250
9.6 Phenomenological Energy Fluence Initiation Model	250
9.7 Phenomenological Reactive Flow Reaction Rate Models for Heterogeneous HE Initiation	252
9.8 Shock Sensitivity Tests	255

9.9	Steady 1-D Detonation Shock Waves in Near-Ideal Explosives	259
9.10	Chapman-Jouget (CJ) Detonation Model for Near Ideal High Explosives	261
9.10.1	Case 1 Initiation by Thick Driver Plate	262
9.10.2	Case 2 Initiation by Very Thin Flyer or a Booster HE with Its Initial Surface Free	262
9.11	CJ Detonation Model with Polytrropic Equation of State for Gas Products	264
9.12	Peak Pressure Induced in Material by Explosive Using CJ Detonation Model	267
9.13	P-u Curves for Comp B Explosive Products Using Polytrropic Gas Equation of State	269
9.14	Explosive Product Curves from JWL Equation of State	271
9.15	ZND Detonation Model	274
9.16	Detonation Spike Pressure Estimates	276
9.17	Pressure Drop Behind Detonation Spike	277
9.18	Thermal Initiation of Explosives	278
9.19	Adiabatic or Instantaneous Volume Thermal Explosion	282
	References	285
10	Steady Detonation Waves in Right Circular Cylinders of Non-ideal Explosives	291
10.1	Non-ideal Explosives	291
10.2	Non-ideal Explosive's Evidence of Late-Time Energy Release	294
10.3	Summary of Key Detonation Properties Due to Two Dimensional Flow in Right Circular Cylinders of Explosives . . .	296
10.4	Detonation Wave Velocity, Curvature and Failure Diameter Measurement Techniques	297
10.5	Thin Foil Velocity Technique for Measuring CJ State of a Near-Ideal HE	303
10.6	Navy Impedance Matching Technique for Measuring CJ State	305
10.6.1	Simple Approximate Solution for Polytrropic Parameter G from Navy Technique	307
10.7	CJ States Defined by Determining JWL Equation of State for Near Ideal HE's	309
10.8	Orvis Line VISAR Technique with Very Good Temporal Resolution to Measure CJ Reaction Zone Length of a Near-Ideal HE	310
10.9	1-D Experimental Technique for Determining Sonic Plane . . .	316
10.10	Significance of Experimental Measurements of Detonation Wave Properties	317

10.11	Curved Front Detonations in Right Circular High Explosive Cylinders	318
10.12	Calculated PBXN-111 Detonation Sonic Zone Lengths as a Function of Cylinder Diameter	321
10.13	2D Flow Across Curved Shock Front	323
	References	326
11	Special Topics: Lagrangian Coordinates, Spall, and Radiation Induced Shocks	329
11.1	Lagrangian Coordinates	329
11.2	Steady Flow of Two Forward Facing Shock Waves in Eulerian and Lagrangian Coordinates	330
11.3	Conservation Equations for Two Steady Forward Facing Shocks in Lagrangian Coordinates	333
11.4	Relief Wave Speeds	334
11.5	Sound Speed Determined from Symmetric Impact	335
11.6	Lagrangian Differential Conservation Equations	337
11.7	Planar Spall of Materials Under Dynamic Loading	338
11.8	Dynamic Method of Detecting Spalling	341
11.9	Spall Strength of Condensed Matter	343
11.10	Smooth Planar Spall Due to a Fast Reversible Phase Transition	344
11.11	Radiation Induced Shocks	346
	References	352
	Appendix 1: Symbols, Useful Conversion Factors, and Some Basic Equations for Steady Shock Waves	355
	Appendix 2: Hugoniot for Some Materials	359
	Appendix 3: One-Dimensional Steady Shock Conservation Equations	361
	Appendix 4: Impedance Matching Rule and Four Basic Examples	363
	Appendix 5: Analytical Impedance Matching for Two Most Common Cases	365
	Appendix 6: Thermodynamic Parameter Definitions and Relationships	367
	Erratum to: Shock Wave Compression of Condensed Matter	E1
	Index	371

<http://www.springer.com/978-3-642-32534-2>

Shock Wave Compression of Condensed Matter

A Primer

Forbes, J.W.

2012, XIV, 374 p. 211 illus., 11 illus. in color., Hardcover

ISBN: 978-3-642-32534-2