

# Contents

<b>1</b>	<b>Introduction . . . . .</b>	<b>1</b>
1.1	Background and Review . . . . .	1
1.2	Input Ground Motion and Worst-Case Scenario . . . . .	3
1.3	Organization of the Book . . . . .	3
	References . . . . .	5
<b>2</b>	<b>Earthquake Resilience of High-Rise Buildings: Case Study of the 2011 Tohoku (Japan) Earthquake . . . . .</b>	<b>7</b>
2.1	Introduction . . . . .	7
2.2	General Characteristics of the 2011 Off the Pacific Coast of Tohoku Earthquake . . . . .	10
2.3	Seismic Response Simulation of Super High-Rise Buildings in Tokyo . . . . .	13
2.3.1	Properties of Ground Motions in Tokyo . . . . .	13
2.3.2	Measure of Criticality in Long-Period Ground Motions . . . . .	17
2.3.3	Seismic Response Simulation of Super High-Rise Buildings in Tokyo . . . . .	19
2.4	Seismic Response of High-Rise Buildings to Simulated Long-Period Ground Motions (Japanese Government Action) . . . . .	25
2.4.1	Characteristics of Simulated Long-Period Ground Motions . . . . .	25
2.4.2	Response Simulation of Super High-Rise Buildings Without and With High-Hardness Rubber Dampers . . . . .	30
2.4.3	AIJ's Research Result . . . . .	38
2.5	Summary . . . . .	39
	References . . . . .	40

<b>3</b>	<b>Simulation of Near-Field Pulse-Like Ground Motion . . . . .</b>	<b>43</b>
3.1	Introduction . . . . .	43
3.2	Characterization and Representation of Near-field Pulse-Like Ground Motions . . . . .	45
3.3	Representation of Near-field Pulse-Like Ground Motions Using Deterministic Models . . . . .	52
3.4	Representation of Near-Field Pulse-Like Ground Motions Using Probabilistic Models . . . . .	54
3.5	Numerical Applications . . . . .	57
3.6	Summary . . . . .	61
	References . . . . .	62
<b>4</b>	<b>Critical Characterization and Modeling of Pulse-Like Near-Field Strong Ground Motion . . . . .</b>	<b>65</b>
4.1	Introduction . . . . .	65
4.2	Characteristics of Near-Field Pulse-Like Strong Ground Motion From Another Viewpoint . . . . .	70
4.2.1	Measures Based on Recorded Free-Field Ground Motion. . . . .	71
4.2.2	Measures Based on the Structural Response. . . . .	77
4.3	Modeling Near-Field Pulse-Like Ground Motion . . . . .	79
4.3.1	Representation of Pulse-Like Ground Motion Using Trigonometric Functions . . . . .	79
4.3.2	Representation of Pulse-Like Ground Motion Using Trigonometric Functions Modulated by Envelope Function . . . . .	82
4.4	Damage-Based Critical Earthquake Ground Motion for Inelastic Structures . . . . .	83
4.4.1	Problem Formulation . . . . .	83
4.4.2	Solution Procedures . . . . .	85
4.4.3	Illustrative Example . . . . .	87
4.5	Summary . . . . .	90
	References . . . . .	90
<b>5</b>	<b>Characteristics of Earthquake Ground Motion of Repeated Sequences . . . . .</b>	<b>93</b>
5.1	Introduction . . . . .	93
5.2	Characteristics of Earthquake Records of Repeated Sequences . . . . .	94
5.3	Characteristics of Free-Field Acceleration Records of Repeated Sequences . . . . .	100
5.4	Response Quantities of Inelastic Structures to Acceleration Sequences . . . . .	103
5.5	Summary . . . . .	111
	References . . . . .	112

<b>6</b>	<b>Modeling Critical Ground-Motion Sequences for Inelastic Structures . . . . .</b>	<b>115</b>
6.1	Introduction . . . . .	115
6.2	Damage Assessment in Inelastic Structures Using Damage Indices . . . . .	119
6.3	Modeling Critical Ground-Motion Sequences for Inelastic Structures . . . . .	120
6.4	Numerical Illustrations and Discussions . . . . .	124
6.4.1	Bilinear Inelastic Single-Story Frame Structure . . . . .	124
6.4.2	Two-Story Elastic–Plastic Framed Structure . . . . .	129
6.5	Summary . . . . .	130
	References . . . . .	132
<b>7</b>	<b>Response of Nonlinear SDOF Structures to Random Acceleration Sequences . . . . .</b>	<b>135</b>
7.1	Introduction . . . . .	135
7.2	Characteristics of Acceleration Records of Repeated Sequences . . . . .	138
7.3	Representation of Random Ground Acceleration with Multiple Sequences . . . . .	140
7.4	Numerical Examples . . . . .	142
7.4.1	Response of Elastic–Plastic Structure to Nonstationary Random Acceleration Sequences . . . . .	143
7.4.2	Reliability of Nonlinear SDOF System to Random Acceleration Sequences . . . . .	144
7.5	Summary . . . . .	147
	References . . . . .	148
<b>8</b>	<b>Use of Deterministic and Probabilistic Measures to Identify Unfavorable Earthquake Records . . . . .</b>	<b>151</b>
8.1	Introduction . . . . .	151
8.2	Use of Entropy as a Measure of Resonance/Criticality of Probabilistic Earthquake Models. . . . .	152
8.2.1	Stationary Narrow-Band White Noise Model . . . . .	153
8.2.2	Stationary Band-Limited White Noise Model . . . . .	154
8.2.3	Stationary Kanai-Tajimi Model . . . . .	154
8.2.4	Nonstationary and Evolutionary PSDF Models . . . . .	154
8.2.5	Relative Entropy Rate of Two Random Processes . . . . .	155
8.3	Dispersion Index and Central Frequency . . . . .	158
8.3.1	Use of Entropy Rate and Dispersion Index to Measure Resonance of Earthquake Records . . . . .	159
8.3.2	Use of Deterministic Measures to Identify Resonance in Earthquake Records . . . . .	160

8.4	Identification of Resonant Accelerations and Selection of Design Records . . . . .	162
8.5	Summary . . . . .	173
	References . . . . .	174
<b>9</b>	<b>Damage Assessment of Inelastic Structures Under Worst Earthquake Loads . . . . .</b>	<b>177</b>
9.1	Introduction . . . . .	177
9.2	Damage Assessment for Inelastic Structures Under Earthquakes . . . . .	179
9.2.1	Energy Dissipated by Inelastic Structures . . . . .	180
9.2.2	Damage Measures for Inelastic Structures . . . . .	181
9.3	Formulation of the Worst Case Scenario . . . . .	183
9.4	Numerical Example . . . . .	187
9.4.1	Bilinear Inelastic Frame Structure. . . . .	187
9.4.2	Inelastic Two-Story Frame Structure. . . . .	194
9.5	Summary . . . . .	196
	References . . . . .	197
<b>10</b>	<b>Critical Earthquake Loads for SDOF Inelastic Structures Considering Evolution of Seismic Waves . . . . .</b>	<b>203</b>
10.1	Introduction . . . . .	203
10.2	Dynamic Analysis and Energies Dissipated by Inelastic Structures. . . . .	205
10.3	Quantification of Structural Damage Using Damage Indices . . . . .	206
10.4	Critical Earthquake Loads Considering Evolution of Seismic Waves. . . . .	207
10.5	Numerical Results and Discussions. . . . .	209
10.6	Summary . . . . .	217
	References . . . . .	218
<b>11</b>	<b>Critical Correlation of Bidirectional Horizontal Ground Motions. . . . .</b>	<b>221</b>
11.1	Introduction . . . . .	221
11.2	Penzien–Watabe Model and Extended Penzien–Watabe Model. . . . .	222
11.2.1	Penzien–Watabe Model. . . . .	222
11.2.2	Extended Penzien–Watabe Model. . . . .	223
11.3	Stochastic Response to 2DGM Described by Extended Penzien–Watabe Model. . . . .	225
11.3.1	Definition of Nonstationary Ground Motion. . . . .	225
11.3.2	Stochastic Response Evaluation in Frequency Domain . . . . .	226

11.4	Critical Excitation Method for Worst Cross PSD Function Between 2DGM . . . . .	228
11.5	Numerical Example . . . . .	229
11.5.1	Response to 2DGM with the Constraint of Sum of Auto PSD Functions . . . . .	229
11.5.2	Response to 2DGM Described by Extended Penzien–Watabe Model: Analysis From the Viewpoint of Critical Incident Angle . . . . .	234
11.5.3	Comparison of Response to Critically Correlated 2DGM with that to Perfectly Correlated 2DGM . . . . .	237
11.5.4	Analysis of Recorded 2DGM . . . . .	238
11.6	Summary . . . . .	241
	Appendix 1: Computation of Coherence Function and Transformation of PSD Matrices . . . . .	242
	Appendix 2: Horizontal Stiffness of Frame . . . . .	243
	Appendix 3: Stochastic Response 1 . . . . .	243
	Appendix 4: Stochastic Response 2 . . . . .	245
	References . . . . .	246
<b>12</b>	<b>Optimal Placement of Visco-Elastic Dampers and Supporting Members Under Variable Critical Excitations . . . . .</b>	<b>249</b>
12.1	Introduction . . . . .	249
12.2	Structural Model with Visco-Elastic Dampers and their Supporting Members . . . . .	250
12.3	Critical Excitation for Variable Design . . . . .	253
12.4	Stochastic Response Evaluation in Frequency Domain . . . . .	254
12.4.1	3N Model . . . . .	254
12.4.2	N Model . . . . .	256
12.5	Optimal Design Problem . . . . .	256
12.6	Optimality Conditions . . . . .	257
12.7	Algorithm for Optimal Damper Placement . . . . .	258
12.7.1	Algorithm for Optimal Damper Placement and Optimal Design of Supporting Members . . . . .	258
12.7.2	Sensitivity with Respect to Damper Area . . . . .	264
12.7.3	Sensitivity with Respect to Stiffness of Supporting Member . . . . .	266
12.7.4	Sensitivities of Axial Force of Supporting Member . . . . .	266
12.8	Numerical Examples . . . . .	267
12.9	Summary . . . . .	269
	Appendix 1: Equivalent Stiffness and Damping Coefficient of Damper Unit Including Supporting Member in N-Model (Eqs. (12.1) and (12.2)). . . . .	270

Appendix 2: Transformation Matrix from the Nodal Displacements to the Relative Displacements Between both Ends of Supporting Members. . . . .	273
Appendix 3: Second-Order Sensitivities of the Equivalent Stiffness and Damping Coefficient. . . . .	273
References . . . . .	274
<b>13 Earthquake Response Bound Analysis of Uncertain Passively Controlled Buildings for Robustness Evaluation . . . . .</b>	<b>277</b>
13.1 Introduction . . . . .	277
13.2 Concept of Sustainable Building Design Under Uncertain Structural-Parameter Environment . . . . .	278
13.3 Interval Analysis Methods for Uncertain Structural Parameters . . . . .	278
13.3.1 Interval Analysis Method Based on Approximation of First-Order Taylor Series Expansion . . . . .	280
13.3.2 Interval Analysis Method Based on Approximation of Second-Order Taylor Series Expansion . . . . .	281
13.4 Advanced Interval Analysis Method Based on the Information of the Approximation of Taylor Series Expansion . . . . .	283
13.4.1 Reanalysis Approach Based on the Structural Parameter Set Derived by the Taylor Series Approximation . . . . .	283
13.4.2 Varied Evaluation Point Method Considering the Influence of Initial Value Dependency. . . . .	284
13.4.3 Search of the Exact Solution . . . . .	284
13.5 Numerical Examples. . . . .	285
13.6 Summary. . . . .	291
References . . . . .	293
<b>14 Earthquake Response Bound Analysis of Uncertain Base-Isolated Buildings for Robustness Evaluation . . . . .</b>	<b>295</b>
14.1 Introduction . . . . .	295
14.2 Modeling of Base-Isolated Buildings and Uncertainty of Isolators . . . . .	296
14.3 Past Work on Interval Analysis for Uncertain Input and Structural Parameters . . . . .	296
14.4 Interval Analysis Using Taylor Series Expansion . . . . .	298
14.4.1 Interval Analysis Using First-Order Taylor Expansion . . . . .	299
14.4.2 Interval Analysis Using Second-Order Taylor Expansion . . . . .	299
14.4.3 Interval Analysis Considering Non-Monotonic Property of Objective Function . . . . .	300

14.5	Numerical Verification of URP Method . . . . .	302
14.5.1	Property of Base-Isolated Building . . . . .	303
14.5.2	Input Ground Motions. . . . .	304
14.5.3	Interval Analysis for Interstory Drift of Base-Isolation Story . . . . .	304
14.5.4	Interval Analysis for Top-Story Maximum Acceleration . . . . .	309
14.6	Summary . . . . .	311
	References . . . . .	312
<b>15</b>	<b>Future Directions . . . . .</b>	<b>313</b>
15.1	Earthquake Resilience . . . . .	313
15.2	Improving Earthquake Resilience Based on Redundancy and Robustness. . . . .	314
15.3	Resonant Response and Random Response . . . . .	314
15.4	Robustness Function for Seismic Performance . . . . .	316
	References . . . . .	319
	<b>Index . . . . .</b>	<b>321</b>

## Improving the Earthquake Resilience of Buildings

The worst case approach

Takewaki, I.; Moustafa, A.; Fujita, K.

2013, XVI, 324 p., Hardcover

ISBN: 978-1-4471-4143-3