

Contents

- 1 Multiple Attribute Decision Making in the Manufacturing Environment 1**
 - 1.1 Importance of Multiple Attribute Decision Making in the Manufacturing Environment 1
 - 1.2 Some Important Decision Making Situations of the Manufacturing Environment 2
 - 1.3 Multiple Attribute Decision Making Methods 3
 - 1.4 Overview of the Book 5
 - References 5

- 2 Improved Multiple Attribute Decision Making Methods 7**
 - 2.1 Improved Analytic Hierarchy Process Method 7
 - 2.1.1 Formulating the Decision Table 8
 - 2.1.2 Deciding Weights of the Attributes 8
 - 2.1.3 Calculating Composite Performance Scores 10
 - 2.2 Improved Technique for Order Preference by Similarity to Ideal Solution Method 10
 - 2.2.1 Formulating the Decision Table 10
 - 2.2.2 Deciding Weights of the Attributes 11
 - 2.2.3 Calculating Composite Performance Scores 11
 - 2.3 Data Envelopment Analysis Method 12
 - 2.3.1 The Basic CCR Model 14
 - 2.3.2 Strengths and Limitations of Basic CCR Model 15
 - 2.3.3 Reduced CCR Model 16
 - 2.3.4 Improved RCCR/Assurance Region Model 16
 - 2.4 Improved Preference Ranking Organization Method for Enrichment Evaluations 17
 - 2.4.1 Formulation of Decision Table 18
 - 2.4.2 Deciding Weights of the Attributes 18
 - 2.4.3 Improved PROMETHEE Calculations 18

2.5	Improved ELimination Et Choix Traduisant la REalité Method	21
2.5.1	Construction of the Decision Table	22
2.5.2	Calculating the Weights of the Attributes Using AHP	22
2.5.3	Calculations Using ELECTRE for Final Ranking	22
2.6	Improved COMplex PROportional ASsessment Method.	24
2.6.1	Construction of the Decision Table	25
2.6.2	Calculating the Weights of the Attributes Using AHP	25
2.6.3	COPRAS Calculations for Final Ranking	25
2.7	Improved Gray Relational Analysis Method	27
2.8	Improved Utility Additive Method	30
2.9	VIKOR Method	33
2.10	Improved Ordered Weighted Averaging Method	35
	References	38
3	Applications of Improved MADM Methods to the Decision Making Problems of Manufacturing Environment	41
3.1	Applications of the DEA RCCR/AR Method	41
3.1.1	Material Selection for a Given Engineering Application	41
3.1.2	Metal Stamping Layout Selection	46
3.1.3	Modern Machining Method Selection.	49
3.1.4	Product End-of-Life Scenario Selection	50
3.2	Applications of the Improved PROMETHEE Method.	52
3.2.1	Environment Friendly Cutting Fluid Selection for a Given Machining Application	52
3.2.2	Evaluation of Environmentally Conscious Manufacturing Programs.	57
3.2.3	Product End-of-Life Scenario Selection	60
3.2.4	Rapid Prototyping System Selection.	62
3.2.5	Gear Material Selection	64
3.2.6	Flexible Manufacturing System Selection	66
3.2.7	Material Handling Equipment Selection	67
3.3	Applications of the Improved ELECTRE Method	69
3.3.1	Machine Tool Selection	69
3.3.2	Facility Location Selection	73
3.4	Applications of the Improved COPRAS Method	74
3.4.1	Material Selection for Given Engineering Application	74
3.4.2	Rapid Prototyping System Selection.	76

3.5	Applications of the Improved AHP Method	77
3.5.1	Environmentally Conscious Manufacturing Program Selection	77
3.5.2	Selection of Electroplating System.	81
3.6	Applications of the Improved GRA Method	85
3.6.1	Material Selection for a Given Engineering Application	85
3.6.2	Rapid Prototyping Process Selection	92
3.6.3	Plant Layout Design Selection.	96
3.6.4	Product Design Selection of a Power Electronic Device	101
3.7	Applications of the Improved UTA Method	104
3.7.1	Machine Group Selection in a Flexible Manufacturing Cell	104
3.7.2	Vendor Selection	112
3.8	Applications of the Improved VIKOR Method	120
3.8.1	Plant Layout Design Selection.	120
3.8.2	Rapid Prototyping System Selection.	122
3.9	Applications of Improved OWA Method	123
3.9.1	Machine Group Selection in a Flexible Manufacturing Cell	123
3.9.2	Vendor Selection	126
	References	130
4	A Novel Subjective and Objective Integrated Multiple Attribute Decision Making Method.	137
4.1	Proposed Novel Multiple Attribute Decision Making Methodology	137
4.1.1	Preparation of the Decision Table	138
4.1.2	Determination of Weights of Importance of the Attributes	138
4.1.3	Computation of Preference Index.	140
4.1.4	Final Selection	140
4.2	Application of the Novel Subjective and Objective Integrated Method to the Problems of Manufacturing Environment.	141
4.2.1	Material Selection for a High Speed Naval Craft.	141
4.2.2	Material Selection of a Flywheel.	145
4.2.3	Material Selection of a Cryogenic Storage Tank	148
4.2.4	Industrial Robot Selection.	149
4.2.5	Environment Friendly Cutting Fluid Selection for Given Machining Application	152
4.2.6	Flexible Manufacturing System Selection	153
4.3	Discussion.	154
	References	156

5	A Novel Weighted Euclidean Distance-Based Approach.	159
5.1	Weighted Euclidean Distance Approach	159
5.2	Applications of Proposed WEDBA Method for Decision Making in the Manufacturing Environment	164
5.2.1	Material Selection of a Flywheel	164
5.2.2	Robot Selection for a Given Industrial Application	167
5.2.3	Flexible Manufacturing System Selection	172
5.2.4	Optimum Parameters Selection of Green Electric Discharge Machining	183
5.2.5	Selection of Best Product End-of-Life Scenario.	187
	References	189
6	A Combinatorial Mathematics-Based Decision Making Method	193
6.1	Combinatorial Mathematics-Based Approach (CMBA).	193
6.2	Applications of CMBA to the Decision-Making Problems	195
6.2.1	Selection of Electroplating System.	195
6.2.2	Robot Selection	196
6.2.3	Welding Process Selection	199
	References	202
7	Comparison of Different MADM Methods for Different Decision Making Situations of the Manufacturing Environment	205
7.1	Evaluation of Environmentally Conscious Manufacturing Programs	205
7.2	Rapid Prototyping System Selection.	207
7.3	Gear Material Selection	208
7.4	Flexible Manufacturing System Selection	209
7.5	Vendor Selection: An Industrial Case Study	210
7.6	Plant Layout Design Selection.	213
7.6.1	Application of Improved AHP Method.	214
7.6.2	Application of Improved GRA Method	215
7.6.3	Application of Improved UTA Method.	215
7.6.4	Application of Improved OWA Method	217
7.6.5	Application of Improved VIKOR Method.	217
7.6.6	Application of WEDBA Method	218
7.7	Application of CMBA Method	218
7.8	Warehouse Selection	220
7.8.1	Application of Improved AHP Method.	224
7.8.2	Application of Improved GRA Method	225
7.8.3	Application of improved UTA Method.	225
7.8.4	Application of Improved OWA Method	227
7.8.5	Application of Improved VIKOR Method.	229
7.8.6	Application of WEDBA Method	230
7.8.7	Application of CMBA Method	230

7.9	ECM Program Selection Using Few More MADM Methods . . .	232
7.9.1	Application of Improved GRA Method	232
7.9.2	Application of Improved UTA Method.	233
7.9.3	Application of Improved OWA Method	236
7.9.4	Application of Improved VIKOR Method.	237
7.9.5	Application of WEDBA Method	239
7.9.6	Application of CMBA Method	240
	References	241
8	Concluding Remarks	243
	References	248
	Appendix A: Development of fuzzy scales.	249
	Appendix B: Computer Programs	255
	Index	291

Decision Making in Manufacturing Environment Using
Graph Theory and Fuzzy Multiple Attribute Decision
Making Methods

Volume 2

Rao, R.V.

2013, XIV, 294 p., Hardcover

ISBN: 978-1-4471-4374-1