

Multi-Criteria Applications in Renewable Energy Analysis, a Literature Review

Rimal Abu Taha and Tugrul Daim

Abstract Energy impacts so many aspects of our lives. This makes it necessary to evaluate multiple aspects when we are evaluating energy alternatives. This chapter introduces us to a spectrum of tools for this evaluation.

1 Introduction

Energy is a necessity for human beings, but current energy resources are forecast to be limited in the coming years with apparent destructive consequence to the environment. Renewable energy is emerging as a solution for a sustainable, environmentally friendly and long term, cost-effective source of energy for the future. Renewable energy alternatives are capable of replacing conventional sources of energy in most of their applications at competitive long term prices [1, 2]. Selecting the appropriate source of energy in which to invested is a task that involves different factors and policies. Renewable energy decision-making can be viewed as a multiple criteria decision-making problem with correlating criteria and alternatives. This task should take into consideration several conflicting aspects because of the increasing complexity of the social, technological, environmental, and economic factors [3]. Traditional single criteria decision-making approaches cannot handle the complexity of current systems and this problem [4]. Multi-criteria methods provide a flexible tool that is able to handle and bring together a wide range of variables appraised in different ways and thus offer useful assistance to the decision maker in mapping out the problem. As this work demonstrates,

R. Abu Taha · T. Daim (✉)
Portland State University, Portland, USA
e-mail: tugrul@etm.pdx.edu

R. Abu Taha
e-mail: rimalat@yahoo.com

multi-criteria analysis can provide a technical-scientific decision-making support tool that is able to justify its choices clearly and consistently, especially in the renewable energy sector [5].

2 Overview of Multi-Criteria Decision-Making Methods

Multi-criteria decision making (MCDM) is a branch of operation research models and a well known field of decision-making. These methods can handle both quantitative as well as qualitative criteria and analyze conflict in criteria and decision makers [6]. Several classification and categorization exist but in general these methods can be divided into two categories: multi-objective decision-making (MODM) and multi-attribute decision-making (MADM) [7]. In MODM, the decision problem is characterized by the existence of multiple and competitive objectives that should be optimized against a set of feasible and available constraints [8] rather than, as in MADM, the evaluation of a set of alternatives against a set of criteria. MADM is one of the most popular MCDM methods to be adopted to solve problems associated with different perspectives [9]. They contain several different methods of which the most important are Analytic hierarchy process (AHP), Preference Ranking Organization METHod for Enrichment Evaluations (PROMETHEE), ELimination Et Choix Traduisant la REalité (ELimination and Choice Expressing REality or more commonly—ELECTRE), and Multi-attribute utility theory (MAUT) [4]. The comparison of MCDM methods related to renewable energy planning is discussed in the literature [6, 10–14]. In a previous analysis by Pohekar et al., multi-attribute utility theory (MAUT) was the most common MCDM method used in energy planning literature, AHP, PROMETHEE, ELECTRE, MAUT, fuzzy methods and decision support systems (DSS) [6].

The main objective of MADM is to select the alternative that has the highest score according to the set of the evaluation criteria. A descriptive summary of the most commonly used multi-criteria decision-making methods is presented below:

- Analytic Hierarchy Process (AHP): A MADM method was first introduced by Saaty [15]. In AHP, the problem is constructed as a hierarchy breaking down the decision top to bottom. The goal is at the top level, criteria and sub-criteria are in middle levels, and the alternatives are at the bottom layer of the hierarchy. Input of experts and decision makers is considered as pair-wise comparison and the best alternative can be selected according to the highest rank between alternatives.
- Analytic Network Process (ANP) : The ANP methodology is a general form of the AHP, both were introduced by Saaty [16, 17]. Although AHP is easy to use and apply, its unidirectional relationship characteristic cannot handle the complexity of many problems. ANP, however, deals with the problem as a network of complex relationships between alternatives and criteria where all the elements can be connected. Cheng and Li an empirical example to illustrate use of ANP [18].

- Preference ranking organization method for enrichment evaluation (PROMETHEE): This method is characterized by ease of use and decreased complexity. It uses the outranking principle to rank the alternatives and performs a pair-wise comparison of alternatives in order to rank them with respect to a number of criteria. Up to now, the family of PROMETHEE have included PROMETHEE I & II [19].
- The elimination and choice translating reality (ELECTRE): This method is capable of handling discrete criteria of both quantitative and qualitative in nature and provides complete ordering of the alternatives. The analysis is focused on the dominance relations between alternatives. It is based on the outranking relations hips and exploitation notions of concordance. The outranking method uses pair-wise comparison between alternatives [13]. The family of ELECTRE includes ELECTRE I, II, III, IV.
- The technique for order preference by similarity to ideal solutions (TOPSIS): The basic concept of this method is that the selected alternative is the one that has the best value for all criteria, i.e. has the shortest distance from the negative ideal solution [20].
- Multi-attribute utility theory (MAUT): This is one of the most popular MSDM methods. The theory takes into consideration the decision maker's preferences in the form of the utility function which is defined over a set of attributes, where the utility of each attribute or criterion doesn't have to be linear [9].

In general, MCDM methods have four basic steps that support making the most efficient, rational decisions: (1) Structure the decision process, alternative selection and criteria formulation (2) Display tradeoff among criteria and determine criteria weights (3) Apply value judgment concerning acceptable tradeoffs and evaluation, and (4) Calculate final aggregation and make decision [6]. There are many discussions in the literature about which MCDM methodology is best to use, and controversy about which is the “right” method applied to a real life problem. Multi-criteria analysis is used to select the “best fitted” solution from multi-attribute distinct options [21].

3 Multi-Criteria Decision Analysis in Renewable Energy

Adopting and choosing alternative energy sources is a multidimensional decision making process that involves a number of different characteristics at different levels: economic, technical, social, and environmental [22]. From this point of view, multi-criteria analysis appears to be a suitable tool to merge and analyze all perspectives concerned with the decision making process, by establishing a relationship between all alternatives and factors that influence the decision. It can provide a technical-scientific decision-making support tool that is able to justify its choices clearly and consistently in the renewable energy sector [23]. It is important

Table 1 Literature Review on MCDM Methods and Application to Renewable Energy Issues

Application area	AHP/ ANP	ELECTRE	PROMETHEE	Fuzzy sets	Others ^a	Sum
Renewable energy planning and policy	[24–30] ^b	[31, 32]	[33, 34]	[31, 35–37]	[3, 4, 12, 38–42]	23
Renewable energy evaluation	[43–47]	[48, 49]	[19, 50]	[49, 51, 52]	[47, 53–58]	19
Project selection	[1, 18, 59–62]	[23, 63]	[5, 63–65]	[60, 66–68]	[69–73]	24
Environmental	[74, 75]	[76]	[76]		[14, 21, 77–81]	11
Sum	20	7	9	11	26	

^a Others include: VIKOR, TOPSIS, SWA, SIMUS, UTADIS, value trees

^b Numbers in brackets refer to reference number

to realize that since there will be conflicting view points and different hypothetical solutions, the “best” choice resulting from applying MCDM methods would be the best negotiated solution, and not explicitly the optimum.

This chapter presents a review of selected literature to analyze and underline the application area and expansion of the most used MCDM methods in renewable energy analysis. Classification of the year, application area, and method used is presented to highlight the trends of research in alternative energy decision-making. After researching the literature, the application area of MCDM in renewable energy was divided into four categories: renewable energy planning and policy, renewable energy evaluation and assessment, technology and project selection, and environmental (Table 1). Renewable energy planning and policy refers to the assessment of a feasible energy plan and/or the diffusion of different renewable energy option. The key factors are: adoption to reach a certain national target, decision factors, national planning, and system indicators. Renewable energy evaluation refers to the assessment of different alternative energies or energy technologies. Choosing between alternatives could be for assessing the “best” energy to be utilized in electrical or thermal energy, or any other systems. Project selection and allocation refers to site selection, technology selection, and decision support in renewable energy harnessing projects. Environmental is concerned with the literature discussing alternative technologies from an environmental perspective and climate issues.

3.1 Renewable Energy Planning and Policy

Selecting between alternative energy sources has usually focused only on cost minimization. It is widely recognized now that energy planning is a much more complicated decision with many actors and factors involved. Pohekar and

Ramachandran presented a review and analysis of several published papers on MCDM and highlighted their applications in the renewable energy area [6]. Wang et al. performed a literature review on MCDM methods used for the selection of energy and its applications to energy issues. The review shows that there are four main criteria categories for the evaluation of energy source and site selection problems: technical, economic, environmental, and social [13].

Georgopoulou et al. utilized MCDM-namely ELECTRE III- to reach a compromise in regional energy problems by analyzing the results and actors' reaction [32]. Beccali et al. developed a case study to illustrate the use of the ELECTRE method and a fuzzy set theory. Both methodologies were applied to the development of a renewable energy diffusion strategic plan. The case study explored advantages and drawbacks of each methodology [31]. Diakoulaki et al. used MCDM to examine the relative contribution of different factors and characteristics in reaching the desired level of energy efficiency and how they can be further exploited in energy policy making [39]. Afgan and Carvalho defined energy system elements and indicators which are used in the analysis and assessment of the relationship between an energy system and its environment. The authors considered five indicators and presented the effect of the priority rating and given weight of each criteria on each selected energy system alternative [3]. Kowalski attempted to combine participatory multi-criteria analysis (PMCA) with scenario building for analyzing energy policy making combined with public and stakeholder inputs [33].

Keeney et al. presented another application of MCDM methods in national energy policy. The authors followed a systematic approach of value trees to come up with a set of criteria that would be used in the assessment of alternative energy systems in Germany [41]. Lee et al. Analyzed the competitiveness of Korea among 30 other nations in hydrogen energy technology development using the analytic hierarchy process (AHP) and two potential scenarios to determine criteria [28]. Lee et al. used AHP and DEA to prioritize energy efficiency technologies in the sector of long-term national energy planning [82].

The main objective of using MCDM is to be able to make more rational and efficient choices to ensure that public values are reflected in decisions. Hobbs and Horn used different MCDM methods to develop a set of recommendations in energy planning and policy through an interview process and several group discussions between stakeholders. The authors discussed the difference between using MCDM for evaluation of criteria and alternatives instead of monetizing all criteria, and concluded that the best approach is a combination of the two methods [12]. Enzensberger et al. emphasized the importance of engaging all stakeholder groups in the criteria evaluation process and explained how considering different view points can help policy planners to anticipate possible problems at an early stage [40].

Renewable energy is foreseen as a sustainable, economically sound alternative to conventional energy resources and can be utilized in many different ways. Köne

and Büke in keeping with the sustainability perspective, presented a multi-criteria analysis (ANP) to determine the best alternative technology for electricity generation in Turkey [26]. Zhao et al. utilized an AHP model to evaluate alternative power supply technologies and determine the best option according to the criteria of sustainable development including environmental cost and energy security. The study would help the government of Guangdong Providence to plan for the best power generation technology when expanding the local installed capacity [75]. Topcu and Ulengin dealt with the problem of selecting the most suitable electricity generation alternative for Turkey. They focused on a multi-attribute decision-making evaluation of energy resources and provided an integrated decision aid framework for the selection of the most suitable multi-attribute method for ranking alternatives [34]. Önüt et al. employed analytic network process (ANP) to evaluate the most suitable energy resources for the manufacturing industry in Turkey [29]. Afgan et al. used multi-criteria evaluation in the assessment of different options of conventional hydrogen energy systems and compared them with renewable energy systems [38]. Hamalainen and Karjalainen utilized AHP and value trees to determine the relative weights of the evaluation criteria of Finland's energy policies [24]. Kablan used AHP framework to support management in the prioritization process of energy conservation policy instruments in Jordan [25]. San Cristóbal applied the VIKOR method to the assessment of several renewable energy alternatives in order to select the most fit project for helping the Spanish government to reach the target of 12 % total renewable energy in 2010 [4].

3.2 Renewable Energy Evaluation and Assessment

To ensure a sustainable future, the assessment of new energy sources should include all the pillars of sustainability, environmental, economic, and social attributes [83]. Afgan and Carvalho used the sustainability assessment method for the evaluation of quality of selected hybrid energy systems by using analysis of the system composed of different technologies and other selected indicators, such as economic, social, and environmental, as measures of the criteria [53]. Afgan et al. evaluated potential natural gas usage in the energy sector and classified the criteria of the analysis as economic, environmental, social, and technological [54]. Burton and Hubacek investigated a local case study of different scales of renewable energy provision for local government in the UK and compared the perceived social, economic, and environmental cost of small-scale energy technologies to larger-scale alternatives [55]. Chatzimouratidis and Pilavachi assessed different power plant types and compared between traditional and new RE power generating technologies according to the technological, economic and sustainability characteristics. They presented sensitivity analyses by comparing the original criteria

weights with four alternative scenarios, changing each criteria weight at each scenario [43, 44]. Roth et al. evaluated the sustainability of current and future power supply technologies in Switzerland and compared available options [58].

When trying to select any alternative energy, conflicts among criteria and stakeholders should be taken into consideration. Haralambopoulos and Polatidis presented a new group decision-making framework of multi-criteria analysis for ranking renewable energy projects. The suggested framework utilized the PROMETHEE II outranking method to achieve group consensus in evaluating renewable energy projects. The proposed framework was applied to data from different scenarios in a case study of exploitation of geothermal energy sources in the island of Chios, Greece [50]. Polatidis and Haralambopoulos presented a new decision-making framework of participatory multi-criteria approach where stakeholders can be engaged in the planning and decision process. The methodology was applied to a number of case studies in Greece in order to evaluate renewable energy options for future investments [57].

Considering the different scenarios for adopting renewable energies would give more insight about the feasibility of such adoption and the conflict in policies or alternatives. Beccali et al. utilized ELECTRE-III to assess an action plan for the selection and diffusion of renewable energy technologies at the regional scale in the island of Sardinia under different scenarios [48]. Cavallaro and Ciraolo applied a multi-criteria method in order to support the selection and evaluation of one or more of the solutions and make a preliminary assessment for the feasibility of installing wind energy turbines in a site on the island of Salina in Italy [56]. Daim et al. utilized MCDA to evaluate the feasibility of two clean power generation technologies, wind and clean burning coal, in the Pacific Northwest [84].

Many researchers applied two or more MCDM methodologies to assess the feasibility of technologies by comparing the results and investigating shortcoming of each alternative. Kahraman et al. utilized two different multi-criteria decision making approaches to select the most appropriate renewable energy in Turkey. Fuzzy axiomatic design (AD) and fuzzy Analytic hierarchy process where applied to the same set of criteria and alternatives and the results from both methodologies were compared [52]. Nigim et al. applied two different MCDM tools to the same set of data for ranking alternative energy of a community in southern Ontario, Canada. The first tool was AHP and the other was Sequential Interactive Model for Urban Sustainability (SIMUS) [45]. Oberschmidt et al. introduced PROMETHEE MCDM method as an applicable approach to comparing alternatives for electricity and heat supply based on a case study of the bio-energy village in Germany [19]. Pilavachi et al. applied AHP methodology to evaluate nine options of electrical generating technologies that use natural gas or hydrogen as fuel [46]. Tzeng et al. compared two methodologies, VIKOR and TOPSIS, to determine the best compromise solution among alternative fuel for buses in Taiwan's urban areas where AHP was applied to determine the relative weights of evaluation criteria [47].

3.3 Project Selection and Allocation

One of the main issues recently is adopting renewable energy to ensure a sufficient electricity supply. Expansion of current projects or planning new ones to meet energy demands is a task that involves finding a set of resources and ranking them in an optimal manner. MCDM process can provide a systematic approach to rank alternatives and select the most “suitable” technology. Aragonés-Beltrán et al. applied two multi-criteria decision analysis methods: a hierarchy AHP model and a network-based ANP model, and compared the resulting data to select between different photovoltaic (PV) solar technologies proposed to be invested in a power plant [59]. Begic and Afgan evaluated the options of energy power systems for Bosnia Herzegovina under a multi-criteria sustainability assessment framework in order to investigate options for the selection of new capacity building of this complex system [69]. Cavallaro applied an outranking methodology of MCDA to evaluate different PV technologies according to given criteria for selected in the process of thin film production [5], extended a classic TOPSIS MCDA methodology to the framework of fuzzy-set theory, and used it to compare different heat transfer fluids used in CSP to examine the feasibility of using a new molten salt alternative [67]. The Kaya or Istanbul study, another example, used multi-criteria decision-making analysis to determine the most appropriate RE in Istanbul and the most suitable area to establish it in [60].

Project selection and allocation requires a complex decision-making process that involves a search of the available opportunities and an evaluation of the options by different stakeholders of multiple aspects, both qualitative and quantitative. Aras et al. determined the most convenient location for a wind observation station to be built using analytic hierarchy process (AHP) [1]. Cherni et al. investigated the outcome of applying a new multi-criteria decision support system methodology (SURESS) to the case of a rural area in Colombia in calculating the most appropriate energy option for providing power and fulfilling local demand [70]. Goletsis et al. studied energy planning processes to rank the projects and developed a multi-criteria ranking method, a hybrid of ELECTRE-III and PROMETHEE methods. They combined an integrated project ranking methodology for groups with multi-criteria methods in an integrated methodology such as the prioritization of project proposals in the energy sector of Armenia [63]. Project prioritization by Goumas and Lygerou and Goumas et al., extended a multi-criteria method of ranking alternative projects, PROMETHEE, to deal with fuzzy input data. The proposed method was applied for the evaluation and ranking of geothermal energy exploitation projects [64, 72].

Ivanova et al. assessed the feasibility of wind power plant expansion in an electric power system using a hierarchical multi-criteria approach [73]. Lee introduced wind farms and developed the criteria for successful implementation in China, taking into account experts’ opinions and stakeholders, input. Lee AHI et al proposed a new multi-criteria decision-making model based on AHP and associated with benefits, opportunities, costs, and risks, to select a suitable wind farm project [61].

3.4 *Environmental*

Different multi-criteria methods have been applied to assess renewable energies from an environmental perspective [44, 75]. MCDM has been increasingly adopted in the area of environmental planning due to the growing awareness of these issues. Zhou et al. provided a survey and literature review and an update of the survey on decision analysis in energy and environmental modeling by Huang [77]. The update showed that the importance of multiple criteria decision-making methods and energy-related environmental studies has almost tripled since 1995 [14, 85]. Greening and Bernow (2004) referred to the potential of MCDM in energy and environmental policy planning [21]. Lahdelma et al. discussed these methods for environmental planning and management [78]. Patlitzianas et al. presented an integrated multi-criteria decision-making approach for assessing the environment of renewable energy producers in the fourteen different member states of the European Union accession [81]. Chatzimouratidis and Pilavachi evaluated different power plants and compared between traditional and new RE power generating technologies according to their sustainability, level and kind of emissions they release using, and impact on the living standard using AHP [43, 44, 74, 86]. Mirasgedis and Diakoulaki compared the external costs of power plants that used different energy sources with a multi-criteria analysis where environmental impacts were expressed in a qualitative scale. They identified similarities and disparities in the obtained rankings and clarified on the basis of the fundamental principles of the two approaches, external cost estimates and multi-criteria analysis [80].

3.5 *Fuzzy Sets*

In many decision-making situations, it is relatively difficult to obtain exact numerical values for the criteria or attributes [51, 87]. Thus, many parameters cannot be evaluated accurately and the data of different subjective criteria and their weights are usually expressed in linguistic terms by the decision maker [36]. In order to overcome this uncertainty in human judgment, fuzzy logic can be applied which deals with vague information by applying membership functions. Fuzzy set theory is integrated to overcome the ambiguity in the preferences. In the literature, different studies had used fuzzy analysis in energy planning and energy policy [31, 35–37, 49, 52, 60, 66–68].

Kahraman and Kaya proposed a fuzzy multi-criteria decision-making methodology which can evaluate linguistic terms, fuzzy numbers, and precise numerical values. The proposed methodology was applied to the case of Turkey to

determine the energy policy in the country, by sorting the best available alternatives [36]. Mohanty et al. demonstrated the application of fuzzy set in project selection. The study illustrated an application of fuzzy ANP along with fuzzy cost analysis in selecting R&D projects [68].

3.6 Comparison between MCDM Methods

As shown before, multi-criteria decision-making analysis has been applied to solve many real world problems. Many researchers recently have been interested in comparing two or more MSDM methodologies and analyzing the advantages or drawbacks of each method. Some researchers applied several methods to real life problem data and compared the results obtained from those methods. Theodorou investigated three different MCDM methodologies, namely: AHP, ELECTRE, and PROMETHEE, and their application on energy planning for different subsidy schemes [88]. Chu et al. provided a comparative analysis of Simple Additive Weighting (SAW), TOPSIS and VIKOR, which demonstrated the similarities and differences of these methodologies in achieving group decisions [11]. Hobbs and Meirer compared the methods with respect to simplicity of applications and feasible expected outcomes [89]. Opricovic and Tzeng conducted a comparative analysis of VIKOR and Technique for Order Preference by Similarity to Ideal Solution (TOPSIS) methods using a numerical example to explain their similarities and differences. The authors extended the comparison of VIKOR method with TOPSIS to other MCDM approaches, namely, Preference Ranking Organization METHod for Enrichment Evaluations (PROMETHEE) and ELimination and Choice Expressing REality (ELECTRE), by using a numerical example and compared results of analysis [90, 91].

4 Conclusion

In general, evaluating energy systems is a complex analysis that can be defined as a multi-dimensional space of different indicators and objectives. The use of multi-criteria decision analysis (MCDA) techniques provides a reliable methodology to rank alternative renewable energy resources, technologies and projects in the presence of different objectives and limitations. Even with the large number of available MCDA methods, none of them is considered the best for all kinds of decision-making situations. Different methods often produce different results even when applied to the same problem using same data. There is no better or worse method but only a technique that fits better in a certain situation. The current

research does not give a clear view about the trend in literature, but can give an insight about the direction it is going. It is noticed that AHP is the most used methodology of all MCDM methods. This can be credited to its simple structure and the ability of an analyst to negotiate results until consistency is achieved, offering near consensus on judgment. The main question that remains is how to choose the appropriate MCDA methodology in alternative energy decision-making.

References

1. Aras H et al (2004) Multi-criteria selection for a wind observation station location using analytic hierarchy process. *Renew Energy* 29:1383–1392
2. Lee SK et al (2009) Decision support for prioritizing energy technologies against high oil prices: a fuzzy analytic hierarchy process approach. *J Loss Prev Process Ind* 22:915–920
3. Afgan NH, Carvalho MG (2002) Multi-criteria assessment of new and renewable energy power plants. *Energy* 27:739–755
4. San Cristóbal JR (2011) Multi-criteria decision-making in the selection of a renewable energy project in Spain: the VIKOR method. *Renew Energy* 36:498–502
5. Cavallaro F (2009) Multi-criteria decision aid to assess concentrated solar thermal technologies. *Renew Energy* 34:1678–1685
6. Pohekar SD, Ramachandran M (2004) Application of multi-criteria decision-making to sustainable energy planning—a review. *Renew Sustain Energy Rev* 8:365–381
7. Climaco J (1997) *Multicriteria analysis*. Springer, New York
8. Diakaki C et al (2010) A multi-objective decision model for the improvement of energy efficiency in buildings. *Energy* 35:5483–5496
9. Wang M et al (2010) The comparison between MAUT and PROMETHEE. In: *IEEE international conference on industrial engineering and engineering management (IEEM)*, 2010, pp 753–757
10. Polatidis H et al (2006) Selecting an appropriate multi-criteria decision analysis technique for renewable energy planning. *Energy Sources Part B* 1:181–193
11. Chu M-T et al (2007) Comparison among three analytical methods for knowledge communities group-decision analysis. *Expert Syst Appl* 33:1011–1024
12. Hobbs BF, Horn GTF (1997) Building public confidence in energy planning: a multimethod MCDM approach to demand-side planning at BC gas. *Energy Policy* 25:357–375
13. Wang J-J et al (2009) Review on multi-criteria decision analysis aid in sustainable energy decision-making. *Renew Sustain Energy Rev* 13:2263–2278
14. Zhou P et al (2006) Decision analysis in energy and environmental modeling: an update. *Energy* 31:2604–2622
15. Saaty TL (1980) *The analytic hierarchy process*. McGraw-Hill, New York
16. Saaty RW (1987) The analytic hierarchy process—what it is and how it is used. *Math Model* 9:161–176
17. Saaty TL (1996) *Decision-making with dependence and feedback: the analytic network process*. RSW Publications, Pittsburgh
18. Cheng EWL, Li H (2005) Analytic network process applied to project selection. *J Constr Eng Manag* 131:459–466
19. Oberschmidt J et al (2010) Modified PROMETHEE approach for assessing energy technologies. *Int J Energy Sector Manag* 4:183–212
20. Wang J-J et al (2008) A fuzzy multi-criteria decision-making model for trigeneration system. *Energy Policy* 36:3823–3832

21. Greening LA, Bernow S (2004) Design of coordinated energy and environmental policies: use of multi-criteria decision-making. *Energy Policy* 32:721–735
22. Diakoulaki D, Karangelis F (2007) Multi-criteria decision analysis and cost-benefit analysis of alternative scenarios for the power generation sector in Greece. *Renew Sustain Energy Rev* 11:716–727
23. Cavallaro F (2010) A comparative assessment of thin-film photovoltaic production processes using the ELECTRE III method. *Energy Policy* 38:463–474
24. Hämäläinen RP, Karjalainen R (1992) Decision support for risk analysis in energy policy. *Eur J Oper Res* 56:172–183
25. Kablan MM (2004) Decision support for energy conservation promotion: an analytic hierarchy process approach. *Energy Policy* 32:1151–1158, 7 2004
26. Köne AÇ, Büke T (2007) An analytical network process (ANP) evaluation of alternative fuels for electricity generation in Turkey. *Energy Policy* 35:5220–5228
27. Lee SK et al (2007) A study on making a long-term improvement in the national energy efficiency and GHG control plans by the AHP approach. *Energy Policy* 35:2862–2868
28. Lee SK et al (2008) The competitiveness of Korea as a developer of hydrogen energy technology: the AHP approach. *Energy Policy* 36:1284–1291
29. Önüt S et al (2008) Multiple criteria evaluation of current energy resources for Turkish manufacturing industry. *Energy Convers Manage* 49:1480–1492
30. Ulutas BH (2005) Determination of the appropriate energy policy for Turkey. *Energy* 30:1146–1161
31. Beccali M et al (1998) Decision-making in energy planning: the ELECTRE multicriteria analysis approach compared to a FUZZY-SETS methodology. *Energy Convers Manage* 39:1869–1881
32. Georgopoulou E et al (1997) A multicriteria decision aid approach for energy planning problems: the case of renewable energy option. *Eur J Oper Res* 103:38–54
33. Kowalski K et al (2009) Sustainable energy futures: methodological challenges in combining scenarios and participatory multi-criteria analysis. *Eur J Oper Res* 197:1063–1074
34. Topcu YI, Ulengin F (2004) Energy for the future: an integrated decision aid for the case of Turkey. *Energy* 29:137–154
35. Borges AR, Antunes CH (2003) A fuzzy multiple objective decision support model for energy-economy planning. *Eur J Oper Res* 145:304–316
36. Kahraman C, Kaya I (2010) A fuzzy multicriteria methodology for selection among energy alternatives. *Expert Syst Appl* 37:6270–6281
37. Lee SK et al (2008) A fuzzy analytic hierarchy process approach for assessing national competitiveness in the hydrogen technology sector. *Int J Hydrogen Energy* 33:6840–6848
38. Afgan NH et al (2007) Multi-criteria evaluation of hydrogen system options. *Int J Hydrogen Energy* 32:3183–3193
39. Diakoulaki D et al (1999) The use of a preference disaggregation method in energy analysis and policy making. *Energy* 24:157–166
40. Enzensberger N et al (2002) Policy instruments fostering wind energy projects—a multi-perspective evaluation approach. *Energy Policy* 30:793–801
41. Keeney RL et al (1987) Structuring West Germany's energy objectives. *Energy Policy* 15:352–362
42. Schulz V, Stehfest H (1984) Regional energy supply optimization with multiple objectives. *Eur J Oper Res* 17:302–312
43. Chatzimouratidis AI, Pilavachi PA (2009) Sensitivity analysis of technological, economic and sustainability evaluation of power plants using the analytic hierarchy process. *Energy Policy* 37:788–798
44. Chatzimouratidis AI, Pilavachi PA (2009) Technological, economic and sustainability evaluation of power plants using the analytic hierarchy process. *Energy Policy* 37:778–787
45. Nigim K et al (2004) Pre-feasibility MCDM tools to aid communities in prioritizing local viable renewable energy sources. *Renew Energy* 29:1775–1791

46. Pilavachi PA et al (2009) Multi-criteria evaluation of hydrogen and natural gas fuelled power plant technologies. *Appl Therm Eng* 29:2228–2234
47. Tzeng G-H et al (2005) Multi-criteria analysis of alternative-fuel buses for public transportation. *Energy Policy* 33:1373–1383
48. Beccali M et al (2003) Decision-making in energy planning. Application of the Electre method at regional level for the diffusion of renewable energy technology. *Renew Energy* 28:2063–2087, 10 2003
49. Siskos J, Hubert P (1983) Multi-criteria analysis of the impacts of energy alternatives: a survey and a new comparative approach. *Eur J Oper Res* 13:278–299
50. Haralambopoulos DA, Polatidis H (2003) Renewable energy projects: structuring a multi-criteria group decision-making framework. *Renew Energy* 28:961–973
51. Cai YP et al (2009) Planning of community-scale renewable energy management systems in a mixed stochastic and fuzzy environment. *Renew Energy* 34:1833–1847
52. Kahraman C et al (2009) A comparative analysis for multiattribute selection among renewable energy alternatives using fuzzy axiomatic design and fuzzy analytic hierarchy process. *Energy* 34:1603–1616
53. Afgan NH, Carvalho MG (2008) Sustainability assessment of a hybrid energy system. *Energy Policy* 36:2903–2910
54. Afgan NH et al (2007) Multi-criteria evaluation of natural gas resources. *Energy Policy* 35:704–713
55. Burton J, Hubacek K (2007) Is small beautiful? A multicriteria assessment of small-scale energy technology applications in local governments. *Energy Policy* 35:6402–6412
56. Cavallaro F, Ciraolo L (2005) A multicriteria approach to evaluate wind energy plants on an Italian island. *Energy Policy* 33:235–244
57. Polatidis H, Haralambopoulos DA (2004) Local renewable energy planning: a participatory multi-criteria approach. *Energy Sources* 26:1253–1264
58. Roth S et al (2009) Sustainability of electricity supply technology portfolio. *Ann Nucl Energy* 36:409–416
59. Aragónés-Beltrán P et al (2010) An ANP-based approach for the selection of photovoltaic solar power plant investment projects. *Renew Sustain Energy Rev* 14:249–264
60. Kaya T, Kahraman C (2010) Multicriteria renewable energy planning using an integrated fuzzy VIKOR & AHP methodology: the case of Istanbul. *Energy* 35:2517–2527
61. Lee AHI et al (2009) Multi-criteria decision-making on strategic selection of wind farms. *Renew Energy* 34:120–126, 1 2009
62. Meade LA, Presley A (2005) R&D project selection using ANP... the analytic network process. *IEEE Potentials* 21:22–28
63. Goletsis Y et al (2003) Project ranking in the Armenian energy sector using a multicriteria method for groups. *Ann Oper Res* 120:135–157
64. Goumas M, Lygerou V (2000) An extension of the PROMETHEE method for decision making in fuzzy environment: Ranking of alternative energy exploitation projects. *Eur J Oper Res* 123:606–613
65. Safaei Mohamadabadi H et al (2009) Development of a multi-criteria assessment model for ranking of renewable and non-renewable transportation fuel vehicles. *Energy* 34:112–125
66. Ben Salah C et al (2008) Multi-criteria fuzzy algorithm for - energy management of a domestic photovoltaic panel. *Renew Energy* 33:993–1001
67. Cavallaro F (2010) Fuzzy TOPSIS approach for assessing thermal-energy storage in concentrated solar power (CSP) systems. *Appl Energy* 87:496–503
68. Mohanty RP et al (2005) A fuzzy ANP-based approach to R&D project selection: a case study. *Int J Prod Res* 43:5199–5216
69. Begic F, Afgan NH (2007) Sustainability assessment tool for the decision-making in selection of energy system—Bosnian case. *Energy* 32:1979–1985
70. Cherni JA et al (2007) Energy supply for sustainable rural livelihoods. A multi-criteria decision-support system. *Energy Policy* 35:1493–1504

71. Espie P et al (2003) Multiple criteria decision making techniques applied to electricity distribution system planning. *IEE Proc Gener Transm Distrib* 150:527–535
72. Goumas MG et al (1999) Computational methods for planning and evaluating geothermal energy projects. *Energy Policy* 27:147–154
73. Ivanova EY et al (2005) A multi—criteria approach to expansion planning of wind power plants in electric power systems. In: *Power tech, 2005 IEEE Russia, 2005*, pp 1–4
74. Chatzimouratidis AI, Pilavachi PA (2007) Objective and subjective evaluation of power plants and their non-radioactive emissions using the analytic hierarchy process. *Energy Policy* 35:4027–4038
75. Jianjian Z et al (2009) Multi-criteria evaluation of alternative power supply using analytic hierarchy process. In: *International conference on sustainable power generation and supply 2009. SUPERGEN '09*, pp 1–7
76. Salminen P et al (1998) Comparing multicriteria methods in the context of environmental problems. *Eur J Oper Res* 104:485–496
77. Huang JP et al (1995) Decision analysis in energy and environmental modeling. *Energy* 20:843–855
78. Lahdelma R et al (2000) Using multicriteria methods in environmental planning and management. *Environ Manag* 26:595–605
79. Linkov I et al (2006) From comparative risk assessment to multi-criteria decision analysis and adaptive management: recent developments and applications. *Environ Int* 32:1072–1093
80. Mirasgedis S, Diakoulaki D (1997) Multicriteria analysis vs. externalities assessment for the comparative evaluation of electricity generation systems. *Eur J Oper Res* 102:364–379
81. Patlitzianas KD et al (2007) Assessing the renewable energy producers' environment in EU accession member states. *Energy Convers Manag* 48:890–897
82. Lee SK et al (2010) Econometric analysis of the R&D performance in the national hydrogen energy technology development for measuring relative efficiency: the fuzzy AHP/DEA integrated model approach. *Int J Hydrogen Energy* 35:2236–2246
83. Hacking T, Guthrie P (2008) A framework for clarifying the meaning of triple bottom-line, integrated, and sustainability assessment. *Environ Impact Assess Rev* 28:73–89, 0 2008
84. Daim T et al (2009) Technology assessment for clean energy technologies: the case of the Pacific Northwest. *Technol Soc* 31:232–243
85. Zhou P et al (2008) A survey of data envelopment analysis in energy and environmental studies. *Eur J Oper Res* 189:1–18
86. Chatzimouratidis AI, Pilavachi PA (2008) Multicriteria evaluation of power plants impact on the living standard using the analytic hierarchy process. *Energy Policy* 36:1074–1089
87. Li YF et al (2010) Energy and environmental systems planning under uncertainty—an inexact fuzzy-stochastic programming approach. *Appl Energy* 87:3189–3211
88. Theodorou S et al (2010) The use of multiple criteria decision-making methodologies for the promotion of RES through funding schemes in Cyprus, a review. *Energy Policy* 38:7783–7792
89. Hobbs BF, Meier PM (2002) Multicriteria methods for resource planning: an experimental comparison. *IEEE Trans Power Syst* 9:1811–1817
90. Opricovic S, Tzeng G-H (2004) Compromise solution by MCDM methods: a comparative analysis of VIKOR and TOPSIS. *Eur J Oper Res* 156:445–455
91. Opricovic S, Tzeng G-H (2007) Extended VIKOR method in comparison with outranking methods. *Eur J Oper Res* 178:514–529

Research and Technology Management in the
Electricity Industry

Methods, Tools and Case Studies

Daim, T.U.; Oliver, T.; Kim, J. (Eds.)

2013, VIII, 359 p., Hardcover

ISBN: 978-1-4471-5096-1