



# Index

## A

- Almost-sure convergence
  - Cauchy's condition, 253–254
  - characterization, 251
  - continuous functions, 253
  - definition, 250–251
  - independent random variables, 252
  - not imply convergence, 252
  - and plim, 251–252
  - with probability 1, 251
  - to random variable, 253
  - sums and products, 253
- Asymptotically equivalent tests, 626
- Asymptotically unbiased tests, 624
- Asymptotic distribution
  - aggregate demand, beverage product, 290
  - binomial density, 291
  - CLTs (*see* Central limit theorems (CLTs))
  - color screens for notebook computers, 287–288
  - continuity correction, 291
  - customers, grocery store, 288–289
  - exponential distribution, 290
  - gamma density, 289
  - laws of large numbers (*see* Laws of large numbers)
  - non-random and random sequence, 232
  - normally distributed random variables (*see* Delta method)
  - $n$ -variate random variables, 231–232
  - probability distribution, 231
  - proofs and proof references, theorems, 276–287
  - random variables, convergence (*see* Convergence of random variables)
- Asymptotic pivotal quantity, 664
- Asymptotic properties, estimators
  - consistent
    - population
      - mean, 387
    - sampling density, 387
    - sufficient condition, 387–389
  - CUAN, 391
  - definition, 385
  - nonuniqueness problem, 386
  - relative efficiency and admissibility
    - CAN (*see* Consistent asymptotically normal (CAN) estimators)
    - exponential probability distribution, 389
    - function, normal random variable, 390
  - Slutsky's theorem, 386
- Asymptotics, GLR tests
  - consistency of
    - for binomial distribution, 623–624
    - description, 622–623
    - for exponential distribution, 623
  - description, 622
  - distribution
    - under local alternatives, 625–627, 685–686
    - under null hypothesis, 624–625, 683–685
- Axiomatic approach
  - certain event probability, 11–12
  - countable additivity, 13–14

- Axiomatic approach (*cont.*)  
 event space, 10  
 mathematical induction principle, 12–13  
 nonnegativity, 11  
 probability set function, 14–15  
 probability space, 16  
 properties, 9–10
- B**
- Bayes' rule  
 blood test accuracy, 31–33  
 description, 30  
 total probability, 30–31  
 two event case, 31  
 Behrens-Fisher problems, 690  
 Bernoulli, discrete density functions  
 density definition, 177  
 density,  $p = .3$ , 178  
 moments and MGF, 177  
 outcomes, 178  
 parameterization, 177  
 probability, dichotomous outcome, 178  
 probability space, 177–178  
 Bernoulli distribution  
 admissible estimators, mean, 378–379  
 MVUE, mean, 383–384  
 population  
 Lehman-Scheffé minimal  
 sufficiency approach, 398–399  
 sufficient statistic, 392–394  
 Best linear unbiased estimator (BLUE)  
 definition, 384  
 Gauss-Markov theorem, 441–442  
 linear unbiased estimator,  $\xi'\beta$ , 442  
 mean, population distribution, 384–385  
 Beta, continuous density functions  
 and binomial density, 201–202  
 density definition, 200  
 density shapes, 200, 201  
 order statistics, 201  
 parameterization, 200  
 PDFs, 200  
 proportion outcomes, 200, 202  
 Bias matrix, 377  
 Binomial, discrete density functions  
 density definition, 178  
 density,  $n = 5$ ,  $p = 0.3$ , 179  
 $n$  Bernoulli trials, 178  
 parameterization, 178  
 PDF for  $n = 5$ ,  $p = .3$ , 179, 180  
 sequences, 179
- Bivariate normal population  
 distribution, 694  
 BLUE. *See* Best linear unbiased estimator (BLUE)  
 Bonferroni joint tests, 644–645
- C**
- CAN estimators. *See* Consistent asymptotically normal (CAN) estimators  
 Cauchy-Schwarz inequality, 151  
 CDF. *See* Cumulative distribution function (CDF)  
 Central limit theorems (CLTs)  
 asymptotic distributions, 261–262  
 control charts, 288  
 definition, 261  
 dependent scalar random variables, 270–271  
 independent scalar random variables (*see* Independent scalar random variables, CLTs)  
 multivariate central limit theorems, 272–273  
 sequences, random variables, 261  
 triangular arrays (*see* Triangular arrays of random variables, CLTs)  
 Change of variables technique  
 continuous random variables, 333  
 log-normal distribution, 335–336  
 multivariate and invertible, 338–339  
 in noninvertible function case, 337–338  
 piecewise invertible and univariate, 336–337  
 univariate and invertible, 334–335  
 Characteristic function, MGFs, 146  
 Chebyshev's inequality, 135–136  
 Chi-square, continuous density functions  
 additivity, 198–199  
 $\chi^2$  densities, 198  
 density definition, 197  
 inverse additivity, 199  
 nonintegral, 198  
 parameterization, 197  
 table, 199–200  
 Chi-square distribution, 736–737  
 CIs. *See* Confidence intervals (CIs)  
 Classical general linear model (GLM)  
 $\beta$  and  $\sigma^2$  parameters, 637  
 assumption violation  
 consistency sufficient condition 1, 457  
 definite symmetric matrix, 459  
 degree, multicollinearity, 461  
 generalized least squares estimator, 458  
 heteroskedasticity/autocorrelation, 456  
 Markov's inequality, 459  
 matrix theory lemma, 457  
 perfect multicollinearity, 460  
 properties, LS estimator, 455  
 simultaneous determination, Y and X outcomes, 462  
 symmetric matrix, 462  
 asymptotic normality,  $\hat{\beta}$ , 447–448, 509  
 average squared prediction error, 446  
 bivariate case, 437  
 BLUE, 441–442  
 classical assumptions, 463–464  
 coefficient of determination, 440–441  
 definition, 436  
 design matrix, 437  
 disturbance vector, 450, 509–510  
 homoskedasticity, 438  
 linear model representation, 443  
 matrix calculus, 439–440  
 matrix multiplication, 445  
 $\epsilon$ , multivariate normal  
 Bonferroni joint tests, 644–645  
 F-tests, 637–640  
 $\chi^2$ -tests, 645–648  
 T-tests, 640–643  
 nonnegative-valued random variable, 446  
 partitioned inversion, 445  
 point estimation problem, 452, 453  
 polynomial function, explanation variables, 438  
 population distribution, 452  
 probability model, 439  
 production process, 443  
 regression hyperplane, 438  
 sample mean and variance, 452  
 semiparametric models  
 asymptotic  $\chi^2$  tests, 648–649  
 asymptotic normal tests, 649–652  
 description, 648  
 tests,  $\sigma^2$ , 652–653  
 Slutsky's theorem, 449–450  
 $\hat{S}^2$ -non-iid residuals, 451–452, 510–511  
 statistical characteristics, 436  
 transformed model, 444  
 zero autocovariance/autocorrelation, 438

- Classical hypothesis testing theory  
 applications, 597  
 exponential class, densities, 569–582  
 monotone likelihood ratio approach, 563–569  
 multiparameter exponential class, UMPU  
 hypothesis testing, 585–586, 601–602  
 nuisance parameters, 582–583  
 parameterization, exponential class density, 586  
 population distribution, 586  
 power functions, 584–585  
 random variable's distribution, 587  
 testing one and two-sided hypothesis, 589  
 Neyman-Pearson approach, 553–563  
 statistical theory and procedures, 596
- Classical probability  
 application, 6  
 and fair dice, 6–7
- CLTs. *See* Central limit theorems (CLTs)
- Composite hypotheses, GLR tests  
 in Bernoulli population, 620–622  
 for exponential distribution, 619–620  
 vs. simple null, 618  
 UMP and unbiased, 620  
 UMP level  $\alpha$   $H_0$  vs.  $H_a$ , 618–619
- Conditional density functions  
 bivariate case, 85–87  
 conditional CDFs, 85–87  
 description, 84–85  
 elementary event, 87  
 mean value theorem, integrals, 88
- Conditional expectation, random variables  
 analysis, regression, 126  
 bivariate case, 126–127  
 expectation-bivariate, 126  
 generalized iterated theorem, 127–129  
 regression, multivariate and bivariate case, 129–132  
 substitution theorem, 128  
 and unconditional (*see* Unconditional expectation, random variables)
- Conditional probability  
 description, 19–20  
 and frequency definition, 21  
 multiplication rule (*see* Multiplication rule)  
 sample selection, 23  
 sample space, 20  
 theorems, 22
- Confidence intervals (CIs)  
 definitions, one-sided/bound, 655–656  
 description, 654  
 duality with rejection regions  
 description, 656–657  
 ellipsoid, GLM, 660–661  
 $\theta$ , exponential distribution, 659  
 $\mu$ , normal distribution, 657  
 $p$ , Bernoulli distribution, 659–660  
 $R\beta$ , GLM, 657–658  
 hypothesis testing, 654  
 level  $\gamma$  and coefficient  $1-\alpha$ , 655  
 lower and/or upper limits, 655  
 pivotal quantities, 654  
 properties of, confidence regions (*see* Confidence regions)  
 random set  $A(\mathbf{X})$ , 655–656  
 scalar  $\mathbf{R}(\boldsymbol{\theta})$ , 655  
 unknown  $\mathbf{R}(\boldsymbol{\theta})$ , 656
- Confidence regions  
 consistent level  $\gamma$ , 663  
 and hypothesis tests, relationships, 661  
 from pivotal quantities (*see* Pivotal quantities, confidence regions)  
 statistical tests, 667  
 UMA level  $\gamma$ , 662  
 UMAU, 662  
 unbiased, 661–662
- Consistent asymptotically normal (CAN) estimators  
 asymptotic relative efficiency and admissibility, 389  
 definition, 388  
 variance/covariance matrix, 390, 391
- Consistent Uniformly Asymptotically Normal (CUAN) class, 391
- Continuous density functions  
 Beta, 200–202  
 gamma, exponential and chi-square subfamilies, 193–195  
 gamma subfamily name  
 chi-square, 197–200  
 exponential, 195–197  
 logistic, 202–203  
 uniform, 192–193
- Continuous random variables  
 characteristics, 54–55  
 class of, 57  
 fundamental theorem, calculus, 54  
 lower and upper bounded events, 56–57  
 real-valued sample space, 53–54
- Convergence of random variables  
 almost-sure convergence, 250–254  
 in distribution (*see* Distribution, convergence)  
 in mean square/quadratic mean, 247–250  
 modes relationships, 254  
 in probability (*see* Probability, convergence)  
 Convergence with probability 1. *See* Almost-sure convergence
- Correlation, sample  
 definition, 321, 322  
 linear association, outcomes, 322–323  
 matrix, 325–326  
 properties, 323–324
- Covariance, sample  
 definition, 319  
 matrix, 325  
 outcomes, moments, 319  
 properties of, 319–321
- Cramer-Rao Lower Bound (CRLB)  
 asymptotic efficiency, 422–423  
 attainment theorem  
 and exponential class, 421–422  
 exponential population, 421  
 regularity conditions, 420  
 definition, 411  
 estimation, parameter vector, 418  
 exponential population, 419–420  
 Hessian form  
 evaluation, applicability, 417–418  
 exponential class, 416–417  
 regularity conditions, 416  
 joint density function, random sample, 414–415  
 regularity  
 conditions, 411–412  
 exponential class, distributions, 413  
 exponential population, 412–413  
 geometric distribution, exponential class, 413–414  
 scalar function case, 418
- Cramer-Wold device  
 Bernoulli vectors, 272–273  
 description, 272  
 independent bounded random vectors, 273  
 multivariate Lindberg-Levy CLT, 272  
 normal limiting distributions, 272
- CRLB. *See* Cramer-Rao Lower Bound (CRLB)
- CUAN class. *See* Consistent Uniformly Asymptotically Normal (CUAN) class

Cumulant-generating function  
 definition, 147  
 and multivariate MGFs  
 definition, 148  
 and marginal, 148–149  
 Cumulative distribution function (CDF)  
 discontinuity, 65–66  
 discrete, 63–64  
 formal definition, 63  
 mixed discrete continuous RV, 64  
 vs. PDFs  
 component, 68  
 description, 65–66  
 theorems, 67  
 properties, 64–65  
 random variable, 63  
 sampling  
 gamma distribution, 331  
 Leibnitz's rules, 332  
 set definition, 62  
 truncation function, 64  
 Cumulative normal distribution, 734

## D

Degenerate random variable and  
 density function, 155  
 Delta method  
 asymptotically normally distributed  
 random variables, 273–274  
 Bernoulli RVs, 274–275  
 definition, 274  
 first-order partial derivatives, 274  
 products and ratios, 275–276  
 vector function, 275  
 Young's form, Taylor's theorem, 274  
 DeMorgan's laws, 704  
 Density functions. *See also* Univariate  
 random variables  
 algebraic representation, 176  
 continuous (*see* Continuous density  
 functions)  
 discrete (*see* Discrete density  
 functions)  
 domain elements, 176  
 exponential class of, 220–222  
 functional forms of, 176  
 normal family of  
 conditional normal densities,  
 215–219  
 description, 203  
 marginal normal densities, 212–215  
 multivariate normal density,  
 208–212  
 univariate normal, 203–208

parameter space, 175  
 parametric families, 175  
 PDFs, 176  
 statistical applications, 175  
 Dependent scalar random variables,  
 CLTs  
 definition, 270  
 least squares estimator, 271  
 $m$ -dependence, 271  
 Discrete density functions  
 Bernoulli, 177–178  
 binomial, 178–180  
 hypergeometric, 188–190  
 multinomial, 180–181  
 multivariate hypergeometric,  
 190–191  
 negative binomial and geometric  
 subfamily, 181–183  
 Poisson (*see* Poisson, discrete density  
 functions)  
 uniform, 176–177  
 Discrete random variables  
 class of, 57  
 concept, 52  
 point function, 51–52  
 probability mass function, 53  
 set function, 50  
 Discrete uniform population  
 distribution, 694  
 Distribution, convergence  
 asymptotic distribution  
 definition, 237–238  
 vs. limiting distribution, 238  
 vs. no limiting distribution, 238  
 to constant, 233–234  
 continuous functions  
 description, 238  
 limiting distribution, 238–239  
 scalar function, 239  
 vector function, 239  
 cumulative distribution function,  
 234–235  
 definition, 233  
 limiting density and distribution, 234  
 moment generating functions, 236  
 vs. in probability, 241–242  
 random sequence, 236  
 sequence, density functions, 236

## E

EDF. *See* Empirical distribution  
 function (EDF)  
 Empirical distribution function (EDF)  
 description, 306

multivariate case  
 definition, 311–312  
 properties, 312  
 sample moments  
 empirical substitution principle,  
 312–313  
 origin and mean, 313–315  
 scalar case  
 and binomial, 308–309  
 definition, 307  
 empirical probabilities, 311  
 Glivenko-Cantelli theorem, 311  
 properties, 309–310  
 Empirical substitution principle,  
 312–313, 318  
 Equality of proportions, 694  
 Equal variances, 690  
 Equivalent-events approach,  
 332–333  
 Estimand, 373  
 Estimators and estimator properties,  
 point estimation theory  
 asymptotic (*see* Asymptotic  
 properties, estimators)  
 and estimand, 373  
 and estimate, 373  
 evaluation, performance, 374–375  
 finite sample (*see* Finite samples,  
 estimators)  
 procedure, 374  
 Events, probability theory  
 definition, 4  
 disjoint, 5–6  
 elementary, 4  
 occurrence, 5  
 Excess kurtosis, 138, 147  
 Expectations, random variables  
 approximation of area, under  $f(x)$ , 115  
 conditional (*see* Conditional  
 expectation, random variables)  
 continuous mass, weightless rod, 114  
 continuous RV, 116  
 density function “weights”,  
 weightless rod, 111, 112  
 discrete case, 113  
 $E(X)$  existence, bounded  $R(X)$ , 117  
 function  
 concave/convex, 121  
 cumulative distribution function,  
 118  
 density function, 119  
 Jensen's inequalities, 121  
 probabilities, 120–121  
 profit function, 119–120  
 gain, insurance, 113–114

multivariate random variables,  
123–125  
scalar random variables, 122  
Experiment, probability theory, 2–3  
Exponential class, densities  
definition, 220  
differentiability and continuity,  
power functions, 570–571  
integral/summation sign, 570  
linear transformations  
noncentral  $t$ -distribution, 594  
polar coordination, 592  
power function, test, 594  
probability mass, 591  
reparameterization, 590  
student  $t$ -distribution, 593  
 $t$ -statistic, 593  
normal family C, 221–222  
UMPU level  
Bernoulli population distribution,  
572–573  
binomial and normal distributions,  
582  
nonlinear equation solver, 580  
normal population distribution,  
574–576  
power function, 577–578  
 $\alpha$ -size rejection region, 578–579  
test statistic, 581  
two sided tests, 582, 600–601  
Exponential, continuous density  
functions  
density definition, 196  
“good as new” electronics, 197  
memoryless property, 196–197  
nonnegative subset, 196  
parameterization, 195

## F

$F$ -density  
definition and derivation, 343–344  
 $F$ -family, 344–346  
 $F$ -distribution, 738–739  
Finite samples  
estimators  
bias matrix, 377  
BLUE (*see* Best linear unbiased  
estimator (BLUE))  
definition, 375  
estimator admissibility, 378  
estimator bias, 376  
mean, Bernoulli distribution,  
378–379  
MSE (*see* Mean square error (MSE))

MVUEs (*see* Minimum variance  
unbiased estimators (MVUEs))  
relative efficiency, 376, 377,  
380–381  
SMSE (*see* Strong mean square error  
(SMSE))  
unbiased estimator, 381–382  
GLR tests  
composite hypotheses (*see*  
Composite hypotheses, GLR tests)  
simple hypotheses (*see* Simple  
hypotheses, GLR tests)  
UMP/even unbiased, 616  
F-tests  
characteristic roots, 638–639  
joint explanatory variable  
significance, 639–640  
noncentral F-distribution, 638  
small sample distribution, W, 638  
Wald-type test, null hypothesis, 637  
Function sequences  
convergence, 728–729  
order of magnitude, 729

## G

Gamma, exponential and chi-square  
subfamilies  
 $\alpha = 3$ ., 193, 194  
additivity, 194–195  
 $\beta = 1$ , 193  
definition and functions, density, 193  
inverse additivity, 195  
parameterization, 193  
scaling, random variables, 195  
time probability, machine  
breakdowns, 194  
Generalized likelihood ratio (GLR)  
tests  
asymptotics (*see* Asymptotics, GLR  
tests)  
constrained maximum likelihood,  
616  
finite sample (*see* Finite samples,  
GLR tests)  
functions of  $\Theta$ , 615  
function values, 615  
of size  $\alpha$ , 615  
test statistic  $\lambda(\mathbf{x})$ , 616  
Generalized method of moments  
(GMM)  
asymptotic covariance matrix, 507  
estimator properties, 504  
first-order Taylor series  
representation, 506

instrumental variables estimator.,  
505–506  
nonrandom positive definite  
symmetric matrix, 504–505,  
513–514  
sample moment conditions, 502  
two-stage least squares estimator,  
508  
vector function, 503  
weighted squared Euclidean distance,  
496  
General random sampling  
commonalities, 304–305  
definition, 303–304  
Glivenko-Cantelli theorem, 311  
GLM. *See* Classical General Linear  
Model (GLM)  
GLR. *See* Generalized likelihood ratio  
(GLR) tests  
GMM. *See* Generalized method of  
moments (GMM)  
 $\chi^2$  Goodness of fit test  
likelihood function, multinomial  
distribution, 669  
ML method, 670  
multivariate, LLCLT, 669  
null hypothesis, 668  
population distribution, exponential  
PDF, 670–671  
test rule, 670

## H

Heuristic approach, statistical test  
construction  
classical UMP and UMPU, 610  
 $H_0$  vs.  $H_a$   
Poisson based on asymptotic  
normality, 613–614  
Poisson distribution, 610–611  
principle, 610  
significance, regression parameter,  
611–613  
test consistency, 614–615  
Hypergeometric, discrete density  
functions  
density definition, 188  
drawing objects with replacement,  
190  
drawing randomly without  
replacement, 189  
moments and MGF, 189  
parameterization, 188  
probability space, 189  
Hypothesis testing theory

Hypothesis testing theory (*cont.*)  
 acceptable region, 529–530  
 classical (*see* Classical hypothesis testing theory)  
 control charting, 606  
 definition, 529  
 general procedure, 530, 531  
 noncentral  $t$ -distribution, 597–598  
 null and alternative hypotheses, 541–542  
 parametric and properties (*see* Parametric hypothesis testing)  
 Pareto distribution, 605–606  
 population distribution, 604  
 power function graph, 603, 606  
 randomized test, 604–605  
 rejection region, 529–530  
 simple/composite hypothesis, 603–604  
 statistical (*see* Statistical hypothesis)  
 test statistics, 540–541  
 type I, type II error  
   applications, 537  
   Bernoulli random variables, 535  
   binomial distribution, 536  
   error probabilities, 533  
   hypothesis testing applications, 533  
   ideal statistical test, 532  
   probabilities, type II error, 539  
   protection against type I error, 537  
   size, statistical test, 538  
   test decision errors, 540  
   true probability distribution, 531  
 UMPU tests, 604

## I

Independence  
 probability theory  
   complement event pairs, 26–27  
   description, 25–26  
   vs. disjointness, 27–28  
   event case, 28–29  
   two event case, 26  
   Venn diagram, 29–30  
 random variables  
   bivariate, 91–94  
   concept, 90  
    $n$ -variate, 94–95  
   random vectors and functions, 96–98  
 Independent and identically distributed (iid) random variables  
   scalar, 262–265

SLLNs, 258–259  
 WLLNs, 255–256  
 Independent scalar random variables, CLTs  
   Bernoulli-type, 264  
   bounded, 266  
   chi-square, 264–265  
   continuity correction, 264  
   least squares estimator, 266–267  
   Liapounov CLT, 267  
   LLCLT, 262–263, 265–266  
   non-IID uniform RVs, 267–268  
 Iterated expectation theorem, 127–129, 132

## J

Jacobian matrix, 338, 340, 343–344  
 Jarque-Bera (JB) test  
   asymptotic distribution, 677  
   null hypothesis, 676  
   test statistics, 676  
 JB. *See* Jarque-Bera (JB) test  
 Jensen's inequalities, 121, 164  
 Joint density, random samples, 300, 304–305, 330–331  
 Joint moments, covariance and correlation  
   bivariate function dependence, 153  
   bounds, correlation, 152  
   calculation, 150–151  
   Cauchy-Schwarz inequality, 151  
   covariance bound, 151–152  
   definition, 150, 152  
   expectation, product, 151  
   and independence, 152–153  
   linear association and degeneracy  
     bivariate random variable, continuous case, 155, 156  
     degenerate random variable and density function, 155  
     equivalent probability statement, 154  
     line integrals, 156  
     Markov's inequality, 153–154  
     prediction,  $Y$  outcomes, 156–157  
   mean, 150  
   moments, 150  
   origin, 149

## K

Kolmogorov's inequality, 258  
 Kolmogorov-Smirnov (K-S) test, 671–672

K-S. *See* Kolmogorov-Smirnov (K-S) test  
 Kurtosis, 138

## L

Lagrangian multiplier (LM) tests  
   asymptotic chi-square-distributed test statistic, 632  
   estimators,  $\Theta$  and  $\lambda$ , 632  
   finite/asymptotic probability distribution, 631  
   functional constraints, 632  
   functions of  $\Theta$ , 627  
   in MLE (*see* Maximum likelihood estimator (MLE))  
   objective function, 631–632  
   power considerations, 633  
   restricted and unrestricted estimation, probability model, 627  
   restriction, parameters, 633  
   vector, 633  
 Laws of large numbers  
   convergence behavior, 255  
   definition, 254–255  
   SLLNs, 257–260  
   WLLNs, 255–257  
 Least squares (LS) estimator  
   GLM (*see* Classical general linear model (GLM))  
   NLS, 467–471  
   normality  
     finite sample distributions, 464–465  
     MVUE property, 465–466  
     normal approximation, 467  
     regression models, 434–436  
 Lehmann-Scheffé completeness theorem, MVUEs, 423–424  
 Lehmann-Scheffé minimal sufficiency theorem  
   Bernoulli, 398–399  
   determination, statistics, 425–426  
    $g$ -function, 397  
   population distribution  
     Bernoulli, 398–399  
     gamma, 399  
     uniform, 399–400  
   vector function, 398  
 Lilliefors tests, 673–674  
 Lindberg-Levy CLT (LLCLT)  
   description, 262  
   distributions and asymptotic distributions, 263  
   non-IID case, 265



- LLCLT. *See* Lindberg-Levy CLT (LLCLT)
- LM. *See* Lagrangian multiplier (LM) tests
- Local alternatives
- consistent tests, 625
  - GLR statistics, 625
  - $H_0: R(\Theta) = r$  vs.  $H_a: R(\Theta) \neq r$ , 626, 631
  - and noncentral chi-square distribution, 633
  - random variable sequence, 626
  - $R(\beta) - r = n^{-1/2} \Phi$ , 650
  - unrestricted and/or restricted MLEs, 637
  - Wald test, 649
- Log-normal distribution, 335–336
- ## M
- Marginal cumulative distribution functions (MCDFs), 84
- Marginal normal densities, density functions
- block diagonal Cov(X)  $\Rightarrow$  independent subvectors, 219
  - conditional,  $N(\mu, \Sigma)$ , 215–216
  - density via reordering, 214–215
  - description, 212
  - diagonal Cov(X)  $\Rightarrow$  independence, 218–219
  - for  $N(\mu, \Sigma)$ , 213–214
  - partitioned inversion and determinants, 216–217
  - PDF, linear combinations, 212
  - trivariate normal, 214, 217–218
- Marginal probability density functions (MPDF)
- bivariate case
    - continuous, 82
    - discrete, 80–82
    - joint density function, 79  - definition, 79
  - MCDFs, 84
  - $n$ -variate case
    - continuous, 83–84
    - description, 82–83
    - discrete, 83
    - probability space, 78–79
- Markov's inequality, 134
- Mathematical induction principle, 12–13
- Maximum likelihood (ML)
- invariance principle, 472
  - likelihood function, 472
  - MLE (*see* Maximum likelihood estimator (MLE))
- Maximum likelihood estimator (MLE)
- approach, 492
  - asymptotic properties
    - direct evaluation, 480
    - exponential density function, 484
    - exponential distribution, 488–489
    - gamma distribution, 489–491
    - gamma population distribution, 480–482
    - hessian matrix, 486
    - Jensen's inequality, 483
    - maximization problem, 485–486
    - normality and efficiency, 487
    - normality-sufficient conditions, 487–488, 512
    - parameter vectors, 484–485, 511  - attainment, CRLB, 477
  - Bernoulli population distribution, 493
  - exponential distribution, 474
  - GLM, 494–495
  - hypergeometric distribution, 476–477
  - implementation, 472–474
  - invariance principle, 492–494, 513
  - LM tests
    - asymptotic distribution, 631, 688
    - first order conditions, 628
    - $H_0: \alpha = 1$  vs.  $H_a: \alpha \neq 1$ , Gamma population distribution, 629–630
    - $H_0: R(\Theta_0) = r$  vs.  $H_a: R(\Theta_0) \neq r$ , 628–629, 686–688  - Neyman Factorization theorem, 478
  - normal distribution, 474–475
  - parameterization, density functions., 491
  - point estimation, 495–496
  - reparameterization, density family, 492
  - uniform distribution, 476
  - unique unbiased/ bias-adjusted, 478–479
- MCDFs. *See* Marginal cumulative distribution functions (MCDFs)
- Means and variances, random variables and correlations calculation, 161–162
- covariance matrix, 158–161
  - linear combination
    - matrix, 158–160
    - vector, 158, 159
- Mean square, convergence
- to constant vector, 248
  - correlation convergence, 248–249
  - definition, 247
  - description, 248
  - probability and distribution, 249–250
- Mean square error (MSE)
- matrix, estimator, 376–377
  - and relative efficiency, 376
  - scalar case, 376
- Mean value theorem, integrals, 88
- Memoryless property, 182
- Method of moments (MOM)
- consistency and asymptotic normality, 501–502
  - estimated sample moments, 496
  - gamma and normal distribution parameters, 500
  - gamma population distribution, 498–499
  - normal distribution parameters, 499
  - population distribution, 497
  - sample moment conditions, 498
  - statistical model, 497
- MGFs. *See* Moment-generating functions (MGFs)
- Minimal sufficient statistics
- definition, 395
  - domain elements, 396
  - identification, 426
  - Lehmann–Scheffé theorem (*see* Lehmann–Scheffé minimal sufficiency theorem)
  - nonredundant coordinate functions, 397
- Minimum variance linear unbiased estimators (MVLUEs). *See* Best linear unbiased estimator (BLUE)
- Minimum variance unbiased estimators (MVUEs)
- and complete sufficient statistics, 423–424
  - CRLB (*see* Cramer-Rao Lower Bound (CRLB))
  - mean, Bernoulli distribution, 383–384
  - MVLUE/BLUE and efficiency, 381–382
  - scalar, 408–409
  - uniqueness, scalar and vector, 409–412
- Mixed discrete-continuous random variables
- category, 60
  - density function components, 61
- Mixture distribution, 681
- ML. *See* Maximum likelihood (ML)
- MLE. *See* Maximum likelihood estimator (MLE)
- MOM. *See* Method of moments (MOM)

Moment-generating functions (MGFs)  
 bivariate, 173  
 central moments, 144  
 continuous RV, 143–144  
 definition, 142  
 density function, 172  
 determination, mean and variance, 169  
 function  $g(t)$ , 143  
 gamma function, 169  
 identification, PDF, 145–146  
 inversion, 146–147  
 mean and variance, 173  
 multivariate and cumulant-generating function, 148  
 properties, 144  
 sampling distributions, 330–331  
 uniqueness, 145

Moments, random variables  
 binomial theorem, 138  
 central moments, 139  
 Chebyshev's inequality, 135–136  
 definition, 132–133  
 existence, 139–140  
 kurtosis and excess kurtosis, 138  
 Markov's inequality, 134  
 mean, random variable, 133  
 MGFs (*see* Moment-generating functions (MGFs))  
 nonmoment measures, probability density characteristics, 141–142  
 nonsymmetric density function, 139  
 origin, 169  
 origin,  $r$ th central moment, 133  
 skewed density functions, 138–139  
 standard deviation, 134  
 symmetric and skewed densities, 136  
 $\mu_3$ , symmetry and skewness, 137  
 variance, 134, 139

Monotone likelihood ratio approach  
 Bernoulli distribution, 564  
 density functions, 563  
 exponential class, densities, 564  
 Gamma distribution, 564–565  
 hypergeometric distribution, 565–566  
 UMP level  
 exponential distribution, 567–568  
 hypergeometric distribution, 568  
 nonexistence, 568  
 $\alpha$  tests, 566–567, 600

MPDF. *See* Marginal probability density functions (MPDF)

MSE. *See* Mean square error (MSE)

Multinomial, discrete density functions  
 density definitions, 180  
 moments and MGF, 180  
 parameterization, 180  
 probability, customer payment modes, 181  
 probability space, 180  
 sequences,  $n$  repetitions, 180

Multiplication rule  
 one-stage inspections, 24  
 three card draw, 25  
 two card draw, 24  
 two events, 24  
 two-stage inspections, 25

Multivariate CDFs and duality concept, 74  
 continuous bivariate, 76–77  
 continuous multivariate PDFs, 75  
 discrete bivariate, 75–76

Multivariate central limit theorems. *See* Cramer-Wold device

Multivariate concepts, continuous case, 98–100

Multivariate hypergeometric, discrete density functions  
 binomial density, 191  
 density definition, 190  
 moments and MGF, 191  
 parameterization, 190

Multivariate mixed discrete-continuous and composite random variables, 78

Multivariate normal density, density functions  
 central limit theorems, 212  
 density definition, 208  
 iso-density ellipses of, 211  
 $n$ -variate, 209  
 parameterization, 208  
 three-dimensions and an iso-density ellipse, 209, 210

Multivariate random variables  
 continuous, 70  
 discrete, 70  
 expectation of matrix, 125  
 independent random variables, 124  
 joint density function, 123  
 $n$ -variate, 69  
 properties and classes  
 discrete and continuous, 70–71  
 support and range equivalence, 71  
 real-valued vector function, 68–69

MVUEs. *See* Minimum variance unbiased estimators (MVUEs)

## N

Negative binomial and geometric subfamily  
 Bernoulli trials, 181–182  
 defect after  $x$  trials, 182–183  
 density definition, 181  
 meeting quota,  $x$  trials, 182  
 memoryless property, 182  
 moments and MGF, 181  
 parameterization, 181  
 Pascal distribution, 181

Neyman factorization theorem  
 density function, random sample, 394–395  
 joint density, 395

Neyman-Pearson approach  
 probability calculation, 554, 598–600  
 simple hypothesis, 553–554

UMP  
 Bernoulli, 554–556  
 exponential mean vs. composite alternative, 560–561  
 nonexistence, 561–562  
 rejection region, 559–560  
 two exponential means, 556–558

UMPU  
 Bernoulli random variable, 558–559  
 one-sided and two-sided alternative hypotheses, 563

Nonaxiomatic probability  
 classical, 6–7  
 relative frequency, 7–8  
 subjective, 8–9

Noncentral  $\chi^2$ -distributions  
 definition, 680  
 mixture distribution, 681  
 parameterization, 680  
 power function, statistical tests, 681

Noncentral F-distribution  
 definition, 682  
 degrees of freedom, 682  
 parameterization, 682  
 power function, statistical tests, 682

Noncentral  $t$ -distribution  
 application, 597–598  
 moments, 597  
 parameterization, 597

Non-independent and identically distributed (non-iid) random variables  
 independent scalar random variables, 265–268  
 SLLNs, 259–260  
 WLLNs, 256–257



- Nonlinear least squares (NLS)  
 estimator  
 computational approaches, 468  
 functional flexibility, 467  
 Gauss-Newton method, 468  
 noise component moment, 471  
 random residual vector outcomes, 469–470  
 sampling properties, 468–469  
 statistical properties, 471
- Nonparametric models  
 definition, 366  
 regression, 366–368
- Nonparametric tests, distributional  
 assumptions  
 description, 667  
 of functional forms  
 $\chi^2$  goodness of fit test, 668–671  
 JB test, 676–677  
 K-S and Lilliefors Tests, 671–674  
 SW test, 674–676  
 iid assumption  
 runs, 677–678  
 WW runs test, 678–680  
 maintained hypothesis, 668  
 probability, density functions, 668
- O**
- Order statistics  
 definition, 350  
 extreme values, sampling  
 distribution, 353  
 $k$ th order statistic, 350–351  
 observations, largest and smallest, 349–350  
 pairs, sampling distribution, 352  
 waiting time, 351–352
- Outcome of random samples, 299, 301, 303, 304
- P**
- Paired comparisons of mean, 691–692
- Parameter estimation problems  
 model, 368  
 objectives, 367  
 semiparametric and nonparametric models, 368
- Parametric families  
 continuous (*see* Continuous density functions)  
 discrete (*see* Discrete density functions)
- Parametric hypothesis testing  
 Bernoulli distribution, 542  
 definition, 542  
 maintained hypothesis, 543–544  
 power function, 544–545  
 properties, statistical tests  
 asymptotic, 552  
 consistency, 549  
 power function, 545–546  
 $P$ -values, 549–550  
 rejection region, 550  
 test size and level, 546–547  
 UMP, 547–549  
 unbiasedness, 547
- Parametric models  
 definition, 365  
 regression, 366–368
- Pascal distribution, 181
- PDFs. *See* Probability density functions (PDFs)
- Permutations and combinations  
 binomial theorem, 717  
 description, 715  
 factorial operation, 716  
 power set, 718
- PIT. *See* Probability integral transformation (PIT)
- Pittman drift, local alternatives, 625
- Pivotal quantities, confidence regions  
 continuous population, PDFs, 665–666  
 definition, 663  
 location-scale parameter families, PDFs, 665  
 mean of power distribution, 666–667  
 method of, 663–665
- Point and set function  
 binary relation, 708–709  
 Cartesian product, 707–708  
 concepts, 707  
 domain and range, function, 710  
 function, 709–710  
 indicator function, 714  
 inverse function, 712  
 real-valued function, 711  
 size, 714
- Point estimation methods  
 BLUE, 518  
 CRLB, 434  
 daily cash transactions, 516–517  
 GMM (*see* Generalized Method of Moments (GMM))  
 least-squares estimator, 519  
 linear and nonlinear models, 520–521  
 LS estimator (*see* Least squares (LS) estimator)
- method of ML (*see* Maximum Likelihood (ML))  
 minimal sufficient statistics, 520  
 MOM (*see* Method of moments (MOM))  
 MVUE, 518  
 population distribution, 517  
 statistical model, 516  
 $t$ -distribution, 515–516
- Point estimation theory  
 estimators  
 and estimator properties (*see* Estimators and estimator properties, point estimation theory)  
 probability, 430  
 unbiased/consistent, 430  
 Poisson distribution, 426  
 math coprocessor installation, personal computer, 425  
 mean and variance, estimator, 430  
 MVUEs (*see* Minimum variance unbiased estimators (MVUEs))  
 nonparametric models, 366–368  
 objectives, 364  
 parametric models, 365–368  
 population distribution mean, freshmen's I.Q., 427  
 population mean, 429–430  
 probability models (*see* Probability models)  
 proportion, voters, 426–427  
 random sampling, exponential  
 population distribution, 428  
 resets, circuit breakers, 430–431  
 semiparametric models, 365–368  
 sufficient statistics (*see* Sufficient statistics, point estimation theory)  
 test plots, wheat, 428–429  
 toy manufacturer, MVUE estimation, 429  
 trigger mechanisms, air bags, 427–428
- Poisson, discrete density functions  
 background and application, 183–184  
 density definitions, 183  
 moments and MGF, 183  
 number, machine breakdowns, 188  
 parameterization, 183  
 $\Rightarrow$  poisson density, 186–188  
 process and PDF, 185–186  
 $x$  defects in  $n$  trials, 184–185

- Population distribution  
 defective/nondefective keyboards, 300–301  
 definition, 299  
 EDF, 306  
 gamma family of densities, 301  
 marginal, 319  
 method-of-moments, 312  
 order statistics, 350  
 random sampling with replacement, 299–300  
 sample correlation, 322
- Probability, convergence  
 to constant, 240  
 definition, 240  
 and in distribution  
 constant, 244–245  
 difference and convergence, 243  
 limiting distribution, 244  
 RVs and parameters, 245  
 Slutsky's theorem, 245, 246  
 vs. in distribution, 241–242  
 order of magnitude  
 bounded in probability, 246  
 definition, 246  
 random sequence, 246–247  
 real numbers/matrices, 247  
 outcomes, random variable, 239
- plim operator  
 addition, multiplication and division, 243  
 of continuous function, 242  
 definition, 242  
 matrix functions, 243  
 scalar additive and multiplicative functions, 243
- probability limits of matrices, 241
- Probability density functions (PDFs)  
 continuous (*see* Continuous random variables)  
 discrete (*see* Discrete random variables)  
 support and range equivalence, 58–59  
 verification, 59–60
- Probability integral transformation (PIT)  
 definition, 346  
 exponential distribution, 346  
 exponential RV, 347  
 inverse PIT, 347–348  
 uniform distribution, 346–347
- Probability models  
 abbreviated notation, random variable, 365  
 definition, 364, 369
- parametric functional specification, sampling distribution, 369–371
- point estimation problem  
 parameter space, 371–372  
 phraseology, 373
- Probability samples  
 commonalities in structure, 304–305  
 definition, 298–299  
 random sample, 299  
 sample outcomes, 296
- Probability space  
 bivariate continuous RV, 73–74  
 bivariate discrete RV, 71–72
- Probability theory  
 axiomatic definition (*see* Axiomatic approach)  
 Bayes' Rule, 30–33  
 belief functions, 2  
 concept, 1  
 conditional (*see* Conditional probability)  
 description, 1  
 digression, events, 33–34  
 events, 4–6  
 experiment (*see* Experiment, probability theory)  
 fiducial probability, 2  
 independence (*see* Independence, probability theory)  
 nonaxiomatic (*see* Nonaxiomatic probability)  
 outcome propensity, 1–2  
 sample space, 3–4  
 structural probability, 2  
 theorems, 16–19
- ## Q
- Quantile of  $X$ , 142
- ## R
- Random samples  
 definition, 299  
 general random sampling, 303–305  
 with replacement, 300–301  
 sample mean and variance  
 filling process, 329–330  
 linear and quadratic forms, 326–327  
 under normality, distribution, 329  
 normal population distribution, 328  
 $t$ -distribution, 326  
 simple random sampling, 299–300
- simulation (*see* Simulations, random samples)  
 size of, 299  
 without replacement, 302–303
- Random sampling without replacement  
 characteristics, 302  
 defectives, 303  
 definition, 302  
 joint density, 302–303
- Random sampling with replacement  
 defectives, 300–301  
 definition, 300  
 joint density, 300
- Random variables  
 calculation, expected value, 169  
 CDF (*see* Cumulative distribution function (CDF))  
 commodity exchange, bivariate, 167  
 cumulant-generating function, 147–149  
 densities, sample spaces, 45  
 expectation (*see* Expectations, random variables)  
 game of chance, 168–169  
 joint moments, covariance and correlation (*see* Joint moments, covariance and correlation)  
 mean  
 bivariate, 174  
 median, mode and quantiles, 172  
 trivariate, 174  
 and variances, 157–162  
 moments (*see* Moments, random variables)  
 net dollar return, project, 171–172  
 PDFs, 173  
 positive semidefiniteness, 162–165  
 regression curve, tablet computers, 172–173  
 Stieltjes integration and implicit support convention, 117–118  
 variance, dollar return, 174
- Rao-Blackwell theorem  
 scalar case, 401–402  
 vector case, 402
- Real analysis elements  
 adding, subtracting and multiplying sequences, 725  
 boundedness and limits, matrices, 724–725  
 bounded sequence, real numbers, 723  
 combinations, sequences, 725  
 continuity properties, functions, 726–728

convergence properties, sequences, 726  
 probability density functions, 722  
 random variables sequences, 721  
 real number sequence, 722  
 real-valued matrix sequence, 724  
 sequences, 720  
**Real numbers**  
 bounded sequence, 723  
 matrix, 724  
 set, 710  
 vectors, 722  
**Regression function, bivariate case**  
 conditional expectation, 130  
 definition, 129  
 investment return, 130–131  
**Regression models**  
 linear  
 explanatory variables, 435  
 levels, generality, 434  
 Weierstrass's approximation theorem, 435  
 nonlinear, 436  
**Relative frequency probability**  
 coin tossing and, 7–8  
 event, 7

## S

**Sample moments**  
 correlation (*see* Correlation, sample)  
 covariance (*see* Covariance, sample)  
 definition, 312  
 empirical substitution principle, 312–313  
 mean, 315–316  
 multivariate asymptotic normality, 316  
 in multivariate case, 318–319  
 origin and mean  
 from EDF, 314  
 on EDF, 313–314  
 properties of origin, 314–315  
 variance (*see* Sample variance)  
**Sample space, probability theory**  
 continuous, 4  
 discrete, 4  
 element/member, 3–4  
**Sample variance**  
 calculation, 356–357, 360  
 covariance matrix, 325  
 definition, 316, 317  
 properties, 317–318  
 and sample covariance, 323  
 and sample mean, 318

**Sampling**  
 characteristics, 297–298  
 distributions  
 CDF approach, 331–332  
 change of variables approach, 333–339  
 description, 330  
 equivalent-events approach, 332–333  
 MGF approach, 330–331  
 variables approach, 333–339  
 EDF (*see* Empirical distribution function (EDF))  
 error, 298  
*F*-density, 343–346  
 moments (*see* Sample moments)  
 normal population distributions, 354  
 order statistics (*see* Order statistics)  
 population, 297  
 probability samples (*see* Probability samples)  
 random sample (*see* Random samples)  
 statistical inference, 295–296, 306  
 stochastic process, 297  
*t*-density, 339–343  
*t*-distribution, 326  
**Semiparametric models**  
 definition, 365–366  
 regression, 366–368  
**Set theory**  
 associative laws, 703  
 characteristics, 699  
 classifications, 701  
 commutative laws, 703  
 complements of complements, 702, 704  
 DeMorgan's Laws, 704  
 description, 698–699  
 distributive laws, 703  
 empty/null set, 701  
 equality of sets, 701  
 finite set, 701  
 idempotency laws, 703  
 intersection and union, complements, 702, 704  
 intersection, null set, 704  
 interval set notation, 706  
 multiple intersection notation, 705–706  
 multiple union notation, 705  
 mutually exclusive/disjoint sets, 702–703  
 set difference, 701  
 subset, 701

union, 702  
 universal set, 701  
 verbal rule, 699–700  
**Shapiro-Wilks (SW) test**  
 description, 674  
 residuals of GLM, normality, 675–676  
 statistic calculation, 675  
**Simple hypotheses, GLR tests**  
 of exponential distribution, 617–618  
 Neyman-Pearson lemma, 616–617  
**Simulations, random samples**  
 Bernoulli distribution, 349  
 exponential distribution, 348–349  
 PIT (*see* Probability integral transformation (PIT))  
**SLLNs. *See* Strong law of large numbers (SLLNs)**  
**Slutsky's theorem**, 245, 246, 386  
**SMSE. *See* Strong mean square error (SMSE)**  
**Statistical hypothesis**  
 Bernoulli process, 525–526  
 composite  
 exponential population, 525  
 non-iid normally-distributed sample, 526  
 semiparametric model, 526–527  
 definition, 524–525  
 set-defining conditions, 528–529  
**Statistics**  
 definition, 306  
 vs. nonobservables, 306  
 observable random variable, 306  
 statistical inference, 295–296  
**Stieltjes integration and support convention**  
 expected value, 118  
 operator, 117–118  
**Strong law of large numbers (SLLNs)**  
 description, 257–258  
 iid random variables, 258–259  
 Kolmogorov's inequality, 257–258  
 non-iid random variables, 259–260  
**Strong mean square error (SMSE)**  
 relative efficiency and admissibility, 380–381  
 superiority, 379  
**Student's *t* distribution**, 735  
**Substitution theorem**, 128, 132  
**Sufficient statistics, point estimation theory**

Sufficient statistics (*cont.*)

- Bernoulli population distribution, 392–394
- definition, 392
- exponential class
  - completeness, 405–407
  - density functions, 400–401
- invertible functions, 407–408
- Lehmann–Scheffé minimal sufficiency theorem, 397–400
- minimal sufficient statistics, 395–400
- Neyman factorization theorem (*see* Neyman factorization theorem)
- objective, 391
- Rao–Blackwell theorem (*see* Rao–Blackwell theorem)
- Summation and integration notation, 718–720
- SW. *See* Shapiro–Wilks (SW) test

## T

- t*-Density
  - convergence, 342
  - definition and derivation, 339–341
  - standard normal random variable, 341
  - symmetry, 342, 343
  - t*-family, 341–342
- $\chi^2$ -Tests, GLM
  - equal tails test, 646
  - GLR approach, 645–646
  - rejection regions, 647
  - variances, GLM under normality, 647–648
- Test statistics
  - asymptotic tests, 541
  - convergence properties, 552
  - definition, 540
  - exponential class of densities, UMPU, 581
  - Neyman–Pearson Lemma, 558
- Triangular arrays of random variables, CLTs
  - column, 269
  - definition, 268–269
  - least squares estimator, 270
  - Liapounov CLTs, 269–270
  - row averages, 269
- T-tests
  - constant elasticity GLM, 642–643
  - F-statistic, 640
  - individual explanatory variable significance, 641–642

- sequence, 641
- unbiasedness, 640

## U

- UMA. *See* Uniformly Most Accurate (UMA) Level  $\gamma$
- UMA. *See* Uniformly Most Accurate Unbiased (UMAU)
- Unbiased confidence regions, 661–662
- Unconditional expectation, random variables
  - bivariate RV linear function, iteration, 128, 129
  - nonlinear function, iteration, 128, 129
- Unequal variances, 690
- Uniform
  - continuous density functions
    - density definition, 192
    - parameterization, 192
    - probability spaces, 192
    - Teller services, 192–193
  - discrete density functions
    - density definition, 176
    - moments, 176
    - parameterization, 176
    - probabilities, correctly at random, 177
    - probability  $f(x;N) = 1/N$ , 176
- Uniformly Most Accurate (UMA) Level  $\gamma$ , 662
- Uniformly Most Accurate Unbiased (UMAU), 662
- Uniformly most powerful (UMP) test
  - monotone likelihood ratio approach
    - exponential distribution, 567–568
    - hypergeometric distribution, 568
    - nonexistence, 568
    - $\alpha$  tests, 566–567
- Neyman–Pearson approach
  - Bernoulli means, 554–556
  - exponential mean, composite
    - alternative hypothesis, 560–561
    - nonexistence, 561–562
  - rejection region, 559–560
  - two exponential means, 556–558
- Uniformly most powerful unbiased (UMPU) tests
  - exponential class of densities
    - Bernoulli population distribution, 572–573
  - binomial and normal distributions, 582
- nonlinear equation solver, 580
- normal population distribution, 574–576
- power function, 577–578
- $\alpha$ -size rejection region, 578–579
- test statistic, 581
- two-sided test, 571
- multiparameter exponential class
  - hypothesis testing, 585–586
  - nuisance parameters, 582–583
  - parameterization, density, 586
  - population distribution, 586
  - power functions, 584–585, 588
  - random variable's distribution, 587
  - testing one and two-sided hypotheses, 589
- Neyman–Pearson approach
  - Bernoulli random variable, 558–559
  - one-sided and two-sided alternative hypotheses, 563
- Univariate normal, density functions
  - assign probabilities, 205–206
  - behavior of, 204
  - and chi-square, 206–208
  - density definition, 203
  - parameterization, 203
  - random variable, 205
  - standard normal distribution, 204–205
- table, 208
- Univariate random variables
  - concept, 46
  - equivalent events, 48–49
  - induced probability space, 50
  - outcome, 46–47
  - probability space, 47–48

## V

- Variances, 689–690

## W

- Wald tests
  - asymptotic distribution, under  $H_a: \mathbf{R}(\boldsymbol{\theta}) \neq \mathbf{r}$ , 636
  - of asymptotic size  $\alpha$ , 634–635
  - description, 633
  - finite sample properties, 634
  - GMM estimator, 636–637
  - outcome, unrestricted estimator, 634

$R(\Theta)$  values, 633–634  
variance, exponential population,  
635  
Wald-Wolfowitz (WW) runs test,  
678–680  
Weak law of large numbers (WLLNs)  
description, 255–256  
random variables  
iid, 255–256  
non-iid, 256–257

Weierstrass's approximation theorem,  
435  
WLLNs. *See* Weak law of large  
numbers (WLLNs)  
WW. *See* Wald-Wolfowitz (WW) runs  
test

## Y

Young's form, first-order Taylor series  
expansion, 274

## Z

ZAP Electric Co. manufactures electric  
circuit breakers, 38  
Z-statistics  
asymptotic level  $\alpha$  tests  
 $R(\beta)$ , 649  
 $\sigma^2$ , 653  
outcome, 651, 652  
and Wald, 650





<http://www.springer.com/978-1-4614-5021-4>

Mathematical Statistics for Economics and Business

Hoeft, R.

2013, XXIX, 755 p., Hardcover

ISBN: 978-1-4614-5021-4