

Contents

1	MotionCast: Delay and Capacity Tradeoff Analysis	1
1.1	Network Model	1
1.2	Capacity and Delay in the 2-Hop Relay Algorithm Without Redundancy	2
1.2.1	Upper Bound of Capacity	3
1.2.2	Lower Bound of Delay	6
1.2.3	Discussion	7
1.3	Capacity and Delay in the 2-Hop Relay Algorithm with Redundancy	8
1.3.1	Upper Bound of Capacity	8
1.3.2	Lower Bound of Delay	10
1.3.3	Discussion	11
1.4	Capacity and Delay in the Multi-Hop Relay Algorithm with Redundancy	12
1.4.1	When $m = \Theta(n)$	13
1.4.2	When $m = o(n)$	13
1.5	From i.i.d. Mobility to Random Walk Mobility	14
1.5.1	Random Walk Mobility	14
1.5.2	Capacity and Delay in the 2-Hop Relay Algorithm Without Redundancy	15
1.5.3	Capacity and Delay in the 2-Hop Relay Algorithm with Redundancy	18
1.6	Hybrid Random Walk Models	23
1.6.1	Capacity and Delay in the 2-Hop Relay Algorithm Without Redundancy	23
1.6.2	Capacity and Delay in the 2-Hop Relay Algorithm with Redundancy	25
1.7	The Impact of Node Density in the Network	26
1.7.1	Capacity and Delay in the 2-Hop Relay Algorithm Without Redundancy	26

1.7.2	Capacity and Delay in the 2-Hop Relay Algorithm with Redundancy	27
1.8	Random Way-Point Mobility	29
1.8.1	Capacity and Delay in the 2-Hop Relay Algorithm Without Redundancy	29
1.8.2	Capacity and Delay in the 2-Hop Relay Algorithm with Redundancy	30
1.9	Applying Network Coding in 2-Hop Relay Algorithm with Redundancy	30
1.9.1	Network Coding	30
1.9.2	Upper Bound of Capacity	31
1.9.3	Lower Bound of Delay	31
1.10	Discussion	32
1.11	Conclusion and Future Work	33
2	MotionCast: General Connectivity in Clustered Wireless Networks	35
2.1	System Model	35
2.1.1	Network Topology	35
2.1.2	Mobility Models	36
2.1.3	Definition of (K, M) -Connectivity	38
2.1.4	Definition of Critical Transmission Range	38
2.2	Main Results	39
2.3	The Disconnected Probability of a Cluster Member	39
2.4	(K, M) -Connectivity Under Random Walk Mobility Model	42
2.4.1	Disconnected Probability of a Cluster Member Under Random Walk Mobility Model	42
2.4.2	The Critical Transmission Range Under Random Walk Mobility Model with Simple V-Model	43
2.4.3	The Critical Transmission Range Under Random Walk Mobility Model with General V-Model	45
2.4.4	The Critical Transmission Range Under Random Walk Mobility Model with Homogeneous Velocity Model	49
2.5	(K, M) -Connectivity Under i.i.d. Mobility Model	49
2.5.1	Necessary Condition of Theorem 13	50
2.5.2	Sufficient Condition of Theorem 13	50
2.6	Discussion	51
2.6.1	Explanation on the Expression of the Critical Transmission Range	51
2.6.2	Random Walk Mobility Model with Different Velocity Models	51
2.7	Conclusion	52

3	MotionCast: A Survey on the Capacity Scaling of Wireless Networks	59
3.1	Network Model	59
3.1.1	Traffic Pattern	60
3.1.2	Network Model	61
3.1.3	Transmission Model	62
3.1.4	Capacity Definition	65
3.1.5	Definitions of Related Terms	65
3.2	Capacity-Delay Tradeoff	66
3.2.1	End-to-End Delay	66
3.2.2	Definitions of Related Terms	67
3.2.3	Capacity-Delay Tradeoff in Static Wireless Networks	67
3.2.4	Capacity-Delay Tradeoff in Mobile Wireless Networks	68
3.2.5	Other Results	69
3.3	Random Networks	70
3.3.1	Random Homogeneous Networks: Unicast, Multicast and Broadcast	70
3.3.2	Random Inhomogeneous Networks: Clusters	72
3.3.3	Combination of Cellular System: Hybrid Networks	72
3.4	Arbitrary Networks	73
3.5	Factors that Influence Capacity	74
3.5.1	Network Size	74
3.5.2	Communication Patterns	74
3.5.3	Interference	75
3.5.4	Power Control	75
3.6	Techniques to Improve Capacity	75
3.6.1	Mobility Increases Capacity	75
3.6.2	Using Directional Antenna Improves Capacity	78
3.6.3	Multi-Input Multi-Output (MIMO) Increases Capacity	79
3.6.4	Network Coding Increases Capacity	84
3.6.5	MPT and MPR Improve Capacity	85
3.6.6	Hybrid Network Increases Capacity	88
3.7	Conclusion	89
	References	91



<http://www.springer.com/978-1-4614-5634-6>

MotionCast for Mobile Wireless Networks

Wang, X.

2013, XIII, 98 p. 18 illus., Softcover

ISBN: 978-1-4614-5634-6