

Contents

Preface	vii
0 Introduction	1
0.1 The main result	1
0.2 Background	3
0.3 Local index theorem and Kähler fibrations	4
0.4 The elliptic superconnections for arbitrary ω^M	4
0.5 The form α_0 : the case where $\bar{\partial}^M \partial^M \omega^M = 0$	5
0.6 The hypoelliptic superconnections	5
0.7 The exotic superconnections	6
0.8 The hidden role of functional integration	7
0.9 Operators and characteristic forms	10
0.10 The hypoelliptic Laplacian	10
0.11 Applications	11
0.12 The organization of the book	12
0.13 Acknowledgments	13
1 The Riemannian adiabatic limit	15
1.1 A smooth submersion	15
1.2 The limit of the Levi-Civita connection as $\epsilon \rightarrow 0$	16
1.3 The trilinear form ρ_0	19
2 The holomorphic adiabatic limit	21
2.1 A holomorphic fibration	21
2.2 The limit as $\epsilon \rightarrow 0$ of the connection ∇_ϵ^{TM}	25
2.3 The Riemannian and holomorphic adiabatic limits	28
2.4 The case where ω^M is closed	29
2.5 The exotic connections on $T_{\mathbf{R}}M$	30
2.6 The exotic connections on $T_{\mathbf{R}}X$	34
2.7 The asymptotics of the exotic connections on $T_{\mathbf{R}}M$	36

3	The elliptic superconnections	41
3.1	The Clifford algebra	41
3.2	The $\bar{\partial}$ operator on M	42
3.3	The antiholomorphic superconnections	44
3.4	The variation of the volume form on X	45
3.5	The adjoint superconnections	46
3.6	The elliptic superconnections A, B, C	49
3.7	The Levi-Civita superconnection	50
3.8	A formula relating B and A^{LC}	52
3.9	The curvature of the superconnection B	56
3.10	A curvature identity when $\bar{\partial}^M \partial^M \omega^M = 0$	60
4	The elliptic superconnection forms	63
4.1	Bott-Chern cohomology and characteristic classes	64
4.2	The scaling of the form ω^M	65
4.3	A compact Lie group action	67
4.4	Supertraces	69
4.5	The elliptic superconnection forms $\alpha_{g,t}$	69
4.6	The expansion of the forms $\alpha_{g,t}, \gamma_{g,t}$ at $t \rightarrow 0$	72
4.7	The dependence of the forms $\alpha_{g,t}$ on ω^M, g^F	74
4.8	The direct image as a sheaf	75
4.9	The elliptic Quillen metric	76
4.10	The case where R^*p_*F is locally free	78
4.11	A non-explicit formula for $\text{ch}_{g,\text{BC}}(R^*p_*F)$	80
5	The elliptic superconnections forms when $\bar{\partial}^M \partial^M \omega^M = 0$	83
5.1	An evaluation of $\alpha_{g,0}$ when $\bar{\partial}^M \partial^M \omega^M = 0$	83
5.2	A proof of Theorem 0.1.1 when $\bar{\partial}^M \partial^M \omega^M = 0$	89
6	The hypoelliptic superconnections	91
6.1	The total space of TX and its superconnections	92
6.2	A holomorphic section of π^*TX	95
6.3	The superconnections on $\Omega^*(X, \mathbb{I})$	96
6.4	A formula for \mathcal{A}_Z	97
6.5	The Hermitian forms $\underline{\epsilon}, \underline{\eta}$	98
6.6	Another expression for $\epsilon, \underline{\epsilon}$	103
6.7	The fibrewise connections on $p^*\Lambda^*(T_{\mathbb{C}}^*S) \hat{\otimes} \mathbb{F}$	104
6.8	A formula for the curvature of \mathcal{A}_Z	107
6.9	Hypoelliptic and elliptic superconnections	109

7	The hypoelliptic superconnection forms	113
7.1	The 2-parameter hypoelliptic superconnections	114
7.2	Supertraces	116
7.3	The hypoelliptic superconnection forms $\alpha_{g,b,t}$	117
7.4	The expansion of the forms $\alpha_{g,b,t}, \gamma_{g,b,t}$ as $t \rightarrow 0$	118
7.5	The dependence of the forms $\alpha_{g,b,t}$ on $\omega^M, g^{\widehat{TX}}, g^F$	119
7.6	The dependence on b of the forms $\alpha_{g,b,t}$	120
7.7	The hypoelliptic Quillen metrics	121
8	The hypoelliptic superconnection forms of vector bundles	123
8.1	Two holomorphic structures	124
8.2	A hypoelliptic superconnection over the total space of E	126
8.3	Another construction involving $\mathcal{E}_{\mathbf{R}}$	129
8.4	Hypoelliptic and elliptic superconnections	132
8.5	The hypoelliptic superconnection forms	136
8.6	The hypoelliptic torsion forms of a vector bundle	141
9	The hypoelliptic superconnection forms when $\bar{\partial}^M \partial^M \omega^M = 0$	145
9.1	The forms $\alpha_{g,b,t}, \beta_{g,b,t}$ as $t \rightarrow 0$	146
9.2	The forms $\alpha_{g,b\sqrt{t},t}, \beta_{g,b\sqrt{t},t}$ as $t \rightarrow 0$	150
9.3	The hypoelliptic Quillen metrics	155
9.4	A comparison formula of Quillen metrics	155
10	The exotic superconnection forms of a vector bundle	159
10.1	The exotic superconnections on a vector bundle	159
10.2	The exotic superconnection forms of a vector bundle	161
10.3	Commutator identities	163
11	Exotic superconnections and Riemann-Roch-Grothendieck	165
11.1	A deformation of the Kähler form ω^M	166
11.2	A formula for $\mathcal{A}_{Z,\theta}^2$	167
11.3	The forms $\alpha_{g,b,\theta,t}$	169
11.4	The exotic superconnection forms $\alpha_{g,b,\theta_t,t}, \alpha_{g,b,\underline{\theta}_t,t}$	171
11.5	Uniform estimates on the exotic heat kernels	172
11.6	The forms $\alpha_{g,b,\theta_t,t}, \alpha_{g,b,\underline{\theta}_t,t}$ as $t \rightarrow 0$	181
11.7	The evaluation of $\{\alpha_{g,b,\theta_t,t}\}$	188
11.8	The Riemann-Roch-Grothendieck formula	189
	Bibliography	191
	Subject Index	197
	Index of Notation	199

Hypoelliptic Laplacian and Bott–Chern Cohomology
A Theorem of Riemann–Roch–Grothendieck in Complex
Geometry

Bismut, J.-M.

2013, XV, 203 p., Hardcover

ISBN: 978-3-319-00127-2

A product of Birkhäuser Basel