

Contents

1	Introduction and Background.	1
1.1	Non-Viral Vectors Made of Commercial and Specially Designed Polymers	2
1.1.1	Polyethylenimine (PEI)	3
1.1.2	Poly[2-(dimethylamino) ethyl methacrylate] (PDMAEMA)	7
1.1.3	Cyclodextrin-Based Polymers	8
1.1.4	pH-Sensitive, Membrane-Disruptive Polymers.	10
1.2	Important Remaining Issues	12
1.2.1	Role of Cationic Chains Free in Solution Mixtures of DNA and Polymer.	13
1.2.2	Endocytosis Pathway on Intracellular Fate of Polyplexes	14
1.2.3	The “Proton Sponge” Effect.	16
1.2.4	Nuclear Localization and Unloading of DNA	18
1.3	Objective and Main Achievements	21
	References	22
2	Revisiting Complexation Between DNA and Polyethylenimine: The Effect of Uncomplexed Chains Free in the Solution Mixture on Gene Transfection	29
2.1	Introduction	29
2.2	Materials and Methods	30
2.2.1	Materials and Cell Lines	30
2.2.2	Formation of DNA/PEI Polyplexes	30
2.2.3	DNA Binding Assay	31
2.2.4	POPO-3 Fluorescence Quenching Assay.	31
2.2.5	Laser Light Scattering	31
2.2.6	Zeta-Potential Measurement	32
2.2.7	Determination of the Content of Free PEI in DNA/PEI Dispersion	32
2.2.8	In Vitro Gene Transfection	33
2.2.9	Cytotoxicity Assay.	33

2.2.10	DNA, PEI Labeling and Flow Cytometry	34
2.2.11	Confocal Laser Scanning Microscopy	34
2.3	Results and Discussion.	35
2.4	Conclusion	46
	References	46
3	Revisiting Complexation Between DNA and Polyethylenimine: The Effect of Length of Free Polycationic Chains on Gene Transfection.	49
3.1	Introduction	49
3.2	Materials and Methods.	50
3.2.1	Materials and Cell Lines	50
3.2.2	Formation of DNA/PEI Polyplexes	51
3.2.3	Formation of Phospholipid Vesicles.	51
3.2.4	POPO-3 Exclusion Assay	51
3.2.5	Laser Light Scattering	52
3.2.6	Zeta-Potential Measurement	53
3.2.7	In Vitro Gene Transfection.	53
3.2.8	Cytotoxicity Assay.	53
3.2.9	Cellular Uptake of Polyplexes by Flow Cytometry	54
3.2.10	Measurement of Intracellular pH Around Polyplexes . .	54
3.2.11	Lactate Dehydrogenase Membrane Integrity Assay . . .	55
3.3	Results and Discussion.	55
3.4	Conclusion	68
	References	69
4	Quantitative Comparison of Endocytosis and Intracellular Trafficking of DNA/Polymer Complexes in the Absence/Presence of Free Polycationic Chains	73
4.1	Introduction	73
4.2	Materials and Methods.	75
4.2.1	Materials and Cell Lines	75
4.2.2	Formation of DNA/PEI Polyplexes	75
4.2.3	In Vitro Gene Transfection.	76
4.2.4	MTT Assay.	76
4.2.5	Lactate Dehydrogenase (LDH) Membrane Integrity Assay	76
4.2.6	Confocal Laser Scanning Microscopy	77
4.2.7	Measurement of Intracellular pH Around Polyplexes . .	77
4.3	Results and Discussion.	78
4.3.1	Quantitative Comparison of Intracellular Trafficking of Polyplexes in the Absence/Presence of Free PEI Chains in Clathrin-Mediated Pathway	78
4.3.2	Effect of Endocytosis Pathway on the Intracellular Fate of Polyplexes	86

Contents	xiii
4.4 Conclusion	88
4.5 Future Research and Perspective on Development of Non-Viral Polymeric Vectors	89
References	92

How Free Cationic Polymer Chains Promote Gene
Transfection

Yanan, Y.

2013, XVIII, 94 p. 45 illus., 38 illus. in color., Hardcover

ISBN: 978-3-319-00335-1