

Contents

| | | |
|----------|---|-----|
| 1 | Introduction | 1 |
| | References | 2 |
| 2 | Motivation | 3 |
| 3 | Theoretical Part | 5 |
| 3.1 | Polymeric Gels: From Macro to Micro | 5 |
| 3.2 | Synthesis of Microgels | 8 |
| 3.2.1 | Microgel Preparation in Homogeneous Phase | 8 |
| 3.2.2 | Microgel Preparation in Heterogeneous Phase | 8 |
| 3.3 | Stimuli-Responsive Microgels: Features and Applications | 13 |
| 3.3.1 | Microgels for Loading and Release Applications | 14 |
| 3.3.2 | Different Approaches to Stimuli-Responsive Microgels | 22 |
| 3.4 | Photochemistry in Polymeric Nanoscale Materials | 42 |
| 3.4.1 | Light as a Trigger | 42 |
| 3.4.2 | Photoreactions in Polymers | 42 |
| | References | 48 |
| 4 | Outline | 57 |
| 5 | Results and Discussion | 61 |
| 5.1 | Photo-Sensitive Microgels Based on Light-Cleavable <i>Monomeric</i> Crosslinkers | 61 |
| 5.1.1 | Photo-Sensitive Polymeric Gel Nanoparticles | 61 |
| 5.1.2 | Photo-Sensitive Hydrogel Nanoparticles | 85 |
| 5.2 | Photo-Sensitive Hydrogel Nanoparticles Based on Light-Cleavable <i>Polymeric</i> Crosslinkers | 121 |
| 5.2.1 | Enzymatically Degradable Nanogels Based on Dextran-Methacrylates as Macromolecular Crosslinkers | 122 |
| 5.2.2 | Enzymatically- and Light-Degradable Nanogels Based on Functionalized Dextrans as Crosslinkers | 138 |

| | | |
|----------|--|------------|
| 5.3 | Light-Sensitive Microgel-Doxorubicin Conjugates: Labile Drug Attachment via a Photo-Cleavable Linker | 152 |
| 5.4 | Photo-Resist Nanoparticles: Light-Induced Degradation of Hydrophobic Polymers in Aqueous Dispersion | 162 |
| 5.5 | Towards Stimuli-Responsive Core/Shell Nanoparticles Containing a Microgel Core | 171 |
| 5.5.1 | PAAm/PMMA Core/Shell Nanoparticles by Seeded Dispersion Polymerization | 173 |
| 5.5.2 | PAAm/PU Core/Shell Nanoparticles by Free Radical Polymerization of AAm in Preformed Nanocapsules. | 178 |
| 5.6 | Surface Functionalization of Microgels with Photo-Reactive Chromophores | 184 |
| 5.6.1 | Surface Modification of PHEMA and p(HEMA- <i>co</i> -MAA) Microgels with Cinnamoyl Groups | 185 |
| 5.6.2 | Self-Healing Hydrogel Thin Films from Photo-Reactive Microgels | 189 |
| | References | 190 |
| 6 | Conclusion and Outlook | 195 |
| 6.1 | Photo-Sensitive Microgels Based on Light-Cleavable Crosslinkers. | 195 |
| 6.1.1 | Photo-Degradable Microgels Based on Photo-Cleavable <i>Monomeric</i> Crosslinkers: Light-Induced Swelling and Degradation in Organic Solvents | 196 |
| 6.1.2 | Photo-Degradable Hydrogel Nanoparticles Based on Photo-Cleavable <i>Monomeric</i> Crosslinkers: Light-Induced Swelling and Degradation in Aqueous Media | 196 |
| 6.1.3 | Photo-Degradable Hydrogel Nanoparticles Based on Photo-Cleavable <i>Polymeric</i> Crosslinkers: Light-Induced Swelling and Degradation in Aqueous Media | 197 |
| 6.2 | Light-Sensitive Microgel-Doxorubicin Conjugates: Labile Drug Attachment via a Photo-Cleavable Linker | 197 |
| 6.3 | Photo-Resist Nanoparticles | 198 |
| 6.4 | Towards Stimuli-Responsive Core/Shell Nanoparticles Containing a Hydrogel Core | 198 |
| 6.5 | Surface Modification of Microgels with Photo-Reactive Chromophores | 199 |

| | | |
|----------|---|-----|
| 7 | Experimental Part | 201 |
| 7.1 | Materials | 201 |
| 7.2 | Instrumentation | 201 |
| 7.3 | Synthesis of Light-Cleavable Monomeric Crosslinkers | 202 |
| 7.4 | Synthesis of Enzymatically Degradable Macromolecular Cross-Linkers | 206 |
| 7.5 | Synthesis of Enzymatically and Light-Degradable Macromolecular Crosslinkers | 207 |
| 7.6 | Synthesis of Doxorubicin-Methacrylate Containing a Photo-Labile Linker | 208 |
| 7.7 | Synthesis of a Light-Sensitive Monomer for the Preparation of Polymeric Photo-Resist Nanoparticles | 212 |
| 7.8 | Synthesis of a Photo-Degradable Polyurethane by Polycondensation | 212 |
| 7.9 | Photo-Degradation Studies of Light-Cleavable Molecules in Solution | 213 |
| 7.9.1 | Photo-Degradation Studies in Solution via ^1H NMR and Mass Spectroscopy | 213 |
| 7.9.2 | Photo-Degradation Studies by UV-vis Measurements | 213 |
| 7.9.3 | Kinetic HPLC Measurements | 213 |
| 7.10 | Synthesis of Microgels and Polymeric Nanoparticles | 214 |
| 7.10.1 | General Synthetic Protocol for the Formation of Microgels and Non-Crosslinked Polymeric Nanoparticles by Free Radical (Co) Polymerization in (Inverse) Miniemulsion | 214 |
| 7.10.2 | Micro-/Nanogels | 214 |
| 7.10.3 | Photo-Resist Nanoparticles and Polystyrene Reference Nanoparticles | 218 |
| 7.11 | Loading of p(HEMA- <i>co</i> -MAA) Microgels with Myoglobin and Subsequent Release Experiments | 219 |
| 7.12 | Degradation Experiments of Microgels | 220 |
| 7.12.1 | Photo-Degradation | 220 |
| 7.12.2 | Enzymatic Degradation | 220 |
| 7.13 | Degradation Experiments of Photo-Resist Particles | 221 |
| 7.14 | Synthesis of Core/Shell Nanoparticles | 221 |
| 7.14.1 | Seeded Precipitation Polymerization | 221 |
| 7.14.2 | Free Radical Polymerization in Polyurea Nanocapsules | 221 |
| 7.15 | Surface Functionalization of Microgels | 222 |
| | References | 222 |
| | Curriculum Vitae and Publications | 223 |

Light-Sensitive Polymeric Nanoparticles Based on
Photo-Cleavable Chromophores

Klinger, D.

2013, XVII, 224 p., Hardcover

ISBN: 978-3-319-00445-7