

Contents

1	Introduction to High-Order Harmonic Generation	1
1.1	Background	1
1.2	Single-Atom Response	3
1.2.1	Three-Step Model	3
1.2.2	Wavelength Scaling and Attoclip	7
1.3	Macroscopic Propagation Effects	9
1.3.1	Phase Matching Conditions	9
1.3.2	Absorption Effect	11
1.3.3	Spatiotemporal Dynamics of Laser Pulse	13
1.4	Applications of High-Order Harmonic Generation	14
1.4.1	Generation of APT and IAP	14
1.4.2	Probing Electronic Structure and Dynamics	15
1.4.3	Single-Photon Ionization of Aligned Molecules	17
1.5	Thesis Outline	18
	References	18
2	Theoretical Tools	25
2.1	Introduction	25
2.2	Time-Dependent Schrödinger Equation	26
2.2.1	Semiclassical Theory	26
2.2.2	Strong-Field Approximation	28
2.2.3	Quantitative Rescattering Theory	31
2.3	Maxwell's Wave Equation	34
2.3.1	Fundamental Laser Field in an Atomic Target	34
2.3.2	High-Harmonic Field of an Atomic Target	36
2.3.3	High-Harmonic Field of Aligned Molecules	37
2.4	Far-Field Harmonic Emission	40
	References	41

3 Medium Propagation Effects in High-Order Harmonic Generation of Ar	45
3.1 Introduction	45
3.2 Macroscopic HHG Spectra: QRS Versus TDSE	46
3.2.1 Strength of High Harmonics	47
3.2.2 Phase of High Harmonics	49
3.3 Macroscopic HHG Spectra: Theory Versus Experiment	50
3.4 Disappearance of Cooper Minimum in the HHG Spectrum of Ar	51
3.5 Macroscopic Wave Packet	53
3.5.1 Independence of Macroscopic Wave Packet on Targets	53
3.5.2 Separation of Target Structure Information from HHG Spectra	54
3.5.3 Dependence of Macroscopic Wave Packet on Experimental Conditions	55
3.6 Wavelength Scaling of Harmonic Efficiency	56
3.7 Conclusion	59
References	60
4 Comparison of High-Order Harmonic Generation of Ar Using a Truncated Bessel or a Gaussian Beam	63
4.1 Introduction	63
4.2 Simulations of HHG Spectra of Ar	64
4.2.1 780-nm Few-Cycle Laser	64
4.2.2 1800-nm Few-Cycle Laser	67
4.3 Phase Matching Conditions at Low Gas Pressure	67
4.3.1 Phase Matching Map at Low Gas Pressure	68
4.3.2 Dependence of Harmonic Yield on Gas-Jet Position	70
4.4 Gas Pressure Induced Phase Mismatch	73
4.5 Conclusion	74
References	75
5 Generation of an Isolated Attosecond Pulse in the Far Field by Spatial Filtering with an Intense Few-Cycle Mid-infrared Laser	77
5.1 Introduction	77
5.2 Macroscopic HHG Spectra of Xe Using an 1825-nm Few-Cycle Laser	78
5.2.1 Photorecombination Dipole Moment of Xe in the QRS Theory	78
5.2.2 Macroscopic HHG Spectra of Xe at Low and High Intensities	79
5.3 Spatiotemporal Evolution of Fundamental Laser Field	80

5.4	Time-Frequency Representation of High Harmonics	81
5.4.1	Wavelet Analysis of Attosecond Pulses	81
5.4.2	Time-Frequency Analysis of High Harmonics in Near and Far Fields.	83
5.5	Spectral and Spatial Filtering in the Generation of Attosecond Pulses	86
5.6	CEP Dependence of Isolated Attosecond Pulses	88
5.7	Comparison Between QRS and SFA in Modeling Propagation Effects	89
5.8	Conclusion	90
	References	91
6	Effects of Macroscopic Propagation and Multiple Molecular Orbitals on the High-Order Harmonic Generation of Aligned N₂ and CO₂ Molecules	93
6.1	Introduction	93
6.2	HOMO Contribution in HHG of Random and Aligned N ₂	95
6.2.1	Macroscopic HHG Spectra: Theory Versus Experiment.	95
6.2.2	Separation of PR Transition Dipole from HHG Spectra	97
6.3	Intensity Dependence of Multiple Orbital Contributions in HHG of Aligned N ₂	98
6.3.1	Macroscopic HHG Spectra: Theory Versus Experiment.	98
6.3.2	Single Orbital (HOMO) Contribution at Low Laser Intensity.	100
6.3.3	Multiple Orbital (HOMO and HOMO-1) Contributions at Higher Laser Intensity	100
6.4	Shape Resonance in Photoionization and HHG of N ₂	102
6.4.1	PICs and Phases from HOMO and HOMO-1 Orbitals	102
6.4.2	Shape Resonance in HHG of Aligned N ₂	104
6.5	Contributions of Multiple Molecular Orbitals in HHG of Aligned CO ₂	105
6.5.1	Macroscopic HHG Spectra: Theory Versus Experiment.	105
6.5.2	Origin of Minimum in the HHG Spectrum of Aligned CO ₂	107
6.6	Major Factors that Influence the Positions of Minima in HHG Spectra of Aligned CO ₂	109
6.6.1	Progression of Harmonic Minimum Versus Laser Intensity	109

6.6.2	Other Factors Influencing Precise Positions of HHG Minima	110
6.7	Conclusion	113
	References	114
7	Photoelectron Angular Distributions in Single-photon Ionization of Aligned N₂ and CO₂ Molecules Using XUV Light . . .	119
7.1	Introduction	119
7.2	Connection Between Photoionization and HHG.	120
7.3	Total Photoionization Yield from Aligned N ₂ and CO ₂	122
7.3.1	Single-Photon Ionization Yield of Aligned N ₂ : Theory Versus Experiment.	122
7.3.2	Single-Photon Ionization Yield of Aligned CO ₂ : Theory Versus Experiment	124
7.4	Photoelectron Angular Distributions (PADs) of Fixed-in-Space N ₂ in the Laboratory Frame	125
7.5	PADs of Transiently Aligned N ₂ in the Laboratory Frame	126
7.5.1	PADs at Low Degree of Alignment.	126
7.5.2	PADs at High Degree of Alignment	127
7.6	Photon Energy Dependence of PADs for Aligned N ₂	128
7.7	PADs of Transiently Aligned CO ₂ in the Laboratory Frame	129
7.7.1	PADs of Fixed-in-space CO ₂	129
7.7.2	PADs of Aligned CO ₂	130
7.8	Conclusion	131
	References	132
8	Summary.	135
	References	137
	Appendix A: Abbreviations	139
	Appendix B: Theory of Alignment for Linear Molecules.	141
	Appendix C: Photorecombination Transition Dipole	143
	Appendix D: Spatial Mode of Laser Beam: Gaussian Beam Versus Truncated Bessel Beam	151
	Curriculum Vitae	159

Theory of Nonlinear Propagation of High Harmonics
Generated in a Gaseous Medium

Jin, C.

2013, XIV, 159 p. 56 illus., 55 illus. in color., Hardcover

ISBN: 978-3-319-01624-5