

Contents

1	Introduction	1
1.1	General Classification of Positioning Techniques	2
1.1.1	Techniques Using Relative Measurements (Known as DR)	2
1.1.2	Techniques Using Absolute Measurements (Known as Reference Based Systems)	2
1.1.3	Combined Systems	4
1.2	GNSS-Based Positioning Techniques	5
1.2.1	Global Positioning System	6
1.3	Integration of GPS with Other Systems	8
1.3.1	GPS Augmentation Systems	8
1.3.2	Local Wireless-Based Positioning Systems	9
1.3.3	Vehicle Motion Sensors	11
1.3.4	Other Aiding Sensors	12
1.3.5	Digital Maps	13
1.4	Inertial Navigation	13
1.5	Integrated INS/GPS Navigation	14
1.6	Types of INS/GPS Integration	15
1.6.1	Loosely Coupled INS/GPS Integration	16
1.6.2	Tightly Coupled INS/GPS Integration	16
1.6.3	Ultra-Tightly or Deeply Coupled Integration	16
1.7	INS/GPS Fusion Algorithm	18
1.8	Summary of the Chapters	18
	References	19
2	Basic Navigational Mathematics, Reference Frames and the Earth's Geometry	21
2.1	Basic Navigation Mathematical Techniques	21
2.1.1	Vector Notation	21
2.1.2	Vector Coordinate Transformation	22

2.1.3	Angular Velocity Vectors.	23
2.1.4	Skew-Symmetric Matrix	23
2.1.5	Basic Operations with Skew-Symmetric Matrices	24
2.1.6	Angular Velocity Coordinate Transformations	24
2.1.7	Least Squares Method	25
2.1.8	Linearization of Non-Linear Equations	26
2.2	Coordinate Frames.	27
2.2.1	Earth-Centered Inertial Frame.	27
2.2.2	Earth-Centered Earth-Fixed Frame	28
2.2.3	Local-Level Frame	28
2.2.4	Wander Frame	29
2.2.5	Computational Frame	31
2.2.6	Body Frame	31
2.2.7	Orbital Coordinate System	32
2.3	Coordinate Transformations	33
2.3.1	Euler Angles and Elementary Rotational Matrices.	34
2.3.2	Transformation Between ECI and ECEF	38
2.3.3	Transformation Between LLF and ECEF	39
2.3.4	Transformation Between LLF and Wander Frame.	40
2.3.5	Transformation Between ECEF and Wander Frame	41
2.3.6	Transformation Between Body Frame and LLF	42
2.3.7	Transformation From Body Frame to ECEF and ECI Frame	43
2.3.8	Time Derivative of the Transformation Matrix	43
2.3.9	Time Derivative of the Position Vector in the Inertial Frame	45
2.3.10	Time Derivative of the Velocity Vector in the Inertial Frame	45
2.4	The Geometry of the Earth.	46
2.4.1	Important Definitions.	47
2.4.2	Normal and Meridian Radii	48
2.5	Types of Coordinates in the ECEF Frame	49
2.5.1	Rectangular Coordinates in the ECEF Frame	49
2.5.2	Geodetic Coordinates in the ECEF Frame	49
2.5.3	Conversion From Geodetic to Rectangular Coordinates in the ECEF Frame	50
2.5.4	Conversion From Rectangular to Geodetic Coordinates in the ECEF Frame	50
2.6	Earth Gravity	52
	References	63

3	Global Positioning System	65
3.1	GPS Observables	65
3.1.1	Pseudo-Ranges Measurements	66
3.1.2	Carrier Phase Measurements	67
3.1.3	Doppler Measurements	68
3.2	GPS Structure	69
3.2.1	Space Segment	69
3.2.2	Control Segment	69
3.2.3	User Segment	71
3.3	GPS Signals	71
3.3.1	Traditional GPS Signals	71
3.3.2	GPS Modernization	73
3.4	GPS Error Sources	73
3.4.1	Satellite Clock Error	74
3.4.2	Receiver Clock Error	74
3.4.3	Ionosphere Delay	74
3.4.4	Tropospheric Delay	76
3.4.5	Multipath Errors	76
3.4.6	Satellite Orbital Errors	76
3.4.7	Receiver Noise	77
3.4.8	User Equivalent Range Error	77
3.5	GPS Augmentation	77
3.5.1	Differential GPS	79
3.5.2	Local Area DGPS	79
3.5.3	Wide Area DGPS	80
3.5.4	Assisted GPS	81
3.6	GPS Satellite Orbits	84
3.6.1	Kepler's Laws	84
3.6.2	Keplerian Orbital Elements	85
3.6.3	GPS Orbital Parameters	87
3.7	Ephemeris Data Processing	88
3.7.1	Calculation of Satellite Clock Corrections	88
3.7.2	Atmospheric Corrections	90
3.7.3	Calculation of Satellite Position	94
3.7.4	Calculation of Satellite Velocity	96
3.8	Receiver Position and Velocity Estimation	97
3.8.1	Pseudo-Range Measurements	97
3.8.2	Position Estimation	98
3.8.3	Satellite Geometry and Dilution of Precision	101
3.8.4	Doppler Measurements	105
3.8.5	Velocity Estimation from Doppler	106
3.8.6	Position and Velocity Estimation	107

3.9	Carrier Phase Positioning	109
3.9.1	Relative Positioning and Linear Combinations of GPS Observables	110
3.9.2	Relative Positioning	111
3.9.3	Linear Combinations of GPS Measurements.	111
3.9.4	Position Estimation from Carrier Phase Measurements. . .	117
3.10	Integer Ambiguity	119
3.10.1	Integer Ambiguity Resolution.	120
3.10.2	Ambiguity Dilution of Precision	121
	References	121
4	Inertial Navigation System	125
4.1	Principle of Inertial Navigation	125
4.2	Physical Implementation of an INS	126
4.3	Inertial Measurement Unit	127
4.4	Inertial Sensors	128
4.4.1	Accelerometers	129
4.4.2	Gyroscopes.	131
4.5	Basics of Inertial Navigation.	132
4.5.1	Navigation in One Dimension	133
4.5.2	Navigation in Two Dimensions.	133
4.6	Navigation in Three Dimensions	136
4.7	Overview of an Inertial Navigation System in 3D	137
4.8	Theoretical Measurements of the Inertial Sensor	137
4.8.1	Theoretical Measurements of a Stationary Accelerometer Triad	137
4.8.2	Theoretical Measurements of a Stationary Gyro Triad. . .	139
4.8.3	Theoretical Measurements of a Moving Gyro Triad . . .	141
4.9	Notes on Inertial Sensor Measurements	145
4.10	Inertial Sensor Performance Characteristics	146
4.11	Inertial Sensor Errors	146
4.11.1	Systematic Errors	146
4.11.2	Random Errors	149
4.11.3	Notes on Random Errors	151
4.11.4	Mathematical Models of Inertial Sensor Errors.	152
4.12	Classification of Inertial Sensors	154
4.12.1	Gyroscope Technologies and their Applications	155
4.12.2	Accelerometer Technologies and their Applications . . .	155
4.13	Calibration of Inertial Sensors.	155
4.13.1	Six-Position Static Test	156
4.13.2	Angle Rate Tests	158
4.14	Importance of Calibration of Inertial Sensors	159
4.14.1	Case-I: Bias Error in an Accelerometer	161
4.14.2	Case-II: Bias Error in the Gyroscope.	161

4.15	Initialization and Alignment of Inertial Sensors	162
4.15.1	Position and Velocity Initialization	162
4.15.2	Attitude Alignment	163
	References	166
5	Inertial Navigation System Modeling	167
5.1	Dynamic Modeling	167
5.2	Kinematic Modeling	168
5.2.1	Rigid Body Motion Modeling	169
5.2.2	Observables	169
5.3	INS Mechanization	170
5.3.1	INS Mechanization in an Inertial Frame of Reference	171
5.3.2	INS Mechanization in ECEF Frame	172
5.3.3	INS Mechanization in the Local-Level Frame	174
5.3.4	INS Mechanization in Wander Frame	180
5.4	Parameterization of the Rotation Matrix	183
5.4.1	Solution to Transformation Matrix	184
5.4.2	Quaternions	186
5.4.3	Solutions of the Quaternion Equation	188
5.4.4	Advantages of Quaternion	189
5.5	Step by Step Computation of Navigation Parameters in the l-Frame	190
5.5.1	Raw Measurement Data	193
5.5.2	Correction of the Measurement Data	194
5.5.3	Calculation and Updating of Rotation Matrix	194
5.5.4	Attitude Computation	196
5.5.5	Velocity Computation	197
5.5.6	Position Computation	198
	References	199
6	Modeling INS Errors by Linear State Equations	201
6.1	Local-Level Frame Error State Equations	202
6.1.1	Position Errors for Local-Level Frame	203
6.1.2	Velocity Errors for Local-Level Frame	205
6.1.3	Attitude Errors for Local-Level Frame	211
6.1.4	Inertial Sensor Error States	216
6.1.5	Summary of Local-Level Frame Error State Equations	217
6.2	Schuler Effect	219
6.2.1	Error Model Along the East Channel	219
6.2.2	Error Model Along the North Channel	221
6.2.3	Understanding the Error Behavior of the Inertial System	222
	References	223

7 Kalman Filter	225
7.1 Discrete-Time KF	227
7.1.1 KF Assumptions	228
7.2 KF Procedure	229
7.2.1 Time Update or Prediction	230
7.2.2 Measurement Update or Correction	230
7.3 KF Algorithm Steps	233
7.4 Non-Linear Kalman Filtering	235
7.4.1 Linearized KF	235
7.4.2 Extended KF	236
7.5 KF Divergence Control	236
7.5.1 Addition of Fictitious Noise to the KF Process Model	236
7.5.2 Schmidt Epsilon Technique	237
7.5.3 Finite Memory Filtering	237
7.5.4 Fading Memory Filtering	238
7.6 Explanatory Examples	238
7.6.1 A Simple Navigation Example	238
7.6.2 Zero Velocity Update	239
7.6.3 Coordinate Update	242
References	244
8 INS/GPS Integration	247
8.1 Error Feedback Schemes	248
8.1.1 Open-Loop INS/GPS Architecture	249
8.1.2 Closed-Loop INS/GPS Architecture	249
8.2 Types of Integration	249
8.2.1 Loosely Coupled INS/GPS Integration	250
8.2.2 Tightly Coupled INS/GPS Integration	251
8.2.3 Ultra-Tight INS/GPS Integration	252
8.3 Dynamic Error Model of INS Equations	252
8.4 Models for Loosely Coupled INS/GPS Integration	255
8.4.1 System Model	255
8.4.2 Measurement Model	257
8.4.3 The Overall Implementation Block Diagram of the Loosely Coupled INS/GPS Integration	259
8.5 Modeling Tightly Coupled INS/GPS Integration	259
8.5.1 System Model	260
8.5.2 Measurement Model	262
8.5.3 The Overall Measurements Model	269
References	270

9	Three-Dimensional Reduced Inertial Sensor System/GPS	
	Integration for Land-Based Vehicles.	273
9.1	Performance Analysis of 3D Positioning Utilizing a MEMS Grade Full IMU	273
9.2	The Proposed Techniques for Overcoming MEMS Grade IMU Shortcomings for Land-Based Vehicles.	274
9.3	Three-Dimensional Reduced Inertial Sensor System	276
9.3.1	Overview of 3D RISS	276
9.3.2	Advantages of 3D RISS for Wheel-Based Land Vehicles.	277
9.3.3	Derivation of the 3D RISS Motion Equations.	280
9.3.4	Overview of 3D RISS Motion Model	285
9.4	KF for Loosely Coupled 3D RISS/GPS Integration	286
9.4.1	The Linearized Error Model for 3D RISS	287
9.4.2	Measurement Model for Updating 3D RISS.	289
9.5	KF for Tightly Coupled 3D RISS/GPS Integration	290
9.5.1	Augmenting the System Model.	290
9.5.2	Raw GPS Measurement Model for Updating 3D RISS. . .	290
	References	296
10	Two Case Studies: Full IMU/GPS and 3D RISS/GPS	
	Integration.	297
10.1	Navigation Equipment Used for the Experiments	297
10.1.1	Partial GPS Outage Criterion	299
10.2	Performance of Tightly Coupled Algorithm with Full IMU/GPS.	300
10.2.1	Analysis of Selected GPS Outages	303
10.3	Performance of Tightly Coupled Algorithm for 3D RISS/GPS	307
10.3.1	Analysis of Selected GPS Outages	309
	References	313

Fundamentals of Inertial Navigation, Satellite-based
Positioning and their Integration

Noureldin, A.; Karamat, T.B.; Georgy, J.

2013, XVIII, 314 p., Hardcover

ISBN: 978-3-642-30465-1