

Contents

1	General Introduction on Selenium	1
1.1	History of Selenium	1
1.2	Properties of Selenium	1
1.3	Sources of Selenium	1
1.4	Uses of Selenium	2
1.5	Health Effects	2
1.6	Development of Organoselenium Chemistry	2
1.7	Allylic Oxidation Using Selenium Dioxide	4
1.8	The Use of Selenium in Carbocyclisations	5
1.9	Literature Examples of Selenium-Mediated Carbocyclisations	5
1.9.1	Cyclisations of Diolefins	5
1.9.2	Cyclisation of the Olefinic β -hydroxy Selenide	6
1.9.3	Carbocyclisation of Unsaturated Organotin Derivative	7
1.9.4	Cyclisation of Unsaturated β -Dicarbonyl Compounds	8
1.9.5	Seleno Transfer Carbocyclisation of α -Phenylseleno ketones	9
1.9.6	Radical Cyclisation	10
1.9.7	Intramolecular Arene–Olefin Cyclisations	11
	References	12
2	The Synthesis of Novel Dihydronaphthalenes and Benzofluorenes	13
2.1	Introduction to Dihydronaphthalenes	13
2.2	Introduction to Benzofluorenes	23
2.3	Aims of the Project	29
2.3.1	Concept and Design of Substrates	30

2.4	Results and Discussion	32
2.4.1	Synthesis of Dimethyl 2-(4-p-tolylpent-4-enyl) malonate and Attempt Towards Cyclisation.	32
2.4.2	Synthesis of Ethyl 2-(2-Allylbenzyl)-3-oxobutanoate 163	33
2.4.3	Conclusion	34
2.4.4	Modification of Substrate and Successful Cyclisation	35
2.4.5	Optimisation of One Pot Synthesis of Dihydronaphthalene	36
2.4.6	Summary.	49
	References	50
3	The Synthesis of Naphthalenes and Biaryls	53
3.1	Introduction.	53
3.2	Aims of the Project	53
3.3	Motifs of Natural Products and Their Applications	55
3.4	Literature Reports on the Synthesis of Naphthalenes and Biaryls	56
3.4.1	Photochemical Reactions.	56
3.4.2	The Use of Friedel–Crafts Reaction Sequence for the Synthesis of Biaryls	57
3.4.3	Rhodium-Mediated Cyclisations.	58
3.4.4	Rearrangement of Cyclopropanes	58
3.4.5	Palladium-Catalysed Cyclisations	59
3.4.6	Acid-Catalysed Cyclisations	60
3.4.7	Claisen Condensation	61
3.4.8	The Synthesis of Biaryls by Multi-Component Reactions	61
3.4.9	The Use of Copper Catalysis	62
3.4.10	Chromium-Mediated Synthesis of Biaryls	62
3.5	Background of the Project.	63
3.6	Results and Discussion	64
3.6.1	Our Proposed Methodology.	64
3.6.2	Synthesis of the Starting Compounds	64
3.6.3	The Use of Phenylselenenyl Chloride for Selective C–C Bond Formation.	65
3.6.4	Synthesis of an Alkene and Subsequent Cyclisation Reaction.	69
3.6.5	Computational Study and Mechanistic Insight	71
3.6.6	Summary.	73
	References	74

4	Synthesis of Isocoumarins and Dihydroisocoumarins	77
4.1	Applications of Isocoumarins and Dihydroisocoumarins	77
4.2	Previous Synthesis of Isocoumarins and Dihydroisocoumarins	78
4.2.1	Regiospecific Synthesis of Benzopyran-1-ones.	78
4.2.2	Synthesis of Isocoumarins via Electrophilic Cyclisation	79
4.2.3	Acid Catalysed Cyclisations of 2-(Phenylethynyl)benzoic Acid	79
4.2.4	Palladium on Charcoal Catalysed Synthesis of Isocoumarins	81
4.2.5	The Use of Isocoumarins as Precursors in the Total Synthesis of Mitorubric Acid.	81
4.2.6	Radical-Induced Synthesis of 3,4-Dihydroisocoumarins.	82
4.2.7	The Use of Lewis Acids in the Presence of Brønsted Acids	83
4.2.8	Synthesis of Isocoumarins via Tandem Stille Reaction	83
4.2.9	Gold(I) Chloride Catalysed Synthesis of Isocoumarins	84
4.2.10	Rhodium-Catalysed Synthesis of Isocoumarins	85
4.2.11	Synthesis of Phosphaisocoumarins	85
4.2.12	Asymmetric Synthesis of 8-Hydroxy-3,4-dihydroisocoumarins	86
4.2.13	An Enantioselective Total Synthesis of AI-77-B	87
4.3	Aims of the Project	88
4.3.1	Cyclisation Reactions with Internal Nucleophiles	89
4.3.2	Elimination of Selenium Moiety	89
4.4	Catalytic Use of Selenium Electrophiles in Cyclisations	90
4.5	Results and Discussion	90
4.5.1	Cyclisation by a Selenylation-Elimination	91
4.5.2	Optimisation of Reaction Conditions	92
4.5.3	Scope of Catalytic Reaction.	93
4.5.4	Starting Materials for Cyclisation Reactions	93
4.5.5	Synthesis of Seleno- and Thio-Dihydroisocoumarins.	94
4.5.6	The Proposed Catalytic Cycle	96
4.5.7	Conclusion	97
	References	98

5	Experimental Section	101
5.1	General Methods	101
5.1.1	Physical Data	101
5.1.2	Mass Spectrometry	102
5.1.3	Chromatography	102
5.2	Synthesis of Ethyl 2-(2-Allylbenzyl)-3-oxobutanoate	103
5.2.1	2-Bromobenzyl Tetrahydropyranyl Ether 159	103
5.2.2	Preparation of 2-Allylbenzyl Tetrahydropyranyl Ether 160	103
5.2.3	Preparation of 2-Allylbenzyl Alcohol 161	104
5.2.4	Preparation of 2-Allylbenzyl Chloride 162	105
5.2.5	Preparation of Ethyl 2-(2-allylbenzyl)-3-oxobutanoate 163	105
5.2.6	Methyl 2-formylbenzoate	106
5.2.7	1-Vinylnaphthalene	106
5.3	General Procedure (GP1) for the Synthesis of Stilbene Esters 164	107
5.3.1	(E)-Methyl 2-styrylbenzoate 164a	107
5.3.2	(E)-Methyl 2-(4-methylstyryl)benzoate 164b	107
5.3.3	(E)-Methyl 2-(4-methoxystyryl)benzoate 164c	108
5.3.4	(E)-Methyl 2-(2-(naphthalen-2-yl)vinyl)benzoate 164d	108
5.3.5	(E)-Methyl 2-(2-(naphthalen-1-yl)vinyl)benzoate 164e	109
5.3.6	(E)-Methyl 2-(2-chlorostyryl)benzoate 164f	109
5.3.7	(E)-Methyl 2-(3-chlorostyryl)benzoate 164g	110
5.3.8	(E)-Methyl 2-(4-chlorostyryl)benzoate 164h	110
5.3.9	Methyl 2-(prop-1-enyl)benzoate 164i	111
5.3.10	(E)-Methyl 2-(3-methylstyryl)benzoate 164j	112
5.3.11	(E)-Methyl 2-(2-(biphenyl-4-yl)vinyl)benzoate 164k	112
5.4	General Procedure (GP2) for the Synthesis of Alcohols 165	113
5.4.1	(E)-(2-Styrylphenyl)methanol 165a	113
5.4.2	(E)-(2-(4-Methylstyryl)phenyl)methanol 165b	113
5.4.3	(E)-(2-(4-Methoxystyryl)phenyl)methanol 165c	114
5.4.4	(E)-(2-(2-(Naphthalen-2-yl)vinyl)- phenyl)methanol 165d	114
5.4.5	Synthesis of Substituted Styryl Benzyl Chlorides 166	115
5.4.6	(E)-1-(Chloromethyl)-2-styrylbenzene 166a	115
5.4.7	(E)-1-(Chloromethyl)-2-(4-methoxystyryl)- benzene 166c	115

5.5	General Procedure (GP3) for the Synthesis of Substrates 167	116
5.5.1	(E)-Ethyl 3-oxo-2-(2-styrylbenzyl)butanoate 167a . . .	116
5.5.2	(E)-Ethyl 2-(2-(2-chlorostyryl)benzyl)-3-oxobutanoate 167b.	117
5.5.3	(E)-Ethyl 2-(2-(3-chlorostyryl)benzyl)-3-oxobutanoate 167c.	118
5.5.4	(E)-Ethyl 2-(2-(4-chlorostyryl)benzyl)-3-oxobutanoate 167d	118
5.5.5	(E)-Ethyl 2-(2-(2,6-dichlorostyryl)benzyl)-3-oxobutanoate 167e	119
5.5.6	(E)-Dimethyl 2-(2-styrylbenzyl)malonate 167f.	119
5.5.7	(E)-3-(2-Styrylbenzyl)pentane-2,4-dione 167g	120
5.5.8	(E)-Methyl 4-methyl-3-oxo-2-(2-styrylbenzyl)pentanoate 167h	121
5.5.9	(E)-1-Phenyl-2-(2-styrylbenzyl)butane-1,3-dione 167i	121
5.5.10	(E)-Ethyl 2-(2-(3-methylstyryl)benzyl)-3-oxobutanoate 167j	122
5.5.11	(E)-Ethyl 2-(2-(4-methylstyryl)benzyl)-3-oxobutanoate 167k	123
5.5.12	(E)-Ethyl 2-(2-(4-methoxystyryl)benzyl)-3-oxobutanoate 167l	123
5.5.13	(E)-Ethyl 2-(2-(2-(naphthalen-2-yl)vinyl)benzyl)-3-oxobutanoate 167m	124
5.5.14	(E)-Ethyl 3-oxo-2-(phenylselanyl)-2-(2-styrylbenzyl)butanoate 168	125
5.6	General Procedure (GP4) for the Synthesis of Dihydronaphthalenes 169	125
5.6.1	Ethyl 2-acetyl-3-phenyl-1,2-dihydronaphthalene-2-carboxylate 169a.	126
5.6.2	Ethyl 2-acetyl-3-(2-chlorophenyl)-1,2-dihydronaphthalene-2-carboxylate 169b.	126
5.6.3	Ethyl 2-acetyl-3-(3-chlorophenyl)-1,2-dihydronaphthalene-2-carboxylate 169c.	127
5.6.4	Ethyl 2-acetyl-3-(4-chlorophenyl)-1,2-dihydronaphthalene-2-carboxylate 169d.	127
5.6.5	Ethyl 2-acetyl-3-(2,6-dichlorophenyl)-1,2-dihydronaphthalene-2-carboxylate 169e	128
5.6.6	Dimethyl 3-phenyl-1,2-dihydronaphthalene dicarboxylate 169f	128
5.6.7	1,1'-(3-Phenyl-1,2-dihydronaphthalene-2,2-diyl)diethanone 169g.	129

5.6.8	Methyl 2-isobutryl-3-phenyl-1,2-dihydronaphthalene-2-carboxylate 169h	130
5.6.9	1-(2-Benzoyl-3-phenyl-1,2-dihydronaphthalen-2-yl)-ethanone 169i	130
5.7	Synthesis of Ethyl α -acetyl-2-iodo-benzenepropanoate 170a . . .	131
5.7.1	2-[(2-Iodophenyl)methyl]propanedioic acid 1,3-dimethyl ester 170b	132
5.8	General Procedure (GP5) for the Synthesis of Benzo[b]fluorene Derivatives 171	132
5.8.1	Ethyl 11-methyl-11H-benzo[b]fluorene-11-carboxylate 171a	133
5.8.2	1-(11-methyl-11H-benzo [b] fluoren-11-yl)-ethanone 171g	134
5.8.3	Ethyl 2,11-dimethyl-11H-benzo[b]fluorene-11-carboxylate 171k	134
5.8.4	Ethyl 2-methoxy-11-methyl-11H-benzo[b]-fluorene-11-carboxylate 171l	135
5.8.5	Ethyl 3,11-dimethyl-11H-benzo[b]fluorene-11-carboxylate 171j.1 Ethyl 1,11-dimethyl-11H-benzo[b]fluorene-11-carboxylate 171j.2	136
5.8.6	Ethyl-13-methyl-13H-dibenzo[a,h]fluorene-13-carboxylate 171m	137
5.8.7	2-Benzoyl-3-phenylnaphthalene 172	137
5.9	General Procedure (GP6) for the Synthesis of Stilbene Carboxylic Acids 239a	138
5.9.1	(E)-2-Styrylbenzoic acid 239a	138
5.9.2	(E)-2-(4-Methylstyryl)benzoic acid 239b	139
5.9.3	(E)-2-(4-Methoxystyryl)benzoic acid 239c	139
5.9.4	(E)-2-(2-(Naphthalen-2-yl)vinyl)benzoic acid 239d	140
5.9.5	(E)-2-(2-(Naphthalen-1-yl)vinyl)benzoic acid 239e	140
5.9.6	(E)-2-(2-Chlorostyryl)benzoic acid 239f	141
5.9.7	(E)-2-(3-Chlorostyryl)benzoic acid 239g	141
5.9.8	(E)-2-(4-Chlorostyryl)benzoic acid 239h	142
5.9.9	2-(Prop-1-enyl)benzoic acid 239i	142
5.9.10	(E)-2-(3-Methylstyryl)benzoic acid 239j	143
5.9.11	(E)-2-(2-(Biphenyl-4-yl)vinyl)benzoic acid 239k	144
5.10	General Procedure (GP7) for the Synthesis of Stilbene Benzoylacetates 240	144
5.10.1	(E)-Ethyl 3-oxo-3-(2-styrylphenyl)propanoate 240a	145
5.10.2	(E)-Ethyl 3-(2-(4-methylstyrylphenyl)-3-oxopropanoate 240b	145
5.10.3	(E)-Ethyl 3-(2-(4-methoxystyryl)phenyl)-3-oxopropanoate 240c	146

5.10.4	(E)-Ethyl 3-(2-(2-naphthalene-2-yl)vinyl)phenyl)-3-oxopropanoate 240d	147
5.10.5	(E)-Ethyl 3-(2-(2-naphthalene-1-yl)vinyl)phenyl)-3-oxopropanoate 240e	148
5.10.6	(E)-Ethyl 3-(2-(2-chlorostyryl)phenyl)-3-oxopropanoate 240f	148
5.10.7	(E)-Ethyl 3-(2-(3-chlorostyryl)phenyl)-3-oxopropanoate 240g	149
5.10.8	(E)-Ethyl 3-(2-(4-chlorostyryl)phenyl)-3-oxopropanoate 240h	150
5.10.9	Ethyl 3-oxo-3-(2-(prop-1-enyl)phenyl)-propanoate 240i	151
5.11	General Procedure (GP8) for the Synthesis of Biaryls 242	152
5.11.1	2-Ethoxycarbonyl-4-phenyl-1-naphthol 242a	152
5.11.2	Ethyl 1-hydroxy-4-p-tolyl-2-naphthoate 242b	153
5.11.3	Isolation of Ethyl 1-hydroxy-4-(phenylselanyl)-3-p-tolyl-3,4-dihydronaphthalene-2-carboxylate intermediate 241	153
5.11.4	Ethyl 1-hydroxy-4-(4-methoxyphenyl)-2-naphthoate 242c	154
5.11.5	Ethyl 4-hydroxy-1,2'-binaphthyl-3-carboxylate 242d	155
5.11.6	Ethyl 4-hydroxy-1,1'-binaphthyl-3-carboxylate 242e	155
5.11.7	Ethyl 4-(2-chlorophenyl)-1-hydroxy-2-naphthoate 242f	156
5.11.8	Ethyl 4-(3-chlorophenyl)-1-hydroxy-2-naphthoate 242g	156
5.11.9	Ethyl 4-(4-chlorophenyl)-1-hydroxy-2-naphthoate 242h	157
5.11.10	Ethyl 1-hydroxy-4-methyl-2-naphthoate 242i Ethyl 1-hydroxy-3-methyl-2-naphthoate 243i	158
5.12	General Procedure (GP9) for the Synthesis of Isocoumarin Derivatives 303 and 304	158
5.12.1	3,4-Dihydro-3-phenyl-4-(phenylseleno)-isocoumarin 303a	159
5.12.2	3,4-Dihydro-3-(2'-naphthyl)-4-(phenylseleno)-isocoumarin 303d	159
5.12.3	3,4-Dihydro-3-(3'-methylphenyl)-4-(phenylseleno)isocoumarin 303j	160
5.12.4	3-(Phenyl)isocoumarin 304a	160
5.12.5	3-(4'-Methylphenyl)isocoumarin 304b	161
5.12.6	3-(4'-Methoxyphenyl)isocoumarin 304c	161
5.12.7	3-(Naphthalen-2-yl)isocoumarin 304d	162

5.12.8	3-(1-Naphthyl)isocoumarin 304e	163
5.12.9	3-(3'-Methylphenyl)isocoumarin 304j	163
5.12.10	3-(Biphenyl)isocoumarin 304k	164
5.13	Selective Synthesis of Seleno-Dihydroisocoumarin.	164
5.13.1	3,4-Dihydro-3-(4'-methylphenyl)- 4-(methylseleno)isocoumarin 305a	164
5.13.2	General Procedure (GP10) for the Synthesis of Thio-Substituted Dihydroisocoumarins 305	165
5.13.3	3-Phenyl-4-(phenylthio)isochroman-1-one 305b	165
5.13.4	3-(1-Naphthyl)-4-(phenylthio)isochroman- 1-one 305c	166
5.13.5	3-Bisphenyl-4-(phenylthio)isochroman- 1-one 305d	167
	References	167
	Appendix	169



<http://www.springer.com/978-3-642-33172-5>

Novel Selenium-Mediated Rearrangements and
Cyclisations

Shahzad, S.A.

2013, XX, 192 p., Hardcover

ISBN: 978-3-642-33172-5