

Contents

1	Introduction	1
2	Bio-Based and Biodegradable Polymers	3
2.1	Overview of Polyhydroxyalkanoate	5
2.2	PHA Biosynthesis	6
2.3	PHA Granule Formation	16
2.4	Detection and Quantification of PHA	17
2.5	Some Commercially Attractive PHAs	19
2.5.1	Poly(3-hydroxybutyrate) [P(3HB)]	19
2.5.2	Poly(3-hydroxybutyrate-co-3-hydroxyvalerate), P(3HB-co-3HV)	21
2.5.3	Poly(3-hydroxybutyrate-co-3-hydroxyhexanoate), P(3HB-co-3HHx)	21
2.5.4	Terpolymer	22
2.5.5	Poly(3-hydroxybutyrate-co-4-hydroxybutyrate) [P(3HB-co-4HB)]	22
2.5.6	PHA with Unusual HA Monomers	24
2.5.7	Recent Discovery of LA-Based Monomers	25
2.6	Production of PHA in Microorganisms and Plants	25
2.7	Carbon Sources for PHA Biosynthesis	30
2.7.1	Sugars	30
2.7.2	Triglycerides	31
2.7.3	Industrial Waste Stream and By-products	31
2.8	Extracellular PHA Degradation	32
2.8.1	Lipolytic Enzymes	33
3	Plant Oils and Agricultural By-Products as Carbon Feedstock for PHA Production	37
3.1	Why Plant Oils are Potential Carbon Feedstock for PHA?	38
3.2	Effect of Fatty Acids on Cell Growth and PHA Accumulation	39
3.3	Challenges in Using Plant Oils as Carbon Feedstock for PHA Production	40

3.4	Palm Oil: A Potential Renewable Feedstock for PHA Production. . .	41
3.5	Characteristics of Palm Oil.	43
3.6	The Palm Oil Agro-Industry in Malaysia.	46
4	Is Palm Oil Produced in a Sustainable Manner?	47
4.1	Land Management and Conservation of Biodiversity	48
4.2	Concern Over the Conversion of Plant Oils to Consumer Products. . .	50
4.3	Integrated System for Palm Oil and PHA Production	51
4.4	Is the Palm Oil Supply in Malaysia Sufficient for Continuous Large-Scale PHA Production in the Future?	52
4.5	Biosynthesis and Characterization of Various Types of PHA From Palm Oil Products	54
4.6	Evaluation of Palm Oil By-Products and Spent Cooking Oil as Carbon Source	58
5	Jatropha Oil as a Potential Carbon Source for PHA Production. . . .	63
5.1	<i>Jatropha curcas</i> L. (Linnaeus)	63
5.2	The advantages of <i>J. curcas</i> L	64
5.3	Toxins and Phytochemicals of <i>J. curcas</i> L.	65
5.4	Jatropha Oil	66
5.5	Case Study on the Use of Jatropha Oil as a Carbon Substrate for PHA Biosynthesis.	67
6	Potential Applications of PHA	79
6.1	Some New Applications of PHA	81
6.2	Biomedical Applications of PHA.	81
6.3	Electrospun PHA Tissue-Engineering Scaffolds	82
6.4	PHA-Based Nanocomposite Materials for Textile Dye Wastewater Treatment	87
6.4.1	Effect of CHCl ₃ Neat Solvent on the Electrospinnability of P(3HB)	87
6.4.2	Effect of CHCl ₃ /DMF Mixed Solvent on the Electrospinnability of P(3HB)	89
6.4.3	Electrospinning of P(3HB)-TiO ₂ Nanocomposite Fibers	92
6.4.4	Effect of CHCl ₃ /DMF Ratio on the Morphology of Electrospun P(3HB)-50 wt % TiO ₂ Nanocomposite Fibers . . .	95
6.4.5	Effect of Applied Voltage on the Morphology of Electrospun P(3HB)-50 wt % TiO ₂ Nanocomposite Fibers. . .	97
6.4.6	Bactericidal Assessment on Cast and Electrospun P(3HB)-50 wt % TiO ₂ Nanocomposite Fibers	99
7	Summary and Future Outlook.	101
	References	103

Polyhydroxyalkanoates from Palm Oil: Biodegradable
Plastics

Sudesh, K.

2013, VIII, 130 p. 27 illus., 6 illus. in color., Softcover

ISBN: 978-3-642-33538-9