

Contents

1 Preliminaries	1
1.1 Introduction: The Problem	1
1.2 Word Sense Disambiguation (WSD)	4
1.3 Naïve Bayes-Based WSD at the Border Between Unsupervised and Knowledge-Based Techniques	5
1.3.1 Pedersen and Bruce Local-Type Features	6
References	8
2 The Naïve Bayes Model in the Context of Word Sense Disambiguation	9
2.1 Introduction	9
2.2 The Probability Model of the Corpus and the Bayes Classifier	10
2.3 Parameter Estimation	12
References	15
3 Semantic WordNet-Based Feature Selection	17
3.1 Introduction	17
3.2 WordNet	18
3.3 Making Use of WordNet for Feature Selection	19
3.4 Empirical Evaluation	21
3.4.1 Design of the Experiments	21
3.4.2 Test Results	26
3.5 Conclusions	32
References	33
4 Syntactic Dependency-Based Feature Selection	35
4.1 Introduction	35
4.2 A Dependency-Based Semantic Space for WSD with a Naïve Bayes Model	37

4.2.1	Dependency-Based Feature Selection	38
4.3	Empirical Evaluation	40
4.3.1	Design of the Experiments	40
4.3.2	Test Results	45
4.4	Conclusions	51
	References	52
5	N-Gram Features for Unsupervised WSD	
	with an Underlying Naïve Bayes Model	55
5.1	Introduction	55
5.2	The Web as a Corpus	56
5.3	Experimental Results	58
5.3.1	Corpora	58
5.3.2	Tests	60
5.3.3	Adding Knowledge from an External Knowledge Source	65
5.4	Conclusions	66
	References	67
	Index	69

The Naïve Bayes Model for Unsupervised Word Sense
Disambiguation

Aspects Concerning Feature Selection

T. Hristea, F.

2013, XIII, 70 p. 4 illus., Softcover

ISBN: 978-3-642-33692-8