

# Contents

<b>1</b>	<b>Introduction</b>	1
1.1	Rationale	1
1.2	Objectives	2
1.3	Thesis Outline	4
	References	5
<b>2</b>	<b>Geological Setting</b>	7
2.1	Regional Geological Setting	7
2.2	Geology of the Study Area	10
	References	11
<b>3</b>	<b>Data and Methods</b>	13
3.1	Data and Methods	13
3.2	Methods: Sedimentary Facies Analysis from Core Material	16
3.2.1	Pond/Lake	17
3.2.2	Pond/Lake Margin	18
3.2.3	Aeolian Mudflat	19
3.2.4	Wet to Damp Sandflat	21
3.2.5	Dry Sandflat	22
3.2.6	Aeolian Dune (base)	23
3.2.7	Low Energetic Meandering Fluvial Deposits	24
3.2.8	High Energetic Braided Stream Fluvial Deposits	26
	References	29
<b>4</b>	<b>Syn depositional Tectonic Controls and Palaeo-Topography of a Permian Tight Gas Reservoir in NW Germany</b>	31
4.1	Introduction	31
4.1.1	Geological Framework	32
4.2	Data and Interpretation Methodology	34
4.3	Structural Subdivision of the Study Area	35
4.4	Palaeo-Relief Analysis from Seismic Data	38
4.5	Palaeo-Relief Analysis from Core and Log Data	42
4.6	Palaeo-Relief Uncertainty During Zechstein	43

4.7	Discussion . . . . .	46
4.8	Conclusions . . . . .	49
	References . . . . .	51
<b>5</b>	<b>The Panamint Valley, Western US: A Field Analogue for the Sedimentary Facies Distribution of a Permian Tight Gas Field in Central Europe . . . . .</b>	<b>55</b>
5.1	Introduction . . . . .	55
5.2	Setting . . . . .	58
	5.2.1 Geological Setting of Panamint Valley . . . . .	58
	5.2.2 Subsurface Area Germany . . . . .	59
5.3	Data and Methods . . . . .	60
5.4	Results . . . . .	61
	5.4.1 Panamint Valley . . . . .	61
	5.4.2 Subsurface Study Area Germany. . . . .	66
5.5	Discussion . . . . .	69
5.6	Conclusions . . . . .	71
	References . . . . .	72
<b>6</b>	<b>Integrating Salt Kinematics and Diagenesis in a Tight Gas Field: A Case Study from the Upper Rotliegend in East Frisia . . . . .</b>	<b>75</b>
6.1	Introduction . . . . .	75
6.2	Data and Methods . . . . .	76
	6.2.1 3D Isopach Data . . . . .	79
	6.2.2 2D Retro-Deformation . . . . .	81
6.3	Results . . . . .	86
	6.3.1 3D Isopach Analysis and Lithologies. . . . .	87
	6.3.2 2D Retro-Deformation . . . . .	90
	6.3.3 Core Data (Sandstone Petrography, Fluid Inclusions) . . . . .	91
6.4	Interpretation . . . . .	92
6.5	Conclusions . . . . .	97
	References . . . . .	98
<b>7</b>	<b>Facies Analysis from Well Cores, Northern Central Germany: Comparison to NW German Well Cores. . . . .</b>	<b>103</b>
7.1	Introduction . . . . .	103
7.2	Core Analysis Results . . . . .	108
	7.2.1 Well I . . . . .	108
	7.2.2 Well II. . . . .	108
	7.2.3 Well III . . . . .	109
	7.2.4 Well IV . . . . .	111
7.3	Interpretation . . . . .	111
7.4	Comparison to North–Western German Study Area. . . . .	113
	References . . . . .	115

**8 Conclusions, Synopsis and Perspectives. . . . . 117**

8.1 Conclusions . . . . . 117

8.2 Synopsis. . . . . 121

8.3 Perspectives . . . . . 121

References . . . . . 122

Sedimentary Facies Reconstruction and Kinematic  
Restoration of Tight Gas Fields  
Studies from the Upper Permian in Northwestern  
Germany

Vackiner, A.A.

2013, XVI, 123 p., Hardcover

ISBN: 978-3-642-36045-9