

Contents

1	Introduction	1
	References	5
2	Superconducting Gap Structure and Magnetic Penetration Depth	7
2.1	Superconducting Pairing Symmetry	7
2.2	Superconducting Gap Structure and Quasiparticle Density of States	10
2.3	Magnetic Penetration Depth	12
2.3.1	London Penetration Depth	12
2.3.2	Semiclassical Approach	13
2.3.3	Impurity Effect	15
	References	17
3	Iron-Based Superconductors	19
3.1	Crystal Structure of Iron-Based Superconductors	19
3.2	Electronic Structure of Iron-Based Superconductors	21
3.2.1	Band Structure Calculations	21
3.2.2	Comparison with Experimental Fermi Surface	24
3.3	Phase Diagram	25
3.4	Superconducting Pairing Mechanism and Types of Pairing Symmetry	27
3.5	Superconducting Gap Structure of Iron-Based Superconductors	30
3.5.1	Penetration Depth	31
3.5.2	Thermal Conductivity	35
3.5.3	Nuclear Magnetic Resonance	37
3.5.4	Angle Resolved Photoemission Spectroscopy (ARPES)	39
3.5.5	Neutron Scattering	40
	References	41

4	Experimental Method	45
4.1	Tunnel Diode Oscillator Technique	45
4.1.1	Principle	45
4.1.2	Tunnel Diode LC Oscillator	49
4.1.3	Experimental Setup	51
4.1.4	Al-Coating Method	53
4.2	Microwave Cavity Perturbation Technique	54
4.2.1	Principle	54
4.2.2	Surface Impedance	56
4.2.3	Experimental Setup	58
	References	61
5	Superconducting Gap Structure and Quantum Critical Point in $\text{BaFe}_2(\text{As}_{1-x}\text{P}_x)_2$	63
5.1	Isovalent-Doped $\text{BaFe}_2(\text{As}_{1-x}\text{P}_x)_2$	63
5.1.1	Phase Diagram	65
5.1.2	Electronic Structure	65
5.1.3	Quantum Criticality	69
5.2	Experimental	72
5.3	Results and Discussion 1: Superconducting Gap Structure of $\text{BaFe}_2(\text{As}_{1-x}\text{P}_x)_2$	73
5.3.1	Nearly Optimally Doped $\text{BaFe}_2(\text{As}_{0.67}\text{P}_{0.33})_2$	73
5.3.2	Comparisons with Thermal Conductivity and NMR Measurements	75
5.3.3	Doping Dependence of Penetration Depth	78
5.3.4	Detailed Gap Structure of $\text{BaFe}_2(\text{As}_{1-x}\text{P}_x)_2$	79
5.4	Results and Discussion 2: Quantum Critical Point Beneath the Superconducting Dome	85
5.5	Summary	91
	References	91
6	Superconducting Gap Nodes in the Zone-Centered Hole Bands of KFe_2As_2	95
6.1	The End Member KFe_2As_2 in the Hole-Doped System	95
6.2	Experimental	99
6.3	Results and Discussion	100
6.3.1	Penetration Depth	100
6.3.2	Superfluid Density	101
6.3.3	Position of the Nodes	104
6.4	Summary	106
	References	106

7	Nodeless Versus Nodal Order Parameters in LiFeAs and LiFeP	109
7.1	Stoichiometric Superconducting System LiFeAs and LiFeP	109
7.2	Experimental.	113
7.3	Results and Discussion.	114
7.3.1	Penetration Depth	114
7.3.2	Superfluid Density	115
7.3.3	Electron–Electron Correlations	115
7.3.4	Phictogen–Height Dependence of Nodal Versus Nodeless Behaviors	117
7.4	Summary	120
	References	120
8	Conclusions	123

Non-Universal Superconducting Gap Structure in
Iron-Pnictides Revealed by Magnetic Penetration Depth
Measurements

Hashimoto, K.

2013, XIII, 125 p., Hardcover

ISBN: 978-4-431-54293-3