

# Contents

<b>1</b>	<b>Introduction and Chronological Perspective</b>	<b>1</b>
1.1	The Leap from Crank-Nicolson to Scharfetter-Gummel	1
1.1.1	Limitations for Gradients Computed with Finite Differences	1
1.1.2	Numerical Gradients as Local First Integrals of the Motion	3
1.2	Modular Programming and Its Shortcomings	4
1.2.1	Well-Balanced to Control Stiffness and Averaging Errors	5
1.2.2	Singular Perturbation Theory and Asymptotic-Preserving	6
1.3	Organization of the Book	7
1.3.1	Hyperbolic Systems of Balance Laws	7
1.3.2	Weakly Nonlinear Kinetic Equations	10
	References	14

## Part I Hyperbolic Quasi-Linear Balance Laws

<b>2</b>	<b>Lifting a Non-Resonant Scalar Balance Law</b>	<b>21</b>
2.1	Generalities about Scalar Laws with Source Terms	21
2.1.1	Method of Characteristics and Shocks	21
2.1.2	Entropy Solution and Kruřkov Theory	22
2.1.3	Initial-Boundary Value Problem and Large-Time Behavior	24
2.2	Localization Process of the Source Term on a Discrete Lattice	26
2.2.1	Nonconservative Lifting of an Inhomogeneous Equation	27
2.2.2	The Measure Source Term Revealed by the Weak- $\star$ limit	29
2.2.3	A $L^1$ Contraction Result “à la Kruřkov”	31
2.3	Time-Exponential Error Estimate for the Godunov Scheme	33
2.3.1	Decay of Riemann Invariants and Temple Compactness	33
2.3.2	Error Estimates for One-Dimensional Balance Laws	33
2.3.3	Application to the Scalar Well-Balanced Scheme	35
	References	39

<b>3</b>	<b>Lyapunov Functional for Linear Error Estimates</b>	41
3.1	Preliminaries	41
3.1.1	A Puzzling Numerical Example	41
3.1.2	Lifting of the Balance Law: Temple System Reformulation	43
3.2	Error Estimate for Non-Resonant Wave-Front Tracking	44
3.2.1	Wave-Front Tracking Approximations	44
3.2.2	Stability Estimates for Wave-Front Tracking Approximations	45
3.2.3	Limit $\delta \rightarrow 0$ and Deviation from Kružkov's Entropy Solution	47
3.3	Error Estimate for the Non-Resonant Godunov Scheme	48
3.3.1	Design of a "Wave-Front Tracking/Godunov Scheme"	48
3.3.2	Control of the Functional's Jump at Each Averaging Step	49
3.3.3	Linear $L^1$ Error Estimate and Comparison with Kuznetsov	51
3.3.4	Decoupling of the Time $t$ and Grid Size $\Delta x$ in (3.22)	52
3.4	More Transient Numerical Evidence	53
3.4.1	An Inhomogeneous $N$ -Wave	54
3.4.2	LeVeque-Yee's Effect for Riccati Source Term	54
3.4.3	A Stationary Roll-Wave	57
	References	59
<b>4</b>	<b>Early Well-Balanced Derivations for Various Systems</b>	63
4.1	Huang-Liu's Piecewise-Steady Scheme for Nozzle Flows	63
4.1.1	Generalities and Quasi-One Dimensional Flows	64
4.1.2	Derivation of the Piecewise-Steady Scheme	64
4.1.3	Relation with Quasi-Steady Wave Propagation Algorithm	66
4.2	Sod's Random Choice Method for Diffusion Problems	67
4.2.1	Derivation of Sod's Algorithm	67
4.2.2	Relation with Scharfetter-Gummel's Procedure	68
4.3	Special Case: a Model of Atmosphere with Gravity	68
4.4	A General Localization Process for the Source Term	70
4.4.1	Preliminary Versions of the Well-Balanced Scheme	70
4.4.2	Passing from the Scalar Case to General Systems	71
4.4.3	Flux-Splitting and Relation with Huang-Liu's Scheme	72
	References	74
<b>5</b>	<b>Viscosity Solutions and Large-Time Behavior for Non-Resonant Balance Laws</b>	77
5.1	Small $BV$ Existence, Uniqueness and $L^1$ Stability Results	78
5.1.1	Structural Hypotheses on the $n \times n$ System	78
5.1.2	Definition of Small $BV$ Viscosity Solutions	78
5.1.3	Stepping Stones for Existence and Stability Results	79

5.2	Weak and Strong Results for the Large-Time Behavior . . . . .	88
5.2.1	Genuine Non-Linearity and Decay of Positive Waves . . .	88
5.2.2	Non-Interacting Homogeneous Waves and Stationary Solutions . . . . .	89
	References . . . . .	92
<b>6</b>	<b>Kinetic Scheme with Reflections and Linear Geometric Optics . . . . .</b>	<b>95</b>
6.1	An Alternative Derivation of the Well-Balanced Kinetic Scheme .	96
6.1.1	The Consistency vs. Stability Dilemma for the Vlasov Scheme . . . . .	96
6.1.2	Preserving the Curves of Constant Hamiltonian . . . . .	97
6.1.3	Computing the Modified State $f_{j-\frac{1}{2}}^n(\pm v_k)$ . . . . .	98
6.1.4	Discrete Variables $v_k$ and Scattering Matrix Formulation .	99
6.2	First Numerical Examples on Vlasov-Poisson System . . . . .	101
6.2.1	Repulsive One-Dimensional Vlasov-Poisson . . . . .	101
6.2.2	Gravitational One-Dimensional Vlasov-Poisson . . . . .	102
6.2.3	Hamiltonian-Preserving: a First Case of 2D Well-Balanced	103
6.3	WKB Approximation of Oscillating Schrödinger Equations . . . . .	103
6.3.1	Preliminaries on the Linear Schrödinger Equation . . . . .	103
6.3.2	$K$ -Multivalued Solutions and Moment Inversion . . . . .	105
6.3.3	Kinetic Flux-Splitting Scheme for $K$ -Multivalued Solutions . . . . .	107
6.4	Numerical Results with $K$ -Multivalued WKB Ansatz . . . . .	111
6.4.1	Numerical Experiments without Potential . . . . .	111
6.4.2	Numerical Experiments with Harmonic Potential . . . . .	112
	References . . . . .	114
<b>7</b>	<b>Material Variables, Strings and Infinite Domains . . . . .</b>	<b>117</b>
7.1	Barenblatt's Similarity Solutions and Filtration Equations . . . . .	117
7.1.1	Material Variables and the Reciprocal Mapping . . . . .	119
7.1.2	Stability and Consistency of the Lagrangian Scheme . . .	121
7.1.3	Discrete Contraction in the Wasserstein Metric . . . . .	125
7.2	Approximation of 1D Gravitational Navier-Stokes-Poisson . . . . .	126
7.2.1	Reformulation of the System as a Wave Equation . . . . .	127
7.2.2	An Elementary Dissipation Property . . . . .	129
7.2.3	First-Order Reduction and Numerical Process . . . . .	129
	References . . . . .	133

## Part II Weakly Nonlinear Kinetic Equations

<b>8</b>	<b>The Special Case of 2-Velocity Kinetic Models . . . . .</b>	<b>137</b>
8.1	A Localization Process for the Collisional Term . . . . .	137
8.1.1	Uniform $BV$ Estimates and Strong Compactness . . . . .	138
8.1.2	Limiting Values of the Right-Hand Side . . . . .	139
8.1.3	Collision Term $G$ and Straight Line Systems . . . . .	141

8.1.4	$L^1(\mathbb{R})$ Contraction Following Kružkov . . . . .	142
8.2	Goldstein-Taylor Model: the Fundamental Example . . . . .	142
8.2.1	Study in the Rarefied Regime ( $\varepsilon \simeq 1$ ) . . . . .	143
8.2.2	Asymptotic-Preserving in the Diffusive Regime ( $\varepsilon \rightarrow 0$ ) . . . . .	144
8.2.3	Numerical Results in Both Scalings . . . . .	146
8.3	Analysis of Quasi-Monotone Well-Balanced Schemes . . . . .	147
8.3.1	The Rarefied Regime . . . . .	148
8.3.2	The Diffusive Regime: $BV$ Stability . . . . .	149
8.3.3	The Diffusive Regime: Limiting Behavior . . . . .	152
8.3.4	Application to the Porous Media Equation . . . . .	154
8.3.5	Application to the Advection-Diffusion Equation . . . . .	155
8.4	Extension to Greenberg-Alt's Model of Chemotaxis . . . . .	156
8.4.1	Hyperbolic Scaling: Well-Balanced Construction . . . . .	157
8.4.2	Diffusive Scaling: Asymptotic-Preserving Property . . . . .	159
8.4.3	Numerical Results in Hyperbolic Regime . . . . .	160
8.4.4	Numerical Results in Diffusive Regime . . . . .	161
8.4.5	Numerical Decay Properties in Subcharacteristic Regime . . . . .	161
8.5	Excursion in Super-Characteristic Regime . . . . .	162
	References . . . . .	164
<b>9</b>	<b>Elementary Solutions and Analytical Discrete-Ordinates for Radiative Transfer . . . . .</b>	<b>167</b>
9.1	The Method of Case's Normal Modes Decomposition . . . . .	168
9.1.1	Singular Elementary Solutions of the Steady-State Problem . . . . .	168
9.1.2	The Analytical Discrete-Ordinate (ADO) Method . . . . .	170
9.2	Well-Balanced Scheme with Exact Solver for Kinetic Regime . . . . .	172
9.2.1	Dissipative Case $0 < c < 1$ (Adsorption and Scattering) . . . . .	172
9.2.2	Conservative Case $c = 1$ (Purely Scattering) . . . . .	175
9.2.3	Pure Scattering and Variable Opacity . . . . .	177
9.3	Asymptotic-Preserving for Diffusive Regime . . . . .	178
9.3.1	Splitting between Maxwellian and Diffusive Fluxes . . . . .	178
9.3.2	Numerical Results for Constant $\varepsilon$ . . . . .	181
9.3.3	Preliminary Results for Discontinuous $\varepsilon$ . . . . .	181
9.4	Radiation Coupled with Temperature . . . . .	183
9.4.1	Modeling and Theoretical Setting . . . . .	183
9.4.2	A Positivity-Preserving Well-Balanced Scheme . . . . .	184
9.4.3	Results on Su-Olson Benchmark . . . . .	185
	References . . . . .	187
<b>10</b>	<b>Aggregation Phenomena with Kinetic Models of Chemotaxis Dynamics . . . . .</b>	<b>191</b>
10.1	General Modeling of Chemotaxis Processes . . . . .	191
10.1.1	One-Dimensional Reduction of Alt-Stroock's Model . . . . .	191

10.1.2	Well-Balanced Techniques for 1-D Linear Kinetic Equations . . . . .	193
10.2	Othmer-Hillen Model: Flat Asymptotic Regimes . . . . .	194
10.2.1	Case's Elementary Solutions for Biased Velocity Redistribution . . . . .	195
10.2.2	Derivation of the Corresponding Well-Balanced Scheme . . . . .	197
10.2.3	Numerical Results: Comparison with Time-Splitting . . . . .	200
10.3	Bournaveas-Calvez Model: Possible Concentrations . . . . .	202
10.3.1	Approximation of a Local Forward-Backward Equation . . . . .	202
10.3.2	Rank-One Perturbations and Sherman-Morrison Formula . . . . .	203
10.3.3	A Strongly Non-Monotonic Decay of Residues . . . . .	205
10.4	Another Model Motivated by Experimental Results . . . . .	208
10.4.1	Derivation of the Corresponding Well-Balanced Scheme . . . . .	208
10.4.2	Aggregation Process with Dirichlet Boundary Conditions . . . . .	209
	References . . . . .	212
<b>11</b>	<b>Time-Stabilization on Flat Currents with Non-Degenerate Boltzmann-Poisson Models . . . . .</b>	<b>215</b>
11.1	The Weakly Nonlinear Semiconductor Kinetic Equation . . . . .	218
11.1.1	General Properties of the Kinetic Model . . . . .	218
11.1.2	Maxwellian Approximation of the Acceleration Term . . . . .	220
11.2	A Well-Balanced Scheme for "Electron Swarms" . . . . .	221
11.2.1	The Forward-Backward Stationary Problem . . . . .	221
11.2.2	Further Simplification for a Cheap Forward-Backward Solver . . . . .	222
11.2.3	Derivation of the Well-Balanced Godunov Scheme . . . . .	223
11.2.4	Boundary Conditions Rendering Ohmic Contacts . . . . .	224
11.3	Low-Field Simulations and Numerical Results . . . . .	225
11.3.1	Weak Collisions: Collisional Landau Damping . . . . .	225
11.3.2	Time-Stabilization in a $\rho^+ \rho \rho^+$ Diode without Bias . . . . .	227
11.3.3	A $\rho^+ \rho \rho^+$ Diode in Strongly Collisional Regime . . . . .	230
11.4	Hot Electrons and Stabilization of High Field Problems . . . . .	232
11.4.1	Chapman-Enskog Approximation . . . . .	232
11.4.2	Construction of the High Field Well-Balanced Scheme . . . . .	233
11.4.3	Stabilization in Time with Strong Bias . . . . .	234
	References . . . . .	236
<b>12</b>	<b>Klein-Kramers Equation and Burgers/Fokker-Planck Model of Spray . . . . .</b>	<b>241</b>
12.1	Preliminaries: Hermite Functions . . . . .	241
12.2	The Fokker-Planck Equation without External Force . . . . .	242
12.2.1	Full-Range Completeness of Pagani's Eigenfunctions . . . . .	243
12.2.2	Stability of Well-Balanced Scheme with Hyperbolic CFL . . . . .	244
12.2.3	Asymptotic-Preserving with Parabolic Scaling . . . . .	249
12.3	Inclusion of an External Force by a Vlasov Term . . . . .	250

12.3.1	Burschka-Titulaer's Eigenfunctions for Linear Potential .	250
12.3.2	Scattering Matrix and Well-Balanced Scheme . . . . .	251
12.4	Burgers/Fokker-Planck Modeling of Two-Phase Sprays . . . . .	254
12.4.1	Theoretical Results for an Elementary Model . . . . .	254
12.4.2	Overall Well-Balanced Numerical Simulation . . . . .	255
12.4.3	Various Numerical Results . . . . .	256
	References . . . . .	259
<b>13</b>	<b>A Model for Scattering of Forward-Peaked Beams . . . . .</b>	<b>263</b>
13.1	Analysis of the Forward-Backward Inlet Problem . . . . .	263
13.2	Derivation and Testing of the Well-Balanced Scheme . . . . .	264
13.2.1	Scattering Matrix and Godunov Discretization . . . . .	264
13.2.2	Constant Maxwellian Stabilization in a Box . . . . .	265
13.2.3	A Pencil Beam in an Inhomogeneous Environment . . . . .	266
	References . . . . .	268
<b>14</b>	<b>Linearized BGK Model of Heat Transfer . . . . .</b>	<b>269</b>
14.1	Introduction . . . . .	269
14.1.1	A Short Review of the Boltzmann Equation . . . . .	269
14.1.2	Simplified Models and Their Fluid Dynamic Approximation . . . . .	271
14.1.3	Main Objectives of the Chapter . . . . .	273
14.2	Elementary Solutions for the Linearized BGK Model . . . . .	274
14.2.1	Cercignani's Decomposition of a Time-Dependent Problem . . . . .	274
14.2.2	Elementary Solutions of the Heat Transfer System . . . . .	276
14.2.3	Consistency with Navier-Stokes-Fourier Equations . . . . .	277
14.3	Well-Balanced and Analytical Discrete-Ordinate Method . . . . .	278
14.3.1	Gaussian Quadrature in the Velocity Variable and ADO .	278
14.3.2	Complete Time-Dependent Scheme for Heat Transfer . . .	279
14.4	Balancing Steady-States with Non-Zero Macroscopic Flux . . . . .	284
14.4.1	Details on the Stationary Equation . . . . .	284
14.4.2	Steady-States with Non-Zero Macroscopic Velocity . . . . .	284
14.5	Numerical Results for Heat Transfer and Sound Wave . . . . .	285
14.5.1	Boundary Conditions for Walls with Different Temperatures . . . . .	285
14.5.2	Walls with Different Accommodation Coefficients: $\alpha_1 \neq \alpha_2$ . . . . .	286
14.5.3	Sound Wave in Rarefied Gas . . . . .	287
14.6	What Happens When the Knudsen Number Becomes Small? . . . .	288
14.6.1	A Small Knudsen Number in the Whole Domain . . . . .	289
14.6.2	A Computational Domain Containing Rarefied and Fluid Areas . . . . .	290
	References . . . . .	291

<b>15 Balances in Two Dimensions: Kinetic Semiconductor Equations Again</b>	295
15.1 Construction of a Well-Balanced $N$ -Scheme	295
15.1.1 The Original 2D $N$ -Scheme on a Cartesian Mesh	296
15.1.2 Implementation of the Source Term by Jump Relations	297
15.2 Application to Vlasov-BGK Semi-Conductors Model	299
15.2.1 Exact Jump Relations and Derivation of the $N$ -Scheme	299
15.2.2 Assessment of the WB $N$ -scheme without Bias	300
15.2.3 The $N$ -Scheme with Moderate Bias: $\varphi(x=1) = -\frac{1}{2}$	304
15.2.4 The $N$ -Scheme with Stronger Bias: $\varphi(x=1) = -1$	309
References	311
<b>16 Conclusion: Outlook and Shortcomings</b>	315
16.1 Shortcomings Inherent to Godunov-Type Schemes	316
16.2 How the Book Was Planned	317
16.3 Outlook and Future Research Directions	318
References	320
<b>Appendices</b>	
<b>A Non-Conservative Products and Locally Lipschitzian Paths</b>	325
References	326
<b>B A Tiny Step Toward Hypocoercivity Estimates for Well-Balanced Schemes on <math>2 \times 2</math> Models</b>	329
B.1 Simple Estimates on the Continuous Model	329
B.1.1 Macroscopic Formulation and Inequalities	330
B.1.2 Hints about the Proof of the Energy Estimates	331
B.2 Mimicking on the Numerical Scheme	331
B.2.1 A Cheap Convexity Dissipation Estimate	331
B.2.2 Difficulties in Manipulating Macroscopic Quantities	332
References	333
<b>C Preliminary Analysis of the Errors for Vlasov-BGK</b>	335
C.1 Error Propagation on the Kinetic Density	335
C.2 Error Propagation on the 3 Moments	336
References	337
<b>Index</b>	339

<http://www.springer.com/978-88-470-2891-3>

Computing Qualitatively Correct Approximations of  
Balance Laws

Exponential-Fit, Well-Balanced and  
Asymptotic-Preserving

Gosse, L.

2013, XIX, 341 p., Hardcover

ISBN: 978-88-470-2891-3