

Contents

| | | |
|----------|---|-----------|
| 1 | Ferric Siderophore Transport via Outer Membrane Receptors of <i>Escherichia coli</i>: Structural Advancement and A Tribute to Dr. Dick van der Helm—an ‘Ironman’ of Siderophore Biology. | 1 |
| 1.1 | Introduction. | 2 |
| 1.2 | Siderophore-Mediated Iron Transport Systems. | 6 |
| 1.2.1 | Ferric-Siderophore Transport Systems in <i>E. coli</i> | 7 |
| 1.3 | Current Structural Advancement in the Components of the Ferric-Siderophore Transport Systems from <i>E. coli</i> . | 8 |
| 1.3.1 | Crystal Structures of TBDTs from <i>E. coli</i> . | 9 |
| 1.3.2 | Periplasmic Binding Protein Connects the Transport Process via OM and CM. | 10 |
| 1.3.3 | Crystal Structures of TonB and its Complex with FhuA. | 11 |
| 1.4 | Roles of ExbB and ExbD | 16 |
| 1.4.1 | ExbD Structure | 17 |
| 1.4.2 | ExbB Structure | 19 |
| 1.4.3 | Role of TonB-ExbB-ExbD Complex in Energy Transduction | 19 |
| 1.5 | Structures of Components Involved in Genetic Regulation | 21 |
| 1.6 | Mechanism of Transport via Outer Membrane. | 23 |
| 1.7 | Conclusions. | 25 |
| | References | 25 |
| 2 | The Tricky Ways Bacteria Cope with Iron Limitation. | 31 |
| 2.1 | Introduction. | 32 |
| 2.2 | Iron Transport into Gram-Negative Bacteria | 32 |
| 2.2.1 | Transport Across the Outer Membrane | 32 |
| 2.2.2 | FhuA Transports Ferrichrome | 35 |
| 2.2.3 | FepA Transports Fe ³⁺ Enterobactin | 37 |

| | | |
|----------|--|-----------|
| 2.2.4 | FecA Transports Ferric Citrate and Elicits a Transcription Regulatory Signal | 38 |
| 2.2.5 | TbpA/TbpB of <i>Neisseria meningitidis</i> Transport Transferrin Iron | 38 |
| 2.2.6 | Ferredoxins Enhance Growth of <i>Pectobacterium</i> spp. Under Iron-Limiting Conditions | 39 |
| 2.2.7 | Heme Uptake by Bacteria | 40 |
| 2.3 | TonB-Independent Iron Uptake Across the Outer Membrane. . . | 41 |
| 2.4 | Hemophore-Type Heme Uptake in Gram-Positive Bacteria . . . | 42 |
| 2.4.1 | Heme Uptake into <i>Staphylococcus aureus</i> | 42 |
| 2.4.2 | Heme Uptake by <i>Listeria monocytogenes</i> | 44 |
| 2.5 | Mobilization of Transferrin Iron by Staphyloferrins and Catecholamines | 44 |
| 2.6 | Iron Transport Across the Cytoplasmic Membrane. | 45 |
| 2.6.1 | ABC Transporters | 45 |
| 2.7 | Transport of Fe^{2+} | 46 |
| 2.7.1 | The Feo System. | 46 |
| 2.7.2 | The EFE System | 48 |
| 2.7.3 | The Sit System | 48 |
| 2.7.4 | VciB of <i>Vibrio cholerae</i> | 48 |
| 2.8 | Iron Uptake of Marine Bacteria | 49 |
| 2.9 | Single Protein Transporters Across the Cytoplasmic Membrane. | 49 |
| 2.10 | Iron Release from Siderophores in the Cytoplasm | 50 |
| 2.11 | Secretion of Siderophores | 51 |
| 2.12 | Examples of Newly Discovered Siderophores | 51 |
| 2.13 | Therapeutic Use of Siderophores | 52 |
| 2.14 | Host Defense Mechanisms, Nutritional Immunity | 53 |
| 2.15 | Regulation of Bacterial Iron Homeostasis | 54 |
| 2.15.1 | The Fur Protein Family | 54 |
| 2.15.2 | General Regulators of Iron Metabolism Other Than Fur | 55 |
| 2.15.3 | Indirect Regulation by Fur | 56 |
| 2.16 | Concluding Remarks | 58 |
| | References | 59 |
| 3 | Iron Transport Systems and Iron Homeostasis in <i>Pseudomonas</i> . . | 67 |
| 3.1 | The Fluorescent <i>Pseudomonads</i> | 68 |
| 3.2 | Siderophore-Mediated Iron Uptake in Gram-Negative Bacteria | 68 |
| 3.2.1 | Pyoverdine-Mediated Iron Uptake | 69 |
| 3.2.2 | Secondary Siderophores | 72 |
| 3.2.3 | Uptake of Xenosiderophores | 74 |

| | | |
|-------|---|----|
| 3.3 | Heme Uptake in Fluorescent Pseudomonads | 76 |
| 3.4 | Uptake of Fe^{2+} | 77 |
| 3.5 | Regulation of Iron Uptake. | 78 |
| 3.5.1 | ECF Sigma Factors | 78 |
| 3.5.2 | Other Fur-Regulated Regulators. | 79 |
| 3.5.3 | Regulation by Small RNAs | 79 |
| 3.5.4 | Other Regulators Influencing Iron Homeostasis | 81 |
| 3.6 | Conclusions. | 82 |
| | References | 83 |

Iron Uptake in Bacteria with Emphasis on *E. coli* and
Pseudomonas

Chakraborty, R.; Braun, V.; Hantke, K.; Cornelis, P.
(Eds.)

2013, XI, 89 p. 17 illus., 14 illus. in color., Softcover

ISBN: 978-94-007-6087-5