

# Contents

## Part I

<b>1</b>	<b>Hydrodynamics of Rotating Superfluids with Quantized Vortices</b>	<b>3</b>
1.1	The Foundation of Landau Theory for Superfluid Hydrodynamics	5
1.1.1	The Essence of the Hydrodynamics. Description of the Goldstone Modes	5
1.1.2	Landau Scheme of the Conservation Laws. Euler Equation	6
1.1.3	Sound Waves in Classical Liquid. Damping of Sound Waves	8
1.1.4	Rotational Fluid. Vorticity Conservation. Inertial Mode	11
1.1.5	Two-Velocity Hydrodynamics for Superfluid Helium. $\vec{v}_n$ and $\vec{v}_s$ , $\rho_n$ and $\rho_s$	13
1.1.6	First and Second Sound Modes in Superfluid Liquid	17
1.1.7	Gross-Pitaevskii Equation for Dilute Bose-Gas. Connection Between Superfluid Hydrodynamics and Microscopic Theory at $T = 0$	19
1.2	Hydrodynamics of Rotating Superfluids	20
1.2.1	Andronikashvili Experiments in Rotating Helium	20
1.2.2	Feynman-Onsager Quantized Vortices. Critical Angular Velocities $\Omega_{C1}$ and $\Omega_{C2}$	22
1.2.3	Vortex Lattice. Nonlinear Elasticity Theory. Vorticity Conservation Law	25
1.2.4	Hydrodynamics of Slow Rotations. Hall-Vinen Friction Coefficients $\beta$ and $\beta'$	28
1.2.5	Linearization of the Elasticity Theory. Connection Between $\vec{v}_s$ and $\vec{u}$ in Linearized Theory	31

1.2.6	Collective Modes of the Lattice. Tkachenko Waves and Lord Kelvin Waves. Melting of the Vortex Lattice . . . . .	35
1.3	Hydrodynamics of Fast Rotations . . . . .	40
1.3.1	The Foundation of the Hydrodynamics of Fast Rotations. The Role of Umklapp Processes . . . . .	40
1.3.2	The System of the Nonlinear Equations for the Hydrodynamics of Fast Rotations . . . . .	42
1.3.3	Linearized System of Equations of Fast Rotations. The Spectrum and the Damping of the Second Sound Mode . . . . .	45
1.4	Opposite Case of a Single Bended Vortex Line for Extremely Slow Rotations ( $\Omega \sim \Omega_{C1}$ ) . . . . .	47
1.4.1	Stabilization of the Bending Oscillations by Rotation . . . . .	48
1.4.2	Visualization of the Vortex Lattice in Rotating Superfluid. Packard Experiments . . . . .	50
1.4.3	Contribution to Normal Density and Specific Heat from Bended Vortex Lines . . . . .	51
1.5	Experimental Situation and Discussion. How to Achieve the Limit of the Fast Rotations at Not Very High Frequencies in He II- <sup>3</sup> He Mixtures and in Superfluid <sup>3</sup> He-B . . . . .	52
	References . . . . .	54
<b>2</b>	<b>Quantum Crystals. The Search for Supersolidity . . . . .</b>	<b>57</b>
2.1	Quantum Crystals. Phase-Diagram. The Search for Supersolidity . . . . .	58
2.1.1	Lindemann and de Boer Parameters . . . . .	58
2.1.2	Flow of Zero Vacancies. Andreev-Lifshitz Theory . . . . .	61
2.1.3	Chan Experiments with Rotating Cryostat. The Search for Supersolidity in Solid <sup>4</sup> He . . . . .	65
2.2	The Surface Physics of Quantum Crystals. Atomically Smooth and Atomically Rough Surfaces . . . . .	66
2.2.1	The Concept of the Mobile Rough Interface Between Solid <sup>4</sup> He and Superfluid He-II . . . . .	67
2.2.2	Growth and Melting Shape of a Crystal . . . . .	68
2.2.3	Melting-Crystallization Waves and Phase Equilibrium on the Mobile Rough Surface . . . . .	68
2.2.4	Rayleigh Waves on Rough and Smooth Surfaces . . . . .	69
2.2.5	Roughening Transition . . . . .	70
	References . . . . .	76

<b>3</b>	<b>Melting-Crystallization Waves on the Phase-Interface Between Quantum Crystal and Superfluid . . . . .</b>	<b>79</b>
3.1	The Surface Hydrodynamics for Rough Interface at Low Temperatures . . . . .	80
3.1.1	Linear Equations of Surface Hydrodynamics in the Absence of Stationary Surface Flows . . . . .	81
3.1.2	The Spectrum of Melting-Crystallization Waves . . . . .	87
3.1.3	The Growth Coefficient: Damping of the Melting-Crystallization Waves . . . . .	89
3.1.4	The Instability of Superfluid Tangential Flows on the Mobile Phase-Interface . . . . .	93
3.1.5	The Spectrum of the Rayleigh Waves on the Rough Surface . . . . .	96
3.1.6	The Angles of the Total Internal Reflection: Excitation of the Surface Wave by the Bulk Second Sound Wave . . . . .	98
3.2	Surface Hydrodynamics on the Mobile Interface at $T \neq 0$ and in the Presence of $^3\text{He}$ Impurities . . . . .	102
3.2.1	Equations of the Surface Hydrodynamics at $T \neq 0$ and in the Presence of the Impurities . . . . .	103
3.2.2	The Surface Dissipative Function and Kapitza Thermal Resistance . . . . .	107
3.2.3	Damping of Melting-Crystallization Waves . . . . .	109
3.2.4	Impurity Contribution to the Kapitza Thermal Resistance at Low Temperatures . . . . .	112
3.2.5	Cherenkov Emission of the Second Sound Quanta by the Thermal Surface Waves . . . . .	113
	References . . . . .	114
<b>4</b>	<b>Quantum Hydrodynamics of the p-Wave Superfluids with the Symmetry of <math>^3\text{He-A}</math> . . . . .</b>	<b>117</b>
4.1	Orbital Hydrodynamics of Bosonic and Fermionic Superfluids with the Symmetry of A-phase of $^3\text{He}$ . . . . .	118
4.1.1	Orbital Hydrodynamics and Collective Modes in Bosonic Regime . . . . .	119
4.1.2	Orbital Waves: The Paradox of the Intrinsic Angular Momentum and Anomalous Current in Fermionic Superfluids . . . . .	122
4.2	Two Approaches to a Complicated Problem of Anomalous Current in Fermionic (BCS) A-phase . . . . .	126
4.2.1	Supersymmetric Hydrodynamics of the A-phase . . . . .	126
4.2.2	A Different Approach Based on the Formal Analogy with Quantum Electrodynamics . . . . .	135

4.2.3	How to Reach the Hydrodynamic Regime $\omega\tau \ll 1$ . . . . .	138
4.2.4	The Concept of the Spectral Flow and the Exact Anomaly Cancellation. . . . .	140
4.2.5	Experimental Situation and Discussion . . . . .	143
References	. . . . .	147

## Part II

<b>5</b>	<b>Bose-Einstein Condensation and Feshbach Resonance in Ultracold Quantum Gases and Mixtures . . . . .</b>	<b>153</b>
5.1	BEC in Trapped Bose-Gases . . . . .	154
5.1.1	Foundation of the Laser Cooling Technique. . . . .	155
5.1.2	Evaporative Cooling Technique. Majorana Flops . . . . .	156
5.1.3	Different Designs of the Magnetic Traps . . . . .	158
5.1.4	BEC in Trapped Ultracold Bosonic Gases . . . . .	159
5.1.5	Typical Densities and Numbers of Particles in the Trap. . . . .	161
5.1.6	Recalculation of $T_C^{\text{BEC}}$ from the Free Space on the Trap Geometry in Confinement Potential. . . . .	162
5.1.7	Metastability of Trapped Bose- and Fermi-Gases . . . . .	163
5.2	Experiments on Feshbach Resonance in Ultracold Quantum Gases and Mixtures . . . . .	164
5.2.1	The General Expression for the s-Wave Scattering Amplitude. . . . .	166
5.2.2	Broad Feshbach Resonance . . . . .	167
5.2.3	Resonant Approximation for Broad Feshbach Resonance . . . . .	167
5.2.4	Fermi-Gas with Attraction . . . . .	168
5.2.5	Attractive-U Hubbard Model . . . . .	174
5.2.6	Narrow Feshbach Resonance . . . . .	175
5.3	Experiments on Molecular BEC in $^6\text{Li}$ and $^{40}\text{K}$ . . . . .	177
References	. . . . .	178
<b>6</b>	<b>Composed Particles, Trios and Quartets in Resonance Quantum Gases and Mixtures. . . . .</b>	<b>181</b>
6.1	Two-Particles Pairing and Phase-Separation in Bose-Gas with One or Two Sorts of Bosons . . . . .	183
6.1.1	Lattice Model with van der Waals Interaction Between Bosons . . . . .	184
6.1.2	Two-Particle $T$ -Matrix Problem . . . . .	185
6.1.3	Thresholds for Extended s-Wave, p-Wave and d-Wave Two-Bosons Pairings. . . . .	186

6.1.4	Bethe–Salpeter Integral Equation for s-Wave Pairing of Two Bosons . . . . .	188
6.1.5	Possibility of p-Wave and d-Wave Pairing of the Two-Bosons . . . . .	192
6.1.6	Total Phase Separation . . . . .	194
6.1.7	Phase Diagram of the System. . . . .	195
6.1.8	Two-Band Hubbard Model for the Two Sorts of Bosons. . . . .	196
6.1.9	Slave-Boson Formulation of the t-J Model. Application to High- $T_C$ Systems . . . . .	198
6.2	Composed Fermions in the Fermi-Bose Mixture with Attractive Interaction Between Fermions and Bosons. . . . .	200
6.2.1	The Theoretical Model . . . . .	201
6.2.2	Intermediate Coupling Case in 2D . . . . .	201
6.2.3	Bethe–Salpeter Integral Equation . . . . .	202
6.2.4	Crossover (Saha) Temperature . . . . .	203
6.2.5	Three and Four Particles Bound States in the Fermi-Bose Mixture. . . . .	204
6.3	Bound States of Three and Four Resonantly Interacting Particles . . . . .	204
6.3.1	Atom-Molecule Scattering Length for Three Resonantly Interacting Fermions in 3D. Skorniakov-Ter-Martirosian Integral Equation . . . . .	205
6.3.2	Three Resonantly Interacting Bosons in 3D. Efimov Effect. . . . .	207
6.3.3	Three Resonantly Interacting Bosons in 2D . . . . .	210
6.3.4	The Three-Particle Complex $f_{\sigma}b, b$ in 2D Case . . . . .	212
6.3.5	Dimer–Dimer Scattering for Four Resonantly Interacting Fermions in 3D. Exact Integral Equation for Four-Fermion Problem . . . . .	213
6.3.6	Four Particles Bound States . . . . .	216
6.3.7	Phase Diagram of the Fermi-Bose Mixture in 2D . . . . .	218
6.3.8	Phase Diagram of 2D Bose-Gas . . . . .	218
6.3.9	The Role of the Dimer-Fermion and Dimer–Dimer Scattering Lengths for the Lifetime of the Resonance Fermi-Gas. . . . .	219
	References . . . . .	220
<b>7</b>	<b>BCS-BEC Crossover and the Spectrum of Collective Excitations in s-Wave and p-Wave Resonance Superfluids. . . . .</b>	<b>223</b>
7.1	Phase-Diagram of the Resonance Fermi-Gas in 3D and 2D Cases . . . . .	224
7.1.1	Self-Consistent $T$ -Matrix Approximation . . . . .	224
7.1.2	Equation for $T_C$ . . . . .	227

7.1.3	Self-Energy in Dilute BEC Limit . . . . .	228
7.1.4	Phase-Diagram of the Resonance Fermi-Gas in 3D. . . . .	229
7.1.5	Unitary Limit . . . . .	230
7.1.6	Qualitative Interpretation of the Intermediate Region of Large Values of $ a p_F \gg 1$ ( $-1 < 1/p_F a < 1$ ) on the Phase Diagram . . . . .	231
7.2	Self-Consistent Leggett Theory for $T = 0$ . . . . .	231
7.2.1	Leggett Equations for Chemical Potential and Superfluid Gap. . . . .	232
7.2.2	Sound Velocity in BCS and BEC Limits . . . . .	236
7.2.3	BCS-BEC Crossover for the 2D Resonance Fermi-Gas . . . . .	237
7.2.4	Gap Spectroscopy in 3D . . . . .	240
7.3	Anderson-Bogoliubov Theory for Collective Excitations . . . . .	241
7.3.1	Diagrammatic Approach . . . . .	241
7.3.2	The Spectrum of Collective Excitations. . . . .	244
7.3.3	Landau Critical Velocity . . . . .	245
7.4	Feshbach Resonance and Phase-Diagram for p-Wave Superfluid Fermi-Gas . . . . .	246
7.4.1	Feshbach Resonance for Fully Polarized p-Wave Resonance Superfluids. . . . .	247
7.4.2	The Global Phase Diagram of the BCS-BEC Crossover in Fully Polarized A1-Phase . . . . .	248
7.4.3	Quasiparticle Energy and Nodal Points in the A1-Phase . . . . .	249
7.4.4	Leggett Equations for A1-Phase . . . . .	249
7.4.5	Specific Heat at Low Temperatures $T \ll T_C$ in the A1 phase. Classical and Quantum Limits. Quantum Critical Point $\mu(T = 0) = 0$ . . . . .	252
7.4.6	Normal Density in the Three-Dimensional A1-Phase . . . . .	256
7.4.7	The Spectrum of Orbital Waves in the Three-Dimensional p-Wave Superfluids with the Symmetry of A1-Phase . . . . .	258
	References . . . . .	261

## 8 Phase Diagrams and the Physics of Pseudogap

	<b>in the Superconductors with Attractive Interaction . . . . .</b>	<b>263</b>
8.1	Attractive-U Fermionic Hubbard Model . . . . .	264
8.1.1	Two Critical Temperatures $T_C$ and $T_*$ in 3D Case . . . . .	264
8.1.2	Weak-Coupling Case. . . . .	265
8.1.3	Strong-Coupling Case . . . . .	265

8.2	Attracting Fermions in 2D . . . . .	266
8.2.1	Weak-Coupling Case . . . . .	267
8.2.2	Intermediate-Coupling Case . . . . .	268
8.2.3	Strong-Coupling Case . . . . .	268
8.3	T-matrix Approximation . . . . .	268
8.3.1	Conditions for $T_C$ . . . . .	270
8.3.2	Self-Energy in the First Iteration. . . . .	270
8.3.3	Density of States. Correlation Gap . . . . .	271
8.3.4	Next Iteration in the T-matrix Scheme . . . . .	272
8.3.5	$\eta$ -Resonance. . . . .	272
8.4	Experimental Predictions of the Model . . . . .	273
8.4.1	Resistivity in the State of the Normal Bosonic Liquid . . . . .	273
8.4.2	The Fermi-Bose Mixture Model . . . . .	274
8.5	Space-Separated Fermi-Bose Mixture and Superconductivity in Bismuthates BaKBiO . . . . .	275
8.5.1	Peculiarities of the Local Crystal Structure . . . . .	275
8.5.2	Local Electron Structure . . . . .	276
8.5.3	Formation of the Fermi-Bose Mixture . . . . .	279
8.5.4	Superconductivity in $Ba_{1-x}K_xBiO_3$ . . . . .	282
8.5.5	Discussion and Possible Experimental Test of the Proposed Model . . . . .	285
	References . . . . .	286

## Part III

<b>9</b>	<b>Superconductivity in the Low-Density Electron Systems with Repulsion . . . . .</b>	<b>291</b>
9.1	Kohn–Luttinger Mechanism of Superconductivity in Purely Repulsive Fermi-Systems. . . . .	291
9.2	Unconventional Superconducting Systems . . . . .	292
9.3	3D and 2D Fermi-Gas with Repulsion. . . . .	293
9.3.1	3D Fermi-Gas with Repulsion . . . . .	293
9.3.2	Triplet p-Wave Pairing . . . . .	295
9.3.3	Model-Independent Considerations by P. Nozieres . . . . .	296
9.3.4	Two-Dimensional Case . . . . .	297
9.4	Superconductivity in 3D and 2D Hubbard Model with Repulsion at Low Electron Density . . . . .	299
9.4.1	3D Hubbard Model at Low Density . . . . .	299
9.4.2	2D Hubbard Model . . . . .	301
9.4.3	Qualitative Phase-Diagram at Low Density in 2D. . .	302

9.4.4	Superconductivity in 2D Hubbard Model at Larger Electron Densities $n_{\text{el}} \leq 1$ . . . . .	303
9.4.5	Parquet Solution at Weak-Coupling and Close to Half-Filling . . . . .	303
9.5	Superconductivity Transitions in the Jelly Model for Coulomb Electron Plasma . . . . .	305
9.5.1	Cascade of Superconductivity-Transitions in the Dense Electron Plasma . . . . .	306
9.5.2	The Dilute Electron Plasma . . . . .	306
9.6	Superconductivity and Phase Separation in Shubin–Vonsovsky Model . . . . .	307
9.6.1	p-Wave Superconductivity in Shubin–Vonsovsky Model at Low Density . . . . .	308
9.6.2	Localization and Phase Separation in Shubin–Vonsovsky Model at Larger Densities . . . . .	310
	References . . . . .	311
<b>10</b>	<b>Strong <math>T_C</math> Enhancement in Spin-Polarized Fermi-Gas and in Two-Band Superconductors . . . . .</b>	<b>315</b>
10.1	$T_C$ Enhancement in Spin-Polarized Neutral Fermi-Gas . . . . .	315
10.1.1	3D Spin-Polarized Fermi-Gas . . . . .	316
10.1.2	2D Spin-Polarized Fermi-Gas . . . . .	318
10.1.3	Spin-Polarized Superfluid $^3\text{He}$ . . . . .	319
10.2	$T_C$ Enhancement in Quasi-2D Charged SC in Parallel Magnetic Field . . . . .	320
10.3	Strong $T_C$ Enhancement in the Two-Band Superconductors . . . . .	324
10.3.1	The Two-Band Hubbard Model with One Narrow Band . . . . .	324
10.3.2	The Kanamori $T$ -Matrix Approximation . . . . .	327
10.3.3	Evaluation of the Self-Energies of Heavy and Light Bands . . . . .	329
10.3.4	Electron Polaron Effect . . . . .	333
10.3.5	Other Mechanisms of Heavy Mass Enhancement . . . . .	335
10.3.6	Anomalous Superconductivity in the Two-Band Model with One Narrow Band . . . . .	338
	References . . . . .	344
<b>11</b>	<b>Fermionic Superfluidity in Three- and Two-Dimensional Solutions of <math>^3\text{He}</math> in <math>^4\text{He}</math> . . . . .</b>	<b>347</b>
11.1	Bardeen-Baym-Pines Theory for the Solutions of $^3\text{He}$ in $^4\text{He}$ . Direct and Exchange Interactions . . . . .	347
11.1.1	Three-Dimensional Case. Spin Diffusion Measurements . . . . .	349



11.1.2	Two Possible Approaches to the Fermionic Superfluidity in the Solutions . . . . .	350
11.1.3	Three-Dimensional Fermi-Gas with Attraction . . . . .	352
11.1.4	Three-Dimensional Fermi-Gas with Repulsion . . . . .	353
11.2	Two-Dimensional Case. $^3\text{He}$ -Submonolayers . . . . .	354
11.2.1	Surface Andreev Levels . . . . .	354
11.2.2	Superfluid Thin $^4\text{He}$ -Films . . . . .	355
11.2.3	Spin Susceptibility of $^3\text{He}$ -Submonolayers . . . . .	356
11.2.4	Possibility of the Superfluid Transition in the Two-Dimensional Solutions . . . . .	357
11.2.5	Two-Dimensional Fermi-Gas with Attraction . . . . .	359
11.2.6	Two-Dimensional Fermi-Gas with Repulsion . . . . .	360
11.3	Superfluidity in Polarized Solutions . . . . .	361
11.3.1	Three-Dimensional Polarized Solutions . . . . .	361
11.3.2	Two-Dimensional Polarized Solutions . . . . .	362
11.4	Experimental Situation and Limitations on the Existing Theories . . . . .	363
11.5	Two-Dimensional Monolayers as a Bridge Between Superfluidity and High- $T_C$ Superconductivity . . . . .	364
	References . . . . .	365
<b>12</b>	<b>Triplet Pairing and Superfluid Phase-Diagram in Fermi Gas of Neutral Particles and in Superfluid <math>^3\text{He}</math></b> . . . . .	<b>367</b>
12.1	Fermionic Superfluidity of $^6\text{Li}$ in the Magnetic Traps at Ultracold Temperatures . . . . .	368
12.1.1	s-Wave Pairing in Trapped Fermi-Gas with Exactly Equal Densities of Different Components . . . . .	369
12.1.2	Triplet p-Wave Pairing in the Disbalanced Case . . . . .	369
12.1.3	Stability of the System Towards Phase Separation . . . . .	372
12.1.4	Metastability of the System . . . . .	372
12.1.5	The Cooper Problem for s-Wave and p-Wave Pairing in Confined Geometry of the Traps . . . . .	372
12.2	p-Wave Pairing in the Fermi-Bose Mixture of $^6\text{Li}$ - $^7\text{Li}$ with Repulsive Interaction Between the Different Isotopes . . . . .	373
12.3	Ginzburg–Landau Functional for Triplet Superfluid Fermi Gas and for Superfluid $^3\text{He}$ . . . . .	375
12.3.1	Global Phase Diagram of a Superfluid Fermi Gas with Repulsion and of a Superfluid $^3\text{He}$ . . . . .	376
12.3.2	GL-Functional in the Weak-Coupling Case . . . . .	376
12.3.3	Exact Evaluation of $T_{C1}$ in Repulsive Fermi Gas Allowing for Higher Orders of Perturbation Theory . . . . .	378

12.3.4	Strong-Coupling Corrections in a Superfluid Fermi Gas with Repulsion . . . . .	380
12.3.5	The Global Minima of the GL-Functional in Spin-Polarized Superfluid Fermi Gas . . . . .	384
12.3.6	Critical Temperatures for the Superfluid Transitions to A1, A2 and B Phases in Spin-Polarized Fermi Gas . . . . .	385
12.3.7	Strong-Coupling Corrections in Superfluid Spin-Polarized Fermi Gas . . . . .	388
12.4	GL-Functional and Global Phase-Diagram of the 2D Superfluid Fermi Gas with Repulsion . . . . .	392
	References . . . . .	394

### 13 Spin-Charge Separation and Confinement in Ladder

	<b>Systems and in High-<math>T_C</math> Superconductors . . . . .</b>	<b>397</b>
13.1	Introduction . . . . .	397
13.2	Spin-Charge Separation and Luttinger Liquid in Doped Spin-Chains . . . . .	399
13.2.1	1D t-J Model for Doped Spin-Chains . . . . .	400
13.2.2	Spin-Charge Separation in Doped 1D Spin-Chains . . . . .	401
13.2.3	The Dressed Green-Function in 1D Luttinger Liquid . . . . .	402
13.2.4	The Distribution Function for Interacting Particles in Luttinger Liquid . . . . .	403
13.3	Two-Leg Ladder Systems. Spin-Charge Confinement. Luther-Emery Liquid . . . . .	405
13.3.1	Anisotropic t-J Model . . . . .	406
13.3.2	Resistivity in Two-Leg Ladders Materials . . . . .	408
13.3.3	Superconductivity in Ladder Materials . . . . .	408
13.4	Three-Leg Ladders. Anisotropic t-J Model for Strong-Coupling Along the Rungs . . . . .	410
13.4.1	Exact Diagonalization of One Rung Problem . . . . .	411
13.4.2	Qualitative Phase-Diagram . . . . .	412
13.4.3	$N$ -leg Ladders . . . . .	414
13.4.4	The Gap in the Energy Spectrum for Three-Leg Ladders in Anisotropic Limit . . . . .	414
13.4.5	Coexistence of Bosonic Luther-Emery Liquid and Fermionic Luttinger Liquid in Isotropic Limit . . . . .	415
13.4.6	Strongly Interacting Mixture of Spinons and Holons in High- $T_C$ Superconductors . . . . .	415
13.5	Superconductivity in Isotropic 2D t-J Model . . . . .	415
13.5.1	Superconductive Pairing in Overdoped 2D t-J Model . . . . .	416

13.5.2	SC phase-diagram of the 2D Overdoped t-J model . . . . .	417
13.5.3	Extended s-Wave Pairing for $J > t$ and Low Electron Densities . . . . .	417
13.5.4	Phase-Separation at Large $J/t$ and Low Electron Density . . . . .	419
13.5.5	p-Wave Pairing for $J < t$ and Low Electron Densities . . . . .	419
13.5.6	d-Wave Pairing in the Overdoped 2D t-J Model . . . . .	420
13.5.7	d-Wave Pairing at Small Hole Densities $x = (1 - n_{el}) \ll 1$ . . . . .	420
13.5.8	Possible Bosonic Region of the Phase-Diagram of the 2D t-J Model in the Underdoped Case . . . . .	421
13.5.9	String-Like Solution for a Composite Hole . . . . .	422
13.5.10	The Two-Particle Problem for Composite Holes. Possibility of BCS-BEC Crossover in the d-Wave Channel . . . . .	423
References	. . . . .	424

## Part IV

<b>14</b>	<b>The Search for Non-Fermi Liquid Behavior in the Normal State of Low Density Fermion Systems . . . . .</b>	<b>431</b>
14.1	The Search for Non-fermi Liquid Behavior in 2D Systems at Low Density . . . . .	431
14.1.1	Singularity in Landau $f$ -function in 2D Low-Density Fermion Systems . . . . .	433
14.1.2	Temperature Corrections to the Thermodynamic Variables in 2D Fermi-Gas . . . . .	436
14.2	Antibound State on the Lattice: Manifestation of the Upper Hubbard Band at Low Density . . . . .	438
14.2.1	The Theoretical Model . . . . .	440
14.2.2	T-Matrix Approximation . . . . .	440
14.2.3	Imaginary Part of the Self-Energy . . . . .	443
14.2.4	Real Part of the Self-Energy . . . . .	444
14.2.5	The Dressed Green-Function. Comparison with Hubbard-I Approximation . . . . .	446
14.2.6	Hartree–Fock Contribution to the Thermodynamic Potential . . . . .	447
14.2.7	Engelbrecht–Randeria Mode . . . . .	448
14.2.8	Discussion: The Possible Bridge Between Fermi-Gas and Gutzwiller Type of Expansions for Partially Filled Bands . . . . .	448

14.3	The Search for Marginal Fermi Liquid Behavior in the Two-Band Models . . . . .	449
14.3.1	Resistivity in the Two-Band Model with One Narrow Band . . . . .	450
14.3.2	Evaluation of the Self-Energies at Low Temperatures in the Two-Band Model. . . . .	450
14.3.3	Classical (Drude) Result for Resistivity at Low Temperatures. . . . .	451
14.3.4	The Role of Umklapp Processes . . . . .	452
14.3.5	The Regime of a Destroyed Heavy Band at High Temperatures $T > W_h^*$ . . . . .	453
14.3.6	Evaluation of the Imaginary Parts of the Self-Energies at Higher Temperatures $W_h^* < T < W_L$ . . . . .	454
14.3.7	Resistivity for $T > W_h^*$ in the 3D Case. . . . .	455
14.3.8	Discussion . . . . .	456
14.4	Weak-Localization Corrections in the 2D Case . . . . .	457
14.4.1	Altshuler-Aronov Effect. . . . .	458
14.4.2	Justification of the Expression for Localization Corrections in 2D with an Account of the Recoil Energy . . . . .	459
14.4.3	Resistivity in the 2D Case: Maximum and Localization Tail. . . . .	460
	References . . . . .	461
<b>15</b>	<b>Nanoscale Phase Separation in Complex Magnetic Oxides . . . . .</b>	<b>463</b>
15.1	Inhomogeneous States and Nanoscale Phase Separation in Complex Magnetic oxides. Similarities with Cuprates. . . . .	463
15.2	Crystal Structure: Electronic and Transport Properties of Manganites . . . . .	465
15.2.1	Overall Phase-Diagram of Manganites. . . . .	465
15.2.2	Resistivity at Optimal Concentrations . . . . .	466
15.2.3	Colossal Magnetoresistance . . . . .	467
15.2.4	Electronic Structure of Manganites . . . . .	467
15.3	The Minimal Theoretical Model for Manganites. . . . .	469
15.3.1	Homogeneous Canting for Small Densities . . . . .	469
15.3.2	Canted State Instability . . . . .	470
15.3.3	Small FM-Polarons Inside AFM-Matrix. . . . .	471
15.3.4	Quantum Canting . . . . .	473
15.3.5	Compromise Between Quantum Canting and Formation of FM-Polarons. . . . .	473
15.4	Temperature Ferrons: FM-Polarons in a Layered Case . . . . .	476
15.4.1	Temperature Ferrons . . . . .	476
15.4.2	Polarons in a Layered Case . . . . .	476

15.4.3	FM-Polarons on a Square-Lattice . . . . .	478
15.4.4	FM-Polarons on a Triangular Lattice in 2D . . . . .	478
15.5	Free and Bound Magnetic Polarons . . . . .	479
15.5.1	The Minimal Model for the Bound Magnetic Polarons. . . . .	479
15.5.2	The Variational Procedure . . . . .	480
15.5.3	Magnetic Structure of a Bound Ferron. . . . .	482
15.5.4	“Coated” Ferrons on the 2D Square Lattice. . . . .	483
15.5.5	“Coated” Ferrons in the Continuum Limit. . . . .	484
15.5.6	The Boundary Conditions in the Continuum Limit. . . . .	484
15.5.7	Energy of a “Coated” Ferron on a Square Lattice. . . . .	486
15.5.8	Generalized Mott Criterion. . . . .	488
15.6	Phase Separation in Charge-Ordered Manganites . . . . .	489
15.6.1	The Simplest Model for Charge Ordering . . . . .	490
15.6.2	The Instability of the CO-State with Respect to Phase Separation. . . . .	496
15.6.3	Nanoscale Phase Separation with Metallic Droplets Inside CO-Matrix. . . . .	498
15.6.4	Phase Separation in the Extended Double Exchange Model (with nn Coulomb Interaction). . . . .	501
15.7	Orbital Ferrons. . . . .	504
15.7.1	Two-Band Degenerate Hubbard Model . . . . .	504
15.7.2	Heisenberg-Like Orbital Interaction . . . . .	505
15.7.3	Orbital Ferrons in the Orbital t-J Model . . . . .	506
15.8	Experimental Confirmation of the Gross Phase-Diagram and Phase Separation in Manganites . . . . .	507
15.8.1	Experimental Confirmation of Nanoscale Phase Separation. . . . .	507
15.8.2	Experiments on Large Scale Phase Separation: Formation of Stripes . . . . .	508
	References . . . . .	509
<b>16</b>	<b>Mesoscopic Transport Properties in the Phase-Separated Manganites. . . . .</b>	<b>513</b>
16.1	Mesoscopic Transport Properties in Strongly-Correlated Electron Systems . . . . .	513
16.1.1	Transport Properties in Non-Metallic Phase-Separated Manganites. . . . .	513
16.1.2	Tunneling Conductivity in the Phase-Separated Manganites. . . . .	514
16.1.3	Tunneling Magnetoresistance in the Phase-Separated Manganites . . . . .	519

16.2	$1/f$ -Noise Power Spectrum . . . . .	523
16.2.1	Discussion. Comparison with Experiments . . . . .	524
16.3	Experimental Confirmation of the Theoretical Predictions for Tunneling Conductivity . . . . .	527
16.3.1	Experiments on Tunneling Magnetoresistance . . . . .	530
16.3.2	Magnetic Susceptibility . . . . .	533
16.3.3	Discussion. The Triple Point in Manganites. Unresolved Questions . . . . .	535
	References . . . . .	537
	<b>Conclusions.</b> . . . . .	539
	<b>Index</b> . . . . .	541

<http://www.springer.com/978-94-007-6960-1>

Modern trends in Superconductivity and Superfluidity

Kagan, M.Y.

2013, XXIV, 550 p. 216 illus., Softcover

ISBN: 978-94-007-6960-1