

# Contents

<b>1</b>	<b>Introduction to Distributed Sensor Networks</b>	<b>1</b>
1.1	What is a Distributed Sensor Network?	2
1.1.1	Requirements of Distributed Sensor Networks	2
1.1.2	Communication in DSNs	3
1.2	Algorithms and Complexity Issues	3
1.2.1	Gallery-Guarding Problem in 3-D	3
1.2.2	Wideband Acoustic Source Localization in the Presence of Nonuniform Noise Variances	4
1.3	Layered Network Architecture	4
1.3.1	Physical Layer	4
1.3.2	Data Link Layer	5
1.3.3	Network Layer	6
1.3.4	Transport Layer	7
1.3.5	Application Layer	7
1.4	Coverage and Connectivity Problems	7
1.4.1	Preliminaries	7
1.4.2	Definition	11
1.5	Summary and Outlook	12
	References	12

## Part I Optimization Methods

<b>2</b>	<b>Region-Guarding Problem in 3-D Areas</b>	<b>15</b>
2.1	Introduction	15
2.1.1	Pipeline Inspection by Autonomous Robots	16
2.1.2	Optimal Autonomous Inspection by Region Guarding	17
2.2	Background and Related Work	19
2.2.1	Gallery Guarding	19
2.2.2	Pipeline Inspection Robots	20
2.3	3-D Gallery Guarding	22
2.3.1	Visibility Detection	22
2.3.2	Greedy and Optimal Guarding	24
2.3.3	Hierarchical Guarding	25

2.4	Autonomous Pipeline Inspection . . . . .	27
2.4.1	Height Maps Acquisition . . . . .	27
2.4.2	Abnormal Boundary Detection. . . . .	29
2.4.3	Boundary Extraction. . . . .	30
2.5	Result of Simulated Experiments . . . . .	31
2.5.1	Hole Detection. . . . .	32
2.5.2	Deformation Detection . . . . .	33
2.5.3	Clogging Detection . . . . .	33
2.6	Summary and Outlook . . . . .	34
	References . . . . .	34
<b>3</b>	<b>Expectation–Maximization for Acoustic Source Localization . . . . .</b>	<b>37</b>
3.1	Introduction. . . . .	38
3.2	Signal Model. . . . .	39
3.3	Maximum Likelihood for Source Localization. . . . .	41
3.3.1	Conventional Maximum Likelihood for Source Localization in the Presence of Identical Noise Variance (SWN). . . . .	41
3.3.2	Maximum Likelihood for Source Localization in the Presence of Nonuniform Noise Variances (SNWN). . . . .	42
3.4	EM Wideband Source Localization Algorithm for Distinct Noise Variances . . . . .	44
3.4.1	Individual Likelihood Formulation for Source Localization. . . . .	44
3.4.2	New Expectation–Maximization Algorithm for Source Localization. . . . .	46
3.5	Robustness Analysis for Source Localization Algorithms . . . . .	48
3.5.1	Localization Algorithms . . . . .	48
3.6	Simulation. . . . .	49
3.6.1	A Localization Layout Example. . . . .	50
3.6.2	Root-Mean-Square Errors and Computational Complexities for Source Localization. . . . .	50
3.6.3	Robustness Analysis of Source Localization . . . . .	53
3.7	Summary and Outlook . . . . .	53
	References . . . . .	53

## Part II Coverage Problems

<b>4</b>	<b>Coordinate-Free Coverage in Sensor Networks via Homology . . . . .</b>	<b>57</b>
4.1	Introduction. . . . .	57
4.1.1	Preliminary Assumptions . . . . .	58
4.1.2	Results . . . . .	58
4.1.3	Related Work . . . . .	59

4.2	The Rips Complex . . . . .	60
4.3	A Homological Criterion for Coverage . . . . .	62
4.4	Generators for Redundant Covers. . . . .	65
4.5	Hole Repair. . . . .	65
4.6	Networks Without Boundaries . . . . .	67
4.7	Domains with Arbitrary Planar Topology . . . . .	68
4.8	Opaque Boundaries and Communication Errors . . . . .	70
4.9	Variable Radii . . . . .	71
4.10	Barrier Coverage in 3D . . . . .	72
4.11	Pursuit-Evasion and Mobile Nodes. . . . .	74
	4.11.1 A Prism Complex . . . . .	75
	4.11.2 A Simplicial Model . . . . .	76
4.12	Computation . . . . .	77
4.13	Summary and Outlook . . . . .	79
	4.13.1 Remarks . . . . .	79
	4.13.2 Questions . . . . .	80
	References . . . . .	81
<b>5</b>	<b>Coverage Assessment and Target Tracking in 3D Domains . . . . .</b>	<b>83</b>
5.1	Introduction. . . . .	84
5.2	Related Work . . . . .	85
5.3	Mathematics for Coverage and Tracking. . . . .	87
	5.3.1 Voronoi Diagrams for Spherical Detection Sensors . . . . .	87
	5.3.2 Vietoris–Rips Complexes . . . . .	89
	5.3.3 Homotopy and Retraction . . . . .	90
5.4	Coverage Hole Management of Spherical Sensors . . . . .	91
	5.4.1 Reducing the Vietoris–Rips Complex . . . . .	92
	5.4.2 Counting and Locating Coverage Holes . . . . .	93
	5.4.3 Repairing Coverage Holes. . . . .	94
5.5	Target Tracking in 3D Domains . . . . .	95
	5.5.1 Measuring Uncovered Areas . . . . .	95
	5.5.2 Mobility Models for Target Tracking . . . . .	96
	5.5.3 Multitarget Tracking. . . . .	100
5.6	Complexity Analysis of Coverage Management and Tracking . . . . .	100
	5.6.1 Complexity . . . . .	100
	5.6.2 Extending Results . . . . .	101
5.7	Experimental Results . . . . .	102
	5.7.1 Coverage Control and Hole Reduction . . . . .	102
	5.7.2 Mobility Modeling . . . . .	103
	5.7.3 Complexity Evaluation . . . . .	105
5.8	Summary and Outlook . . . . .	107
	References . . . . .	107

**Part III Security Issues**

<b>6</b>	<b>A Stochastic Preserving Scheme of Location Privacy. . . . .</b>	<b>111</b>
6.1	Introduction. . . . .	111
6.1.1	$k$ -Anonymity Cloaking . . . . .	111
6.1.2	Location Obfuscation . . . . .	112
6.1.3	Our Contribution . . . . .	112
6.2	Problem Specification. . . . .	113
6.3	The Proposed Scheme for Static Node . . . . .	115
6.4	Location Retrieval of a Static Node . . . . .	122
6.4.1	Probability Distribution Over the Anonymity Zone . . .	122
6.4.2	Computing the Privacy Level . . . . .	126
6.5	Privacy Level Versus Error Tolerance . . . . .	130
6.5.1	Upper Bound on the Maximum Error Tolerance . . . .	130
6.5.2	Lower Bound for the Privacy Level Value . . . . .	131
6.5.3	Trade-Off Between the Privacy Level and the Error Tolerance . . . . .	137
6.6	Location Privacy Preserving of a Mobile Node . . . . .	138
6.6.1	A Stochastic Model of the Node Movement . . . . .	138
6.6.2	Proposed Scheme for a Mobile Node . . . . .	139
6.6.3	Computing the Instantaneous Privacy Level . . . . .	140
6.6.4	Concealing the Movement Path . . . . .	143
6.7	Summary and Conclusion . . . . .	144
	References . . . . .	145
	<b>Bibliography . . . . .</b>	<b>147</b>

Mathematical Theories of Distributed Sensor Networks

Iyengar, S.S.; Boroojeni, K.G.; Balakrishnan, N.

2014, XIV, 153 p. 39 illus., 31 illus. in color., Hardcover

ISBN: 978-1-4419-8419-7