
Contents

1	Copper Wire Bonding	1
1.1	Wire Bonding Technologies	1
1.2	Ball Bonding vs. Wedge Bonding	2
1.3	From Gold to Cu Wire Bonding	3
1.4	Market Adoption	8
1.5	Summary	9
2	Bonding Process	11
2.1	Bond Wire	11
2.2	Oxidation Prevention Technology	15
2.3	Free Air Ball Formation	15
2.4	First (Ball) and Second (Wedge) Bond	17
2.5	Wire Bond Process Parameters	18
2.5.1	Ultrasonic Energy	18
2.5.2	Electric Flame-Off Current and Firing Time	21
2.5.3	Bond Force	25
2.5.4	Bonding Temperature and Time	26
2.6	Bonding Process Optimization	27
2.7	Bonding Equipment	30
2.8	Summary	37
3	Bonding Metallurgies	39
3.1	Bare Copper (Cu) and Palladium-Coated Cu Wire	39
3.2	Bare Cu Wire on Al Pads	40
3.3	Bare Cu Wire on Au- and Ni-Based Die Bond Pads	44
3.4	Cu–Cu Bond	45
3.5	Bond–Pad Interfacial Metallurgies	46
3.5.1	Au–Al and Cu–Al Intermetallics	46
3.5.2	Cu–Au and Cu–Al Intermetallics	54
3.5.3	Au–AuNi, Au–AuPdNi, Cu–AuNi, and Cu–AlPdNi	55
3.6	Summary	55
4	Wire Bond Evaluation	57
4.1	Criteria for Good Bond Formation	57
4.2	Pre-bonding Inspection	58

4.3	Post-bonding Inspection	58
4.3.1	Nondestructive Test	59
4.3.2	Destructive Tests	59
4.4	Mechanical Tests	61
4.4.1	Shear Test	61
4.4.2	Pull Test	63
4.5	Failure Mechanism and Modes	66
4.6	Quality Assurance and Testing Methods	67
4.7	Wire Bond Reliability Evaluation	70
4.8	Summary	71
5	Thermal Reliability Tests	73
5.1	High-Temperature Storage Tests	73
5.1.1	Au Wire on Al Pads	74
5.1.2	Bare Cu on Al, Au, and NiPdAu Pads	76
5.1.3	Bare Cu vs. Palladium-Coated Copper Wires	81
5.1.4	IMC Growth Model and Acceleration Factor	85
5.2	Thermal Shock and Thermal Cycling Tests	87
5.2.1	Bare Cu and PdCu Wires	89
5.2.2	Failure Model and Acceleration Factor for Thermal Cycling Tests	90
5.3	Summary	91
6	Humidity and Electromigration Tests	93
6.1	Humidity-Related Reliability Tests (PCT and HAST)	93
6.1.1	Bare Cu Wire	94
6.1.2	PdCu Wire	97
6.1.3	Failure Model and Acceleration Factor for Humidity Tests	101
6.2	Electromigration Tests	102
6.2.1	Au–Al System	103
6.2.2	Failure Model and Acceleration Factor for Electromigration Tests	108
6.3	Summary	108
7	Wire Bond Pads	111
7.1	Bond Pad Materials	111
7.1.1	Al	112
7.1.2	Cu	115
7.2	Over Pad Metallization/Pad Finishes	115
7.3	Pad Finish/Metallization Thickness	118
7.4	Factors Affecting Pad Bondability	119
7.4.1	Pad Contamination	120
7.4.2	Lead Frame Contamination	123
7.4.3	Pad Surface Roughness	124

7.5	Bond Pad Surface Treatments	125
7.5.1	Organic Coatings on Pad	125
7.5.2	Plasma Treatment	126
7.6	Summary	131
8	Concerns and Solutions	133
8.1	Cu Hardness: Al Splash and Pad Cratering	133
8.2	Process-Related Concerns	134
8.2.1	Oxidation Prevention Technology	135
8.2.2	Capillary Mean Time Between Assist and Lifetime	135
8.2.3	Wire Bonding for Specialized Applications	136
8.3	Corrosion from Mold Compound and Decapsulating Chemicals	136
8.4	Other Concerns	137
8.4.1	Second Bond and Tail Bond	138
8.4.2	Yield and Requalification	138
8.4.3	Lack of Standardized Test Methods and Reliability Data	139
8.4.4	Lack of Widespread Cu Wire Bonding Capability	139
8.5	Solutions	139
8.5.1	Bonding Process Optimization	139
8.5.2	Oxidation Prevention Technology	141
8.5.3	Pad Cratering, Al Splash, and Surface Contamination	142
8.5.4	Mold Compound and Deprocessing Scheme	145
8.5.5	Yield Improvement	147
8.6	Summary	148
9	Recommendations	151
9.1	Copper Wire Bonding Process	151
9.2	Palladium-Coated Copper Wires	153
9.3	Bonding Pad	154
9.4	Bond–Pad Interface	155
9.5	Strength and Reliability Evaluation	156
	Appendix A: Reliability Data	159
	Appendix B: Patents on Copper Wire Bonding	167
	References	211
	Index	227

Copper Wire Bonding

Chauhan, P.S.; Choubey, A.; Zhong, Z.; Pecht, M.G.

2014, XXVI, 235 p. 104 illus., 20 illus. in color.,

Hardcover

ISBN: 978-1-4614-5760-2