

Contents

1	Introduction	1
1.1	The Cell is a Complex Dynamical System	1
1.2	Cell Cycle: A System Biology Perspective	2
1.3	Stress Response	3
1.4	Cell Cycle Response to Stresses	4
	References	6
2	A Biological Overview of the Cell Cycle and its Response to Osmotic Stress and the α-Factor	9
2.1	Cell Cycle in Eukaryotes	9
2.1.1	Cell Cycle Phases	9
2.1.2	DNA Replication	10
2.1.3	Mitosis and Cytokinesis	11
2.1.4	Checkpoints	11
2.1.5	Principles of the Cell Cycle Oscillation	12
2.2	The Cell Cycle of <i>S. Cerevisiae</i>	13
2.2.1	Principles of the Budding Yeast Cell Division	13
2.2.2	The Molecular Mechanisms of the G1-to-S Transition	13
2.2.3	The Molecular Mechanism of DNA Replication	14
2.2.4	The Molecular Mechanism of the G2-to-M Transition	15
2.2.5	The Molecular Mechanism of the M-to-G1 Transition	16
2.3	Osmotic Stress Response	18
2.4	Interaction Between the Cell Cycle Network and the Osmotic Stress Pathway	19
2.4.1	Osmotic Stress Blocks the G1-to-S Transition	19
2.4.2	Osmotic Stress Blocks the G2-to-M Transition	20
2.5	Mating-Pheromone Response	22
2.5.1	Pheromone Arrests the Cell Before START	23
	References	23
3	ODE Model of the Cell Cycle Response to Osmotic Stress	27
3.1	Introduction	27
3.2	Modelling Procedure and Assumptions	28

3.2.1	Steps to Construct the Model	28
3.2.2	Hypothesised Mechanisms in the Model	30
3.2.3	Mathematical Definition of the Cell Cycle Phases.	32
3.3	Model Description	32
3.3.1	The Morphogenesis Checkpoint	32
3.3.2	Regulation of Swe1	34
3.3.3	Regulation of Hsl1-Hsl7 Complex in the Presence of Osmotic Stress	36
3.3.4	Regulation of Mih1	37
3.3.5	Regulation of Cdc28-Clb2 in the Presence of Osmotic Stress	37
3.3.6	Cell Growth	41
3.3.7	Influence of Hog1PP on the Cyclins Transcription	41
3.3.8	Regulation of Sic1 Under Osmotic Stress	42
3.4	Parameter Estimation	45
3.5	Model Predictions	46
3.5.1	Osmotic Stress Delays the G1-to-S and G2-to-M Transitions	47
3.5.2	Osmotic Stress Causes Accelerated Exit from Mitosis	53
3.5.3	Delays in the G1-to-S and G2-to-M Transitions are Dose Dependent, Whereas Acceleration of the M-to-G1 Transition is Dose Independent	56
3.5.4	Osmotic Stress at Late S or Early G2/M Phase Causes DNA Re-Replication	56
3.5.5	Stabilisation of Sic1 by Hog1PP Drives the Mitotic Exit in MEN Mutant Cells	58
3.6	Sensitivity Analysis of the Model	61
3.7	Model Validation in Laboratory	64
3.8	Discussion	64
3.8.1	The Predictions of the Model are Supported by Various Biological Observations	65
3.8.2	The Model Revealed Mechanisms for the Response of the Cell to Osmotic Stress	65
3.8.3	The Relevance of the Model Predictions for Other Eukaryotes	66
	References	67
4	Boolean Model of the Cell Cycle Response to Stress	71
4.1	Introduction	71
4.2	A Discrete Dynamical Model	73
4.3	State Transition Space of the Cell Cycle	75
4.3.1	Deriving the State Transition Matrix	76
4.3.2	Dynamical Properties of the Cell Cycle State Transition Matrix	77

4.3.3	Basin of Attraction	78
4.4	Results	78
4.4.1	Cell Cycle State Transition	78
4.4.2	Osmotic Stress Drives the Cell into One of the Four Fixed Points	80
4.4.3	Biological Relevance of the Size of Basins	82
4.4.4	Influence of the α -Factor Synchronisation on the Cell Cycle Dynamics.	82
4.4.5	Osmotic Stress Can Retrieve Some Frozen States to the Cell Cycle Trajectory	83
4.5	Discussion	85
	References	86
5	Conclusion.	89
	Appendix A: List of Equations, Parameters and Initial Conditions . . .	93
	Appendix B: Effect of Methods of Update on Existence of Fixed Points	107

Mathematical Modelling of the Cell Cycle Stress
Response

Radmaneshfar, E.

2014, XV, 109 p. 36 illus., 29 illus. in color., Hardcover

ISBN: 978-3-319-00743-4