

Contents

Part I N-Acylcyanamides as New Partners in Radical Cascades: Synthesis of Polycyclic Quinazolinones and Guanidines

1 Bibliographical Backgrounds	3
1.1 The Cyanamide Moiety, Synthesis and Reactivity	3
1.1.1 Biological Relevance of the Cyanamide Moiety	3
1.1.2 Methods of Synthesis	4
1.2 Homolytic Aromatic Substitutions: State of the Art of the Mechanistic Proposals	17
1.2.1 Hydrogen as Leaving Group	18
1.2.2 Other Radical Leaving Groups: Ipso Substitutions	26
References	32
2 Results: Developments of New Radical Cascades with N-Acylcyanamides	39
2.1 Objectives of the Project	39
2.2 Addition of Alkyl Radicals	39
2.2.1 Synthetic Targets	39
2.2.2 Synthesis of Cascade Precursors	41
2.2.3 Radical Cyclization of the <i>N</i> -Acylcyanamide Precursors	44
2.3 Addition of Vinyl Radicals to <i>N</i> -Acylcyanamides	45
2.3.1 Radical Cyclization of Vinyl iodide Precursor Followed by an Unexpected Reduction	46
2.3.2 Mechanistic Studies	48
2.3.3 Migration of Carbon- or Heteroatom-Substituents	55
2.4 Addition of Nitrogen Centered Radicals	60
2.4.1 Synthetic Targets: Polycyclic Guanidines	61
2.4.2 Generation of Aminyl Radicals	62
2.4.3 Synthesis of the Precursors	67
2.4.4 Optimization of Guanidine Radical Synthesis	71
2.4.5 Scope of the Guanidine Synthesis	73
References	76

3	Supporting Information	79
3.1	General Remarks	79
3.2	Preparation and Cyclization of Alkyl Precursors	79
3.2.1	General Procedures	79
3.2.2	Alkyl Seleno Precursors	82
3.2.3	Cyclized Quinazolinones	88
3.3	Preparation and Cyclization of Vinyl Precursors	90
3.3.1	General Procedures	90
3.3.2	Vinyl Iodide Precursors	91
3.3.3	Cyclized Products	100
3.4	Preparation and Cyclization of Azide Precursors	111
3.4.1	General Procedures	111
3.4.2	Azide Precursors	113
3.4.3	Cyclized Guanidines	127
	References	136

Part II Visible-light Photoreductive Catalysis for an Eco-compatible Generation of Radicals

4	Bibliographical Backgrounds: Generation of Radicals by Visible Light Photoredox Catalysis	139
4.1	Photophysical Properties of tris(bipyridyl)ruthenium(II) Complexes	141
4.1.1	Structure and Excited States	141
4.1.2	Absorption Spectrum	142
4.1.3	Deactivation and Quenching of Excited State	143
4.2	State of the Art of the Substrates Amenable to Visible Light Photoredox Catalysis	146
4.2.1	Aromatic Ketones	146
4.2.2	Activated Halides	146
4.2.3	Aryl Enones and Electron-Rich Styrenes	154
4.2.4	α -Keto Sulfonium, Ammonium and Phosphonium Salts	155
4.2.5	<i>N</i> -(acyloxy)Phthalimides	156
4.2.6	Diazoniums	157
4.2.7	Azides	158
4.2.8	Iodonium Salts	159
4.2.9	Para-Methoxybenzyl Ethers	160
4.2.10	Naphtols	160
4.2.11	Oxidative Functionalization of Tertiary Amines	161
	References	162

5 Results: Visible Light-Induced Photoreductive Generation of Radicals from Epoxides and Aziridines	165
5.1 Epoxides as New Substrates for Visible-Light Triggered Generation of Radicals	165
5.1.1 Objectives of the Project	165
5.1.2 Various Modes of Activation Tested	167
5.1.3 Optimization of the Photoreductive Ring-Opening of Epoxides and Proposed Mechanism	173
5.2 Scope and Limitations of the Reductive Ring-Opening Methodology	176
5.2.1 α,β -Epoxyketones	176
5.2.2 α -Keto-aziridines	181
5.2.3 α -Keto-cyclopropane	183
5.3 Utilization of the Photogenerated Radicals in Carbon–Carbon Bond Formations	185
5.3.1 Optimization of the Allylation Conditions	186
5.3.2 Scope of the Allylation Process	188
5.3.3 Diastereoselectivity of the Allylations	189
References	192
6 Supporting Information	195
6.1 General Remarks	195
6.2 General Procedures	196
6.3 Epoxide, Aziridines and Cyclopropanes Precursors	198
6.4 Reductive Ring-Opening Products	207
6.5 Allylation Products	216
6.5.1 Allylating Agents	216
6.5.2 Allylated Products	218
References	225
 Part III New developments in Aryl–Aryl Couplings via Palladium/Norbornene Dual Catalysis: Synthesis of Phenanthridines and Phenanthrenes	
7 Bibliographical Background: The Ortho Effect in The Catellani Reaction	229
7.1 The Catellani Reaction	229
7.1.1 Palladacycle Formation	229
7.1.2 Palladacycle Reaction with Alkyl Halides	232
7.1.3 Palladacycle Reaction with Aryl Halides	235

7.2	Synthetic Applications of the <i>Ortho</i> Effect	237
7.2.1	Aromatic Arylations Coupled with Heck Reaction.	237
7.2.2	Aromatic Arylation Coupled with Suzuki Reaction	239
7.2.3	Aromatic Arylations Coupled with Cyanation	239
7.2.4	Aromatic Arylations Coupled with Addition to C=O or C=N Bonds	240
7.2.5	Aromatic Arylations Coupled with C–H Activations	240
7.2.6	Aromatic Arylations Coupled with <i>O</i> -aryl Couplings	242
7.2.7	Aromatic Arylations Coupled with <i>N</i> -aryl Couplings	243
7.3	Mechanistic Explanations for the <i>Ortho</i> Effect	244
7.3.1	Mechanistic Pathway Followed by Palladacycle 7H Bearing No <i>Ortho</i> -substituent	246
7.3.2	Mechanistic Pathway Followed by Palladacycle 7S with an <i>Ortho</i> -substituent.	250
	References	253
8	Results: New Partners for <i>Ortho</i>-Substituted Aryl Iodides in Palladium/Norbornene Cocatalysis	257
8.1	Coupling of <i>Ortho</i> -Substituted Aryl Iodides and Bromobenzyl Amines: First Reported Catellani Sequence Terminated by <i>N</i> -aryl Coupling with Unprotected Amines.	257
8.1.1	Objectives of the Project	257
8.1.2	Optimization of the Catalytic Synthesis of Phenanthridines and Proposed Mechanism	258
8.1.3	Scope of the Synthesis of Phenanthridines	264
8.2	Coupling of <i>Ortho</i> -Substituted Aryl Iodides and 2-Bromophenyl Acetamides: An Exception to the <i>Ortho</i> Effect	271
8.2.1	Previous Work and Objectives of the Project	271
8.2.2	Scope of the Synthesis of Dihydrophenanthrenes.	273
8.2.3	The Powerful Effect of Water	275
8.2.4	Mechanistic Investigations by DFT Calculations	280
	References	292
9	Supporting Information	295
9.1	General Remarks	295
9.2	Coupling of <i>Ortho</i> -Substituted Aryl Iodides and Bromobenzyl Amines.	296
9.2.1	General Procedures	296
9.2.2	Preparation of Starting Bromides.	297
9.2.3	Phenanthridine-Type Products	299
9.3	Coupling of <i>Ortho</i> -Substituted Aryl Iodides and 2-Bromophenyl Acetamides	307

9.3.1	General Procedures	307
9.3.2	Preparation of Bromide Precursors.	308
9.3.3	Dihydrophenanthrene and Spiro Products	309
References		324
General Conclusion		325

Development of New Radical Cascades and
Multi-Component Reactions
Application to the Synthesis of Nitrogen-Containing
Heterocycles

Larraufie, M.-H.

2014, XXII, 326 p. 517 illus., 42 illus. in color., Hardcover

ISBN: 978-3-319-01323-7