

Contents

1	Introduction	1
1.1	Project Background	1
1.2	Gravitational Wave Theory	2
1.3	History of Gravitational Wave Detection	4
1.4	Michelson Interferometer Type Gravitational Wave Detectors	5
1.5	Noise Sources in Interferometric Gravitational Wave Detectors	6
1.5.1	Seismic Noise	7
1.5.2	Shot Noise	7
1.5.3	Radiation Pressure Noise	7
1.5.4	Thermal Noise	8
1.5.5	Technical Noises	9
1.6	First Generation Ground-Based Gravitational Wave Detectors	9
1.7	Second Generation Ground-Based Detectors	11
1.7.1	Signal Recycling	11
1.7.2	Schemes to Increase Circulating Light Power	12
1.8	Future Gravitational Wave Detectors	12
1.8.1	Third Generation Ground-Based Detectors	12
1.9	Structure of this Thesis	12
	References	13
2	Laguerre-Gauss Beams for Test Mass Thermal Noise Reduction	17
2.1	Test Mass Thermal Noise	17
2.1.1	Brownian Thermal Noise	19
2.1.2	Thermo-Optic Noise	20
2.2	Thermal Noise Reduction Techniques	21
2.2.1	Cryogenic Interferometry	21
2.2.2	New Coating Methods and Materials	22
2.2.3	All-Reflective Interferometers	23
2.2.4	Compound End Mirrors: ‘Khalili Cavities’	23
2.2.5	Flat Readout Beams	23

2.3	The Mode Picture for Laser Beams	24
2.4	The Hermite-Gauss Mode Set	26
2.5	The Laguerre-Gauss Mode Sets	28
2.6	Reduction in Thermal Noise for Higher-Order LG Beams	32
2.7	Coating Brownian Thermal Noise Reduction Factors for Higher-Order Modes	34
2.7.1	Helical Laguerre-Gauss Modes	34
2.7.2	Hermite-Gauss Modes	35
2.8	Thermal Lensing	37
	References	38
3	Simulation Study into LG₃₃ Mode Interferometry and Production	41
3.1	Interferometric Performance Simulation Study of the LG ₃₃ Mode	41
3.1.1	Longitudinal Control Signals	43
3.1.2	Alignment Control Signals	44
3.1.3	Coupling of Cavity Mirror Tilt to Longitudinal Phase	46
3.1.4	Coupling of Differential Arm Cavity Misalignment to Dark Port Power	48
3.1.5	Coupling to Unwanted Modes Due Mode Mismatch	50
3.1.6	Sensitivity Improvements for Advanced Virgo	50
3.2	Numerical Investigation into LG ₃₃ Beam Generation by LG ₀₀ Phase Profile Modulation	52
3.2.1	Overview of Previous Work in Laguerre-Gauss Beam Production	53
3.2.2	Phase Modulation Profile Design	53
3.2.3	Simulations of Conversion from LG ₀₀ Beam to a LG ₃₃ Beam	56
3.2.4	Converted Beam Parameter Estimation	58
3.2.5	Optimum Conversion Beam Size Ratio	62
3.2.6	Theoretical Purities of Generated LG Modes	62
	References	65
4	Tabletop Demonstrations of LG Mode Production and Cleaning	67
4.1	Characterising the Spatial Light Modulator	68
4.2	Higher-Order LG Modes Generated Using a Spatial Light Modulator	72
4.2.1	Mode Conversion Results	72
4.2.2	Blazing Angle Tests	76

4.3	Mode Cleaning Higher-Order LG Modes	77
4.3.1	The Mode Cleaner Effect.	78
4.3.2	Design and Characterisation of the Triangular and Linear Mode Cleaners	81
4.3.3	Operation of the Linear Mode Cleaner with Higher-Order LG Modes.	84
4.4	Helical LG Mode Interaction with a 3-Mirror Cavity.	92
	References	96
5	Prototype Experiments with the LG₃₃ Mode	99
5.1	Degeneracy of Higher-Order Laguerre-Gauss Modes	100
5.2	Design and Manufacture of an Etched Diffractive Optic for Mode Conversion	102
5.3	LG ₃₃ Conversion Bench at the Glasgow 10 m Prototype	103
5.4	10 m Cavity Performance with the LG ₃₃ Mode.	106
	References	113
6	Summary and Conclusions	115
6.1	Summary	115
6.2	Conclusions and Outlook	116
	References	117
Appendix A: Thermal Noise Scaling Factors for Higher-Order Modes		119
Appendix B: Simulation Code for Results Presented in Chapter 5. . . .		123
Appendix C: Glossary		147
Appendix D: PAUL FULDA		149

<http://www.springer.com/978-3-319-01374-9>

Precision Interferometry in a New Shape
Higher-order Laguerre-Gauss Modes for Gravitational
Wave Detection

Fulda, P.

2014, XXII, 154 p. 61 illus., 44 illus. in color., Hardcover

ISBN: 978-3-319-01374-9