

Secure Two-Party Computation: A Visual Way

Paolo D'Arco and Roberto De Prisco^(✉)

Dipartimento di Informatica, University of Salerno,
Via Giovanni Paolo II, 132, 84084, Fisciano, SA, Italy
{paodar,robdep}@dia.unisa.it

Abstract. In this paper we propose a novel method for performing secure two-party computation. By merging together in a suitable way two beautiful ideas of the 80's and the 90's, Yao's garbled circuit construction and Naor and Shamir's visual cryptography, respectively, we enable Alice and Bob to securely evaluate a function $f(\cdot, \cdot)$ of their inputs, x and y , through a *pure physical* process. Indeed, once Alice has prepared a set of properly constructed transparencies, Bob computes the function value $f(x, y)$ by applying a sequence of simple steps which require the use of a pair of scissors, superposing transparencies, and the human visual system. A crypto-device for the function evaluation process is not needed any more.

Keywords: Yao's construction · Visual cryptography · Secure computation

1 Introduction

Yao's Construction. Latins said: *Verba volant, scripta manent*. Yao's construction disproves the saying. Indeed, [31, 32], the papers which usually are cited when the construction is used or referred to, do not contain any description of it. It has never been written down by the author, but only provided to the community during an oral presentation (FOCS 1986). Fortunately, *verba* were captured by other researchers, who used the construction in subsequent papers, first of all [21]. Later on, it has been widely exploited in protocol design, but, apart some notable exceptions, it has more or less been considered as a powerful tool for establishing existential results. However, in the last years, since it has been shown that fine-tuned implementations, for reasonable input sizes, are becoming practical in many settings, new attention has been devoted to it. A version of the construction has been clearly described and proved secure according to precise definitions and assumptions in [28]. In a few other new recently introduced cryptographic primitives and protocols, e.g., *functional encryption* [7] or *non-interactive verifiable computing* [22], the construction plays a key role, and in [4] it has been even proposed to move from a view of Yao's construction as a cryptographic tool to a view of the construction as a *cryptographic goal*, which

can be achieved with several security properties and privacy degrees¹. From a certain point of view, Yao's idea is living nowadays a sort of *second life*.

Roughly speaking, Yao's construction, enables two parties, Alice and Bob, to privately evaluate a boolean function $f(\cdot, \cdot)$ on their inputs, x and y , in such a way that each party gets the result and, at the same time, *preserves* the privacy of its own input, apart from what can be inferred about it by the other party from its input and the function value $f(x, y)$. For example, if the function $f(\cdot, \cdot)$ is the **xor** function, given x **xor** y and one of the input, there is no way to preserve the other input.

In a nutshell, the construction works as follows: the boolean function $f(\cdot, \cdot)$ is represented through a boolean circuit $C(\cdot, \cdot)$ for which, for each x, y , it holds that $C(x, y) = f(x, y)$. Yao's idea is to use the circuit as a *conceptual guide* for the computation which, instead of a sequence of **and**, **or** and **not** operations on strings of bits x and y , becomes a *sequence of decryptions* on sequences of ciphertexts. More precisely, one of the party, say Alice, given $C(\cdot, \cdot)$, computes a new object \tilde{C} , which is usually referred to as the *garbled circuit* [2], where:

- to each wire w of $C(\cdot, \cdot)$, are associated in \tilde{C} two random keys, k_w^0 and k_w^1 , which (secretly, the correspondence is not public) represent 0 and 1, and,
- to each gate $G(\cdot, \cdot)$ of $C(\cdot, \cdot)$, corresponds in \tilde{C} a *gate table* \tilde{G} with four rows, each of which is a *double encryption*, obtained by using two different keys $k_{w_1}^a$ and $k_{w_2}^b$, for $a, b \in \{0, 1\}$, of a message which is itself a random key $k_{w_3}^c$, for $c \in \{0, 1\}$. In details, each double encryption $E_{ab} = E_{k_{w_2}^b}(E_{k_{w_1}^a}(k_{w_3}^c))$ uses *one of the four* possible pairs of keys $(k_{w_1}^a, k_{w_2}^b)$, associated to the input wires (w_1, w_2) of gate $G(\cdot, \cdot)$, and the message which is encrypted is the random key $k_{w_3}^c$, associated to the wire w_3 of output of the gate $G(\cdot, \cdot)$ *if and only if* $G(a, b) = c$. The four double encryptions E_{00}, E_{01}, E_{10} and E_{11} are stored in the gate table rows in *random* order.

Once \tilde{C} has been computed, Alice sends to Bob all the gate tables \tilde{G} associated to the circuit gates $G(\cdot, \cdot)$, and *reveals* the random keys k_w^0 and k_w^1 , associated to all the *output* wires w , and their correspondences with the values 0 and 1. Moreover, for the input wires of the circuit, she sends to Bob the random keys $k_{w_1}^{x_1}, k_{w_2}^{x_2}, \dots, k_{w_n}^{x_n}$ corresponding to the bit-values of her own input $x = x_1 x_2 \dots x_n$. To perform the computation represented by \tilde{C} , then Bob needs only the keys associated to the input wires corresponding to *his own* input. This issue is solved by means of *executions* of 1-out-of-2 *oblivious transfer* protocols [18], through which Bob receives the random keys $k_{w_{n+1}}^{y_1}, k_{w_{n+2}}^{y_2}, \dots, k_{w_{2n}}^{y_{2n}}$ corresponding to the bit-values of his own input $y = y_1 y_2 \dots y_n$ and nothing else, while Alice from the transfer does not know which specific keys Bob has recovered.

Finally Bob, according to the topology of the original circuit $C(\cdot, \cdot)$, level after level, decrypts *one and only one* entry from each gate table \tilde{G} in \tilde{C} , until he computes *one and only one* random key associated to each output wire. The binary string which corresponds to the sequence of computed random keys,

¹ The introduction of [4] offers a brief history of the construction and a nice accounting of the research efforts which followed.

associated to the output wires, is the value $C(x, y)$. Bob sends the result of the computation to Alice².

It is easy to check that the computation is correct and, intuitively, that the privacy of the inputs is preserved. The random keys held by Bob, the rows of each \tilde{G} , and the random keys obtained decrypting a row in each \tilde{G} , do not leak any information about the actual bits of Alice’s input value.

Visual Cryptography. Visual cryptography is a special type of secret sharing in which the secret is an image and the shares are random-looking images printed on transparencies. It was introduced by Naor and Shamir [27] and, in a different form, by Kafri and Keren [24]. The captivating peculiarity of this type of secret sharing is that the reconstruction of the secret is performed without any computational machinery: it is enough to superpose the shares (transparencies) in order to reconstruct the secret. Roughly speaking, for black-and-white images, the bit value 0 is encoded as a transparent pixel, the bit value 1 is encoded as a black pixel, and the reconstruction operation is an **or** and is performed by the human visual system when the shares are superposed. Visual cryptography has been extensively studied (e.g. [1, 6, 11, 12, 14, 16, 17, 19, 23]); we refer the interested reader to [15] for a collection of surveys on several aspects of visual cryptography. For the goal of this paper we will be using a particular type of visual cryptography: probabilistic visual cryptography [13, 30].

Our Contribution. In this paper we merge together Yao’s construction and properly defined visual cryptography schemes, in order to propose a method through which Alice and Bob can securely evaluate a function $f(\cdot, \cdot)$ of their inputs, x and y , through a *pure physical* process.

Our efforts were inspired and driven by the work of Kolesnikov [26], who showed that a different approach to the function evaluation process in Yao’s construction can be pursued. Roughly speaking, instead of constructing the garbled circuit \tilde{C} by using for each gate $G(\cdot, \cdot)$ a gate table \tilde{G} , containing a double encryption for each possible input pair of keys, Kolesnikov showed that it is possible to use *secret sharing schemes* designed to realize the functionalities implemented by the logical gates. Such schemes were referred to as *gate equivalent secret sharing schemes* (GESS, for short) [26]. Using a GESS, any time that two shares, say $sh_{w_1}^a$ and $sh_{w_2}^b$, associated to the input wires w_1 and w_2 of gate $G(\cdot, \cdot)$, are combined through the reconstruction function of the GESS, the secret s_{w_3} , associated to the output wire w_3 of gate $G(\cdot, \cdot)$ is recovered. It follows that an *explicit representation* \tilde{G} of $G(\cdot, \cdot)$ is *not* needed any more, because all the information required to reconstruct the secret value associated to w_3 , depending on the functionality of the target gate $G(\cdot, \cdot)$, is coded and, hence, *implicitly represented*, into the shares $sh_{w_1}^a$ and $sh_{w_2}^b$. Therefore, given the circuit $C(\cdot, \cdot)$, and by applying a bottom-up process, which starts from the circuit output wires and ends when the circuit input wires are reached, Alice can construct shares associated to the circuit input wires which encode *all the information* needed to evaluate $C(\cdot, \cdot)$ on every pair of inputs (x, y) . Then, as in Yao’s construction,

² A detailed description of Yao’s protocol can be found in [28].

Alice sends directly to Bob the shares corresponding to the bit-values of her own input x , while Bob, by means of *executions* of 1-out-of-2 *oblivious transfer* protocols, receives the shares corresponding to the bit-values of his own input y . Finally, Bob applies iteratively the GESS reconstruction functions, until the secrets associated to the output wires, which correspond to the value $C(x, y)$, are obtained.

In this paper we provide a *generalization* of the above approach and a *visual implementation*.

Notice that, the technique used by Kolesnikov [26], does not immediately extend to visual secret sharing. In order to exploit visual secret sharing, some technical details and issues need to be addressed. The most important ones are two: (i) we need to define and construct a *visual counterpart* of a GESS scheme, and (ii) propose a physical method to perform the oblivious transfer. Both of them are goals of independent interests. We show that the GESS construction provided in [26] is a *special case* of a general construction which uses multi-secret sharing schemes, and that it can be instantiated by using a visual multi-secret sharing scheme. We also provide a construction. Regarding the oblivious transfer, even if physical metaphors have often been used for describing cryptographic primitives and protocols, only few papers have dealt with physical implementations. To our knowledge, the state of the art is summarized in [29], which is the first paper that rigorously addresses the issue of realizing cryptographic protocols by using tamper-evident seals (sealed envelopes and locked boxes). We could use an oblivious transfer protocol of [29], but since we discuss a simpler scenario, we propose an easier construction which uses *indistinguishable envelopes*. The main result we achieve can be (informally) stated as follows:

Theorem 1. *Every two-party computation representable by means of a boolean function $f(\cdot, \cdot)$ can be performed preserving the privacy of the inputs x and y through a pure physical visual evaluation process.*

2 Definitions and Tools

Let us start by setting up the notation and stating basic definitions. We follow essentially the treatment of [20, 28] (i.e., see Sect. 2 of [28] or Chap. 7 of [20]).

2.1 Notation

Efficient Algorithms. An efficient algorithm is a probabilistic algorithm running in $\text{poly}(k)$ time, where k is a security parameter. Efficient algorithms are referred to as *PPT algorithms*.

Negligible Functions. A function $f(\cdot)$ is negligible if it vanishes faster than the inverse of any fixed positive polynomial. That is, for any positive integer c , there exists an integer k_0 such that $f(k) \leq \frac{1}{k^c}$, for any $k \geq k_0$. We denote by $\text{negl}(k)$ a negligible function.

Algorithms and Random Variables. If $A(\cdot)$ is a probabilistic algorithm, then, for any x , the notation $A(x)$ refers to the random variable that assigns to the string σ the probability that A , on input x , outputs σ .

Distribution Ensembles. If S is an infinite set, and $X = \{X_s\}_{s \in S}$ and $Y = \{Y_s\}_{s \in S}$ are distribution ensembles³, then we say the X and Y are *identically distributed*, $X \stackrel{p}{=} Y$ for short, if, for every distinguisher D and for every $s \in S$, it holds that $\Pr[D(X_s) = 1] - \Pr[D(Y_s) = 1]$ is equal to 0. Similarly, if the D s are PPT algorithms, and for all sufficiently large (in the length of the security parameter) $s \in S$ it holds that $|\Pr[D(X_s) = 1] - \Pr[D(Y_s) = 1]|$ is a negligible function $\text{negl}(s)$ in s , we say that X and Y are *computationally indistinguishable*, $X \stackrel{c}{=} Y$ for short.

2.2 Secure Two-Party Computation

We consider two-party computation in presence of a *static semi-honest* adversary. The adversary controls one of the parties and, although it follows the protocol specification, it might try to learn extra information from the transcript of the messages received during the execution.

A two-party computation is a random process that maps pairs of inputs to pairs of outputs, one for each party. We refer to such a process as a *functionality* and denote it $f : \{0, 1\}^* \times \{0, 1\}^* \rightarrow \{0, 1\}^* \times \{0, 1\}^*$, where $f(x, y) = (f_1(x, y), f_2(x, y))$.

Let π be a two-party protocol for computing f . Intuitively, a protocol is secure if whatever a party can compute participating in the protocol can also be computed by himself by using *only* his own input and his own function value. More formally, for $i \in \{1, 2\}$, denoting with the random variables $\text{view}_i^\pi(x, y)$, the view (i.e., input, random coins, messages received...) that party i has during the execution of $\pi(x, y)$, by $\text{output}_i^\pi(x, y)$ the output of party i , and by $\text{output}^\pi(x, y)$ the output of both parties, we state the following⁴:

Definition 1. Let f be a functionality. A protocol π computes f in a perfectly (computationally) secure way, in presence of a static semi-honest adversary, if

$$\{\text{output}^\pi(x, y)\}_{(x, y) \in \{0, 1\}^*} = \{f(x, y)\}_{(x, y) \in \{0, 1\}^*}$$

³ A random variable is sufficient to represent the input, the output or any intermediate computation of a randomized entity in a *single* protocol execution. However, since it is of interest analyzing the behavior of protocol executions, according to input sizes depending on the security parameter k , *collections* of random variables are needed: an ensemble is exactly a family of random variables, where each of them, say X_s , is uniquely identified by an index s , related to the security parameter k .

⁴ We deal in the following with a deterministic functionality. Hence, we state the simplified versions of the definitions in [20, 28]. Moreover, we also state the definition for the unconditionally secure case. As we will show later, by using an unconditionally secure *physical* implementation of the oblivious transfer, known to be possible [29], the definition in the *physical* world is achieved by our protocol.

and there exists (PPT) algorithms Sim_1 and Sim_2 such that:

$$\begin{aligned} \{Sim_1(x, f_1(x, y))\}_{(x,y) \in \{0,1\}^*} &\stackrel{p/c}{\equiv} \{view_1^\pi(x, y)\}_{(x,y) \in \{0,1\}^*}, \\ \{Sim_2(y, f_2(x, y))\}_{(x,y) \in \{0,1\}^*} &\stackrel{p/c}{\equiv} \{view_2^\pi(x, y)\}_{(x,y) \in \{0,1\}^*}. \end{aligned}$$

3 Visual Gate Evaluation Secret Sharing

In this section, building on the definitions and the constructions provided in [26], we introduce the notion of *visual* gate evaluation secret sharing (VGESS, for short), and we show how to construct a VGESS scheme. We proceed as follows: (i) we recall some notions on secret and multi-secret sharing schemes and their visual version, (ii) we recall the definition of GESS schemes [26], (iii) we define a *general* construction for GESS schemes, GenGESS for short, in terms of multi-secret sharing schemes. The construction in [26] ends up to be a special instance of it. Finally, in order to take benefits from the general form, (iv) we define VGESS and, by using a visual multi-secret sharing scheme, (v) we realize an implementation.

3.1 Secret Sharing and Multi-Secret Sharing Schemes

Let us briefly introduce secret sharing and multi-secret sharing schemes⁵.

Roughly speaking, a secret sharing scheme is a method through which a dealer shares a secret s among a set of parties, in such a way that, later on, some subsets of parties can reconstruct the secret, while others do not get any information about it. Similarly, a multi-secret sharing scheme enables the dealer to share more than one secret among the set of parties, in such a way that different subsets of parties reconstruct different secrets.

Let $\mathcal{P} = \{1, \dots, n\}$ be a set of n parties. A collection of subsets $\mathcal{A} \subset 2^{\mathcal{P}}$ is monotone if $A \in \mathcal{A}$ and $A \subseteq B$ imply that $B \in \mathcal{A}$.

Definition 2. Access structure. An access structure on the set of parties \mathcal{P} is a pair $(\mathcal{A}, \mathcal{F})$ such that $\mathcal{A} \subset 2^{\mathcal{P}}$ is a monotone collection, $\mathcal{F} \subset 2^{\mathcal{P}}$, and $\mathcal{A} \cap \mathcal{F} = \emptyset$.

$(\mathcal{A}, \mathcal{F})$ is a *specification* of the sets which reconstruct the secret and of the sets which do not get any information about it. Usually sets in \mathcal{A} are called *authorized*, while sets in \mathcal{F} are called *forbidden*. Sets in $2^{\mathcal{P}} \setminus (\mathcal{A} \cup \mathcal{F})$ are sets for which we *do not care*.

Let S, SH_1, \dots, SH_n be finite sets. The set S is usually referred to as the set of *secrets* and the sets SH_1, \dots, SH_n as the sets of *shares*. Moreover, denote

⁵ We do not follow the traditional entropy-based characterization, e.g., [8, 25], since in our analysis we are not going to use the entropy function. A comprehensive study of secret sharing schemes which does not use the language of information theory can be found in [3]. See also a recent survey [3].

with s and sh_1, \dots, sh_n elements belonging to S and SH_1, \dots, SH_n , respectively, and for each $X = \{i_1, \dots, i_m\} \subseteq \mathcal{P}$, with $SH_X = SH_{i_1} \times \dots \times SH_{i_m}$ and with $sh_X = (sh_{i_1}, \dots, sh_{i_m})$. Using the above notation, we state the following:

Definition 3. Secret sharing scheme (SSS for short). Let S be a set of secrets, where $|S| \geq 2$. A secret sharing scheme $\Sigma = (Shr, Rec)$ with secret domain S realizing the access structure $(\mathcal{A}, \mathcal{F})$ is a pair of algorithms Shr and Rec where

- Shr is a probabilistic algorithm which takes as input a secret $s \in S$ and outputs a set of shares sh_1, \dots, sh_n .
- Rec is a deterministic algorithm which takes as input a set of shares sh_X for $X \subseteq \mathcal{P}$, and outputs either $s \in S$ or \perp

satisfying the following properties:

1. **Correctness.** For each $A \in \mathcal{A}$, and for every secret $s \in S$, it holds that $Pr[Rec(Shr(s)_A) = s] = 1$
2. **Privacy.** For each $F \in \mathcal{F}$, and for every $s_1 \in S$ and $s_2 \in S$, it holds that $Pr[Shr(s_1)_F = sh_F] = Pr[Shr(s_2)_F = sh_F]$

Property 1 guarantees that each authorized subset reconstructs the secret, while property 2 that each forbidden subset does not get any information from its subset of shares, since the subset is *compatible* with each possible secret with the same probability. Moreover, the definition does not assume *any* probability distribution on the set S , and can be weakened by not requiring perfect reconstruction or by requiring just statistical or computational privacy. Definition 3 can also be easily extended to *multi-secret* (MSSS for short), i.e., the case in which the dealer distributes more than one secret. Formally, it is necessary to consider, instead of a single set of secrets S and a single access structure $(\mathcal{A}, \mathcal{F})$, sets of secrets S_1, \dots, S_ℓ and access structures $(\mathcal{A}_1, \mathcal{F}_1), \dots, (\mathcal{A}_\ell, \mathcal{F}_\ell)$.

Remark. Notice that, in our construction we will consider a simple multi-secret sharing scheme, a 2-MSSS: the set of parties is $\mathcal{P} = \{1, 2, 3\}$, the sets of secrets are two and are equal, i.e., $S_1 = S_2 = S$, and the access structures are defined by $\mathcal{A}_1 = \{\{1, 2\}\}$, $\mathcal{F}_1 = \{\{1\}, \{2\}, \{3\}\}$ and $\mathcal{A}_2 = \{\{1, 3\}\}$, $\mathcal{F}_2 = \{\{1\}, \{2\}, \{3\}\}$.

3.2 Visual Cryptography

Visual cryptography schemes can be *deterministic* or *probabilistic*. The schemes introduced by Naor and Shamir are deterministic. The schemes introduced by Kafri and Keren are probabilistic. Deterministic schemes need to associate to each pixel of the secret image, a collection of $m \geq 2$ pixels in the shares. Parameter m is called the *pixel expansion* of the scheme. For probabilistic schemes it is possible to have $m = 1$.

Given two images I_1 and I_2 , with the same size, printed on transparencies, we denote with $\text{Sup}(I_1, I_2)$ the image that results from the superposition of the

two images. Interpreting white as 0 and black as 1, for each pixel position (i, j) , we have that $\text{Sup}(I_1, I_2) = I_1(i, j) \text{ or } I_2(i, j)$.

Let us start with the definition⁶ of a probabilistic visual secret sharing scheme for a set $\mathcal{P} = \{1, 2\}$ of two parties, with access structure defined by $\mathcal{A} = \{\{1, 2\}\}$ and $\mathcal{F} = \{\{1\}, \{2\}\}$.

Definition 4. Probabilistic $(2, 2)$ -VCS. *Let S be a set of secret images, such that $|S| \geq 2$. A probabilistic $(2, 2)$ -VCS is a secret sharing scheme realizing the access structure defined by $\mathcal{A} = \{\{1, 2\}\}$ and $\mathcal{F} = \{\{1\}, \{2\}\}$ where Shr and Rec are such that*

- *Shr is a probabilistic algorithm which takes as input a secret $I \in S$ and outputs a pair of visual shares (sh_1, sh_2)*
- *Rec is the deterministic algorithm $\text{Sup}(\cdot, \cdot)$ which superposes sh_1 to sh_2*

satisfying the following properties:

- **Correctness:** *For each pixel position (i, j) , if $I(i, j) = \bullet$ then $\text{Sup}(sh_1, sh_2)(i, j) = \bullet$, and if $I(i, j) = \circ$ then $\text{pr}[\text{Sup}(sh_1, sh_2)(i, j) = \circ] > 0$.*
- **Privacy:** *For each pixel position (i, j) , regardless of the values of $I(i, j)$, $\text{pr}[sh_1(i, j) = \circ] = \text{pr}[sh_2(i, j) = \circ]$, and, consequently, $\text{pr}[sh_1(i, j) = \bullet] = \text{pr}[sh_2(i, j) = \bullet]$.*

Notice that, in the above definition we require that black pixels are reconstructed perfectly.

In general, VCSs can be implemented by means of *distribution matrices*. Precisely, let n and m be two integers, where n represents the number of parties and m is the pixel expansion. A scheme is usually defined by two collections \mathcal{C}_\circ and \mathcal{C}_\bullet of $n \times m$ matrices with elements in $\{\circ, \bullet\}$. The Shr algorithm, for each secret pixel, chooses a distribution matrix M at random from \mathcal{C}_\circ , if the secret pixel is white, or from \mathcal{C}_\bullet , if the secret pixel is black, and uses row i of M to construct the pixel on the i th share. For example, the following collections of distribution matrices can be used to realize a probabilistic $(2, 2)$ -VCS:

$$\mathcal{C}_\circ = \left\{ \begin{bmatrix} \circ \\ \circ \end{bmatrix}, \begin{bmatrix} \bullet \\ \bullet \end{bmatrix} \right\} \quad \mathcal{C}_\bullet = \left\{ \begin{bmatrix} \circ \\ \bullet \end{bmatrix}, \begin{bmatrix} \bullet \\ \circ \end{bmatrix} \right\}$$

More precisely, assuming that the set S of secret images contains all black-and-white square images I of $n \times n$ pixels, and that $R = \{0, 1\}$, denoting the distribution matrices in \mathcal{C}_\circ as $\mathcal{C}_{\circ,0}, \mathcal{C}_{\circ,1}$, and in \mathcal{C}_\bullet as $\mathcal{C}_{\bullet,0}, \mathcal{C}_{\bullet,1}$, a probabilistic $(2, 2)$ -VCS, can be realized as follows:

⁶ In this abstract, to simplify the presentation of our approach, instead of providing general definitions, we concentrate on specific definitions of VCS for the tools we need in our construction.

Probabilistic (2, 2)-VCS
$Shr(I)$
For every $i, j = 1, \dots, n$, Choose uniformly at random $r_{i,j} \in R = \{0, 1\}$ Use $\mathcal{C}_{I(i,j), r_{i,j}}$ as distribution matrix for $sh_1(i, j)$ and $sh_2(i, j)$.
Output (sh_1, sh_2)
$Rec(sh_1, sh_2)$
Return $I = \text{Sup}(sh_1, sh_2)$.

An example of application of the scheme is given in Fig. 1.




Fig. 1. Example of shares and superposition for a probabilistic (2, 2)-scheme.

The Probabilistic (2,2)-VCS satisfies Definition 4. More precisely:

Theorem 2. *The Probabilistic (2, 2) -VCS construction realizes a probabilistic (2,2)-VCS.*

All proofs of our statements will appear in the full version of this paper.

We also remark that the Probabilistic (2,2) -VCS scheme is the same as the random grid scheme of Kafri and Keren [24].

Let us now define a 2-MVCS i.e., a visual multi-secret sharing scheme for a set $\mathcal{P} = \{1, 2, 3\}$ of three parties, with access structures defined by $\mathcal{A}_1 = \{\{1, 2\}\}$, $\mathcal{F}_1 = \{\{1\}, \{2\}, \{3\}\}$ and $\mathcal{A}_2 = \{\{1, 3\}\}$, $\mathcal{F}_2 = \{\{1\}, \{2\}, \{3\}\}$. The scheme will be used to share 2 secret images I_0 and I_1 which will be reconstructed, respectively, by \mathcal{A}_1 and \mathcal{A}_2 .

Definition 5. Probabilistic 2-MVCS. *Let S be a set of secret images, such that $|S| \geq 2$. A probabilistic 2-MVCS is a multi-secret sharing scheme with domains $S_1 = S_2 = S$ realizing the access structure defined by $\mathcal{A}_1 = \{\{1, 2\}\}$, $\mathcal{F}_1 = \{\{1\}, \{2\}, \{3\}\}$ and $\mathcal{A}_2 = \{\{1, 3\}\}$, $\mathcal{F}_2 = \{\{1\}, \{2\}, \{3\}\}$, where Shr and Rec are such that*

- Shr is a probabilistic algorithm which takes as input two secret images $I_0 \in S$ and $I_1 \in S$ and outputs three visual shares (sh_1, sh_2, sh_3) .
- Rec is the deterministic algorithm $\text{Sup}(\cdot, \cdot)$ which superposes a pair of shares.

satisfying the following properties:

- **Correctness:** For $h = 0, 1$, for each pixel position (i, j) , if $I_h(i, j) = \bullet$, then $\text{Sup}(sh_1, sh_{2+h})(i, j) = \bullet$, and if $I_h(i, j) = \circ$, then $\text{pr}[\text{Sup}(sh_1, sh_{2+h})(i, j) = \circ] > 0$.
- **Privacy:** For each pixel position (i, j) , $\text{pr}[sh_1(i, j) = \circ] = \text{pr}[sh_2(i, j) = \circ] = \text{pr}[sh_3(i, j) = \circ]$, and, consequently, $\text{pr}[sh_1(i, j) = \bullet] = \text{pr}[sh_2(i, j) = \bullet] = \text{pr}[sh_3(i, j) = \bullet]$.

Notice that the definition does not state any requirement for the superposition of sh_2 and sh_3 , that is we neither require a reconstruction nor an assurance of no information leakage for the combination of the two shares: we simply don't care as in our application they will never appear at the same time.

By using in a suitable way the collections of distribution matrices $\mathcal{C}_\circ, \mathcal{C}_\bullet$ of the Probabilistic (2,2) -VCS, a Probabilistic 2 -MVCS can be realized as follows:

Probabilistic 2-MVCS
$\text{Shr}(I_0, I_1)$ For every $i, j = 1, \dots, n$, Choose uniformly at random $r_{i,j} \in R = \{0, 1\}$ Use $\mathcal{C}_{I_0(i,j), r_{i,j}}$ as distribution matrix for $sh_1(i, j)$ and $sh_2(i, j)$ If $I_1(i, j) = \bullet$ then if $sh_1(i, j) = \circ$ then $sh_3(i, j) = \bullet$ if $sh_1(i, j) = \bullet$ then $sh_3(i, j) = \circ$ If $I_1(i, j) = \circ$ then if $sh_1(i, j) = \bullet$ then $sh_3(i, j) = \bullet$ if $sh_1(i, j) = \circ$ then $sh_3(i, j) = \circ$ Output (sh_1, sh_2, sh_3)
$\text{Rec}(sh_i, sh_j)$ Return $I = \text{Sup}(sh_i, sh_j)$.

It is possible to show that the Probabilistic 2-MVCS satisfies Definition 5. More precisely:

Theorem 3. *The Probabilistic 2 -MVCS construction realizes a probabilistic 2-MVCS.*

3.3 GESS: Definition

At this point, we recall the definition of a GESS scheme given in [26]. Let us define a *selector* v as a pair of bits, that is $v \in V^2 = \{0, 1\} \times \{0, 1\}$. A *selection function* Sel takes as input a pair of pairs and a selector, and selects one element from each of the two pairs, according to the selector, i.e., $Sel: (((a_0, a_1), (b_0, b_1)), (v_1, v_2)) \rightarrow (a_{v_1}, b_{v_2})$.

Given a gate G and a selector $v = (v_1, v_2)$, we denote with $G(v)$ the output of gate G on input (v_1, v_2) .

Definition 6. *A gate evaluation secret sharing scheme for gate G is a pair of algorithms (Shr, Rec) such that*

- *Shr* is a probabilistic algorithm which takes as input two secrets $s_0 \in S$ and $s_1 \in S$ and outputs a tuple (t_1, t_2) where each t_i , for $i = 1, 2$, consists of two shares, i.e., $t_1 = (sh_{1,0}, sh_{1,1})$ and $t_2 = (sh_{2,0}, sh_{2,1})$
- *Rec* is a deterministic algorithm which takes as input two shares and outputs $s \in S$ or \perp

satisfying the following conditions:

- **Correctness:** For each $s_0 \in S$ and $s_1 \in S$, and for any selector $v \in V^2$, it holds that $Rec(Sel(Shr(s_0, s_1), v)) = s_{G(v)}$.
- **Privacy:** There exists a PPT algorithm *Sim* such that, for each $s_0 \in S$ and $s_1 \in S$, and for any selector $v \in V^2$, it holds that $Sim(s_{G(v)}) \stackrel{p}{=} Sel(Shr(s_0, s_1), v)$.

3.4 A General Construction for *GESS*

A *GESS* for a gate G ($GESS_G$, for short) can be implemented by using a 2-*MSSS* $\Sigma = (Shr_\Sigma, Rec_\Sigma)$. More precisely, we use two instances of Σ for a set of parties $\mathcal{P} = \{1, 2, 3\}$, denoted with the letters A and B to simplify the presentation⁷. Instance $A = (Shr_A, Rec_A)$ and instance $B = (Shr_B, Rec_B)$, with $Shr_A = Shr_B = Shr_\Sigma$ and $Rec_A = Rec_B = Rec_\Sigma$, have secret domains $S_1 = S_2 = \{s_0, s_1\}$, and both of them realize the pair of access structures defined by $\mathcal{A}_1 = \{\{1, 2\}\}$, $\mathcal{F}_1 = \{\{1\}, \{2\}, \{3\}\}$ and $\mathcal{A}_2 = \{\{1, 3\}\}$, $\mathcal{F}_2 = \{\{1\}, \{2\}, \{3\}\}$.

The construction is given in Table 1. In step 1, the two instances of Σ provide shares which reconstruct $s_{G(0,0)}$ and $s_{G(0,1)}$ (instance A) and $s_{G(1,0)}$ and $s_{G(1,1)}$ (instance B). Then, in step 2 the shares of A and B are viewed as sub-shares, and are rearranged and concatenated in order to construct shares which reproduce the functionality implemented by G . The random permutation bit b is used to hide the correspondence first-part/second-part of the share associated to the right wire and the secret which is reconstructed. Finally, in step 3, the shares for the wires of G are given in output.

Notice that the construction generalizes the construction given in [26]. Indeed, Kolesnikov's construction is a special case, where, assuming that the secrets s_0, s_1 are n -bit strings and R_0 and R_1 are also n -bit strings, chosen uniformly at random, the shares produced by the two instances of the 2-*MSSS* are $sh_1^A = R_0, sh_2^A = s_{G(0,0)} \oplus R_0, sh_3^A = s_{G(0,1)} \oplus R_0$, and $sh_1^B = R_1, sh_2^B = s_{G(1,0)} \oplus R_1, sh_3^B = s_{G(1,1)} \oplus R_1$, where R_0 and R_1 is the fresh randomness used by A and B , respectively, and the $Rec(\cdot, \cdot)$ function is the \oplus (**xor**) function.

We show now that the general construction for $GESS_G$ satisfies Definition 6. More precisely:

Theorem 4. *The GenGESS construction realizes a $GESS_G$.*

⁷ We stress that the scheme is the same, and it is used twice with independent and fresh randomness.

Table 1. General construction for a GESS scheme with a multi-secret sharing scheme.

GenGESS	
<p>$Shr(s_0, s_1)$</p> <ol style="list-style-type: none"> Run $Shr_A(s_0, s_1)$ and $Shr_B(s_0, s_1)$. Let the shares and the possible reconstructed secrets be denoted as follows: $\begin{array}{c cc} MSSS\ scheme & Shr_{\Sigma}(s_0, s_1) & Rec_{\Sigma}(sh_1^X, sh_2^X) \quad Rec_{\Sigma}(sh_1^X, sh_3^X) \\ A & sh_1^A, sh_2^A, sh_3^A & s_{G(0,0)} \quad s_{G(0,1)} \\ B & sh_1^B, sh_2^B, sh_3^B & s_{G(1,0)} \quad s_{G(1,1)} \end{array}$ Choose uniformly at random a <i>permutation bit</i> $b \in \{0, 1\}$ and, denoting with $$ the <i>concatenation</i> operator, constructs shares $sh_{1,0}$ and $sh_{1,1}$ for the left wire of G, and $sh_{2,0}$ and $sh_{2,1}$ for the right wire, as follows: $\begin{array}{c cc} \text{left wire} & \text{right wire (if } b = 0) & \text{right wire (if } b = 1) \\ sh_{1,0} = b sh_1^A & sh_{2,0} = sh_2^A sh_2^B & sh_{2,0} = sh_2^B sh_2^A \\ sh_{1,1} = \bar{b} sh_1^B & sh_{2,1} = sh_3^A sh_3^B & sh_{2,1} = sh_3^B sh_3^A \end{array}$ Output $((sh_{1,0}, sh_{1,1}), (sh_{2,0}, sh_{2,1}))$ 	
<p>$Rec(c sh_{\alpha}, sh_{\beta} sh_{\gamma})$</p> <ul style="list-style-type: none"> If $c = 0$ then output $Rec_{\Sigma}(sh_{\alpha}, sh_{\beta})$; else output $Rec_{\Sigma}(sh_{\alpha}, sh_{\gamma})$. 	

3.5 Visual GESS

Visual gate evaluation secret sharing schemes (VGESS, for short) are a visual realization of a GESS scheme. More precisely, we state the following:

Definition 7. A *visual gate evaluation secret sharing scheme for gate G* (VGESS $_G$, for short) is a pair of algorithms (Shr, Rec) such that

- Shr is a probabilistic algorithm which takes in input two secret images $I_0 \in S$ and $I_1 \in S$ and outputs a tuple (t_1, t_2) where each t_i , for $i = 1, 2$, consists of two visual shares, i.e., $t_1 = (sh_{1,0}, sh_{1,1})$ and $t_2 = (sh_{2,0}, sh_{2,1})$
- Rec is the deterministic algorithm $\text{Sup}(\cdot, \cdot)$ which superposes a pair of shares.

satisfying the following conditions:

- Correctness:** For each $I_0 \in S$ and $I_1 \in S$, and for any selector $v \in V^2$, it holds that, for each pixel position (i, j) , if $I_{G(v)}(i, j) = \bullet$, then $\text{Sup}(\text{Sel}((Shr(I_0, I_1), v))(i, j)) = \bullet$, and if $I_{G(v)}(i, j) = \circ$, then $\text{pr}[\text{Sup}(\text{Sel}((Shr(I_0, I_1), v))(i, j)) = \circ] > 0$.
- Privacy:** There exists a PPT algorithm Sim such that, for each $I_0 \in S$ and $I_1 \in S$, and for any selector $v \in V^2$, it holds that $\text{Sim}(s_{G(v)}) \stackrel{p}{\equiv} \text{Sel}(Shr(s_0, s_1), v)$.

It is possible to check that the general construction for GESS_G , based on a multi-secret sharing scheme, realizes a VGESS_G if the multi-secret sharing scheme therein used is substituted with a visual multi-secret sharing scheme. Indeed, the following result holds:

Corollary 1. *The GenGESS construction for a gate G realizes a VGESS_G if the 2-MSSS is instanced with the Probabilistic 2-MVCS.*

4 A Visual Two-Party Protocol

In this section we describe our visual two-party protocol. We start by showing how to realize a physical oblivious transfer and then we provide a full specification of the protocol.

4.1 Physical Oblivious Transfer

The 1-out-of-2 oblivious transfer (1-out-of-2-OT, for short) functionality [18] is an extensively studied cryptographic primitive, which plays a key-role in secure computation. Several implementations under general assumptions (e.g., enhanced trapdoor permutations) and specific assumptions (e.g., factoring, discrete-log assumption) are available, secure w.r.t. semi-honest and malicious adversaries, respectively. It is well known that the oblivious transfer is sufficient for secure multi-party function evaluation. Actually, the protocol we are going to propose is an *unconditionally secure reduction* of secure two-party function evaluation to 1-out-of-2-OT.

Let Alice’s secrets be n -bit strings z_0 and z_1 , let σ be Bob’s bit-choice, and let \perp denote no output. The 1-out-of-2-OT functionality is specified by $((z_0, z_1, \sigma) \rightarrow (\perp, z_\sigma))$. The construction we propose is partially inspired to the approach pursued in [10], when the voter comes out from the booth.

A Physical 1-out-of-2 OT Protocol. Let us assume that the two secrets z_0 and z_1 are represented in form of transparencies, and Alice has two *indistinguishable envelopes* which *perfectly hide* the transparency inside. Alice and Bob proceed as follows:

1. Alice puts the two secrets in the two envelopes, one in the first and one in the second, and closes both of them. She also adds to each envelope a paper post-it with number 0 and number 1, depending on the secret which is inside. Then, she hands the two envelopes to Bob.
2. Bob turns his shoulders to Alice⁸, checks that the envelopes are identical, takes the envelopes with the post-it corresponding to the secret he is interested in, removes the post-it from both envelopes, turns again in front of Alice, and

⁸ If Alice thinks that Bob has had a career as illusionist, in order to be sure that Bob does not substitute the envelope that will be destroyed with an identical but fake one, might requests that Bob shows up in swimsuit.

Table 2. V2PC protocol

V2PC Protocol
<p><i>Shares construction phase</i> (performed by Alice)</p> <ol style="list-style-type: none"> 1. Let I_0 and I_1 be two images that encode the values 0 and 1. Associate them to the output wire of the output gates. 2. For each gate G_h whose output wire ω_k has been associated to images s_0 and s_1 <ol style="list-style-type: none"> (a) Let ω_i and ω_j be the input wires, and let VGESS_{G_h} be a visual GESS realizing gate G_h (b) Run $\text{Shr}(s_0, s_1)$, where s_0 encodes 0 and s_1 encodes 1, to obtain the shares $sh_{1,0}^{G_h}, sh_{1,1}^{G_h}$, and $sh_{2,0}^{G_h}, sh_{2,1}^{G_h}$. Let $sh_{1,0}^{G_h}, sh_{1,1}^{G_h}$ be the images s_0 and s_1 associated to 0 and 1 for the wire ω_i, and let $sh_{2,0}^{G_h}, sh_{2,1}^{G_h}$ be the images s_0 and s_1 associated to 0 and 1 for the wire ω_j. 3. Output the shares associated to wires $\omega_1, \dots, \omega_n$ (Alice's input) and to $\omega_{n+1}, \dots, \omega_{2n}$ (Bob's input). <p><i>Computation phase</i> (performed by Alice and Bob)</p> <ol style="list-style-type: none"> 1. Alice hands to Bob the shares $sh_{1,x_1}^{G_1}, sh_{1,x_2}^{G_2}, \dots, sh_{1,x_n}^{G_n}$, corresponding to her input $x = x_1, \dots, x_n$, associated to wires $\omega_1, \dots, \omega_n$. 2. For every $j = 1, \dots, n$, Alice and Bob execute the 1-out-of-2 OT protocol described before in which Alice's inputs are the shares $sh_{2,0}^{G_j}, sh_{2,1}^{G_j}$, associated to wire ω_{n+j}, while Bob's input is the bit y_j of his own input $y = y_1, \dots, y_n$. 3. Bob, for $h = 1, \dots, \ell$, applies the <i>Rec</i> algorithm of the VGESS_{G_h}, and computes the circuit output value $C(x, y) = f(x, y)$. 4. Finally Bob shows the result to Alice.

inserts under Alice surveillance the remaining envelope in a paper-shredder which reduces the envelop and its content in dust⁹.

Theorem 5. *Assuming that indistinguishable envelopes which perfectly hide the transparency inside can be used, then the Physical 1-out-of-2 OT protocol realizes a physical perfectly secure 1-out-of-2-OT.*

4.2 Our Visual Two-Party Protocol

The protocol is the same reduction of secure function evaluation to 1-out-of-2 OT given via Construction 1 in [26], but with VGESSs instead of GESSs.

V2PC Protocol. Let $f : \{0, 1\}^n \times \{0, 1\}^n \rightarrow \{0, 1\}^m$ be the target functionality and let $C(\cdot, \cdot)$ be a boolean circuit that computes $f(\cdot, \cdot)$, i.e., $C(\cdot, \cdot)$ is such that, for all inputs $x, y \in \{0, 1\}^n$, it outputs $C(x, y) = f(x, y)$. Let us also assume

⁹ An alternative could be that the envelope is burned in front of Alice. The key-property that need to be satisfied is that the physical process should be irreversible, the secret cannot be even partially recovered.

that the circuit is composed of q wires, labeled uniquely with $\omega_1, \dots, \omega_q$, $2n$ of which are *input wires*, say $\omega_1, \dots, \omega_{2n}$, and m of which are *output wires*, and ℓ gates, represented for $h = 1, \dots, \ell$ by functions $G_h : \{0, 1\} \times \{0, 1\} \rightarrow \{0, 1\}$. No circuit-output wire is also a gate-input wire. Along the same line of the original Yao’s protocol, the description can be split in two phases: (i) shares construction phase, and (ii) interactive computation phase, described in Table 2.

At this point, we have all the elements needed to state and prove the following result:

Theorem 6. *Let $f : \{0, 1\}^n \times \{0, 1\}^n \rightarrow \{0, 1\}^m$ be a boolean function, and let $C(\cdot, \cdot)$ be a boolean circuit that computes $f(\cdot, \cdot)$, i.e., $C(\cdot, \cdot)$ is such that, for all inputs $x, y \in \{0, 1\}^n$, it holds that $C(x, y) = f(x, y)$. Then, assuming indistinguishable envelopes can be used, the V2PC protocol computes f in a perfectly secure way, in presence of a static semi-honest adversary.*

4.3 Efficiency and Implementation Details

Two observations need to be done in order to use the V2PC Protocol.

First of all, notice that in the V2PC Protocol the size of the shares associated to the right wire input gate, doubles at each level of the circuit. However, as shown in [26], it is the best that can be done in a perfectly secure reduction of secure function evaluation to OT which uses GESS schemes. It follows that the construction can be used in real-world applications only for small-depth circuits. Notice that the choice of using probabilistic visual cryptography schemes has been done to avoid further increase in the size of the shares. Indeed, the use of deterministic visual cryptography would have lead to an exponential extra factor in the increase of the size.

Then, notice that the correctness property of the VGESS definition 7 requires that the black area of the secret image will be reconstructed (deterministically) with black pixels, while the white area will be reconstructed, with some probability, with at least one white pixel. The rationale behind the definition is that in the reconstruction phase we will have to be able to visually distinguish the final output value of the function. The *quality* of the reconstructed image heavily depends on the depth of the circuit. Indeed, the more levels are in the circuit, the more image superpositions have to be performed. For each intermediate image reconstruction, the number of black pixels in the output can only increase. Thus, the size of the image that we use to encode the values of the output (0 and 1), must be sufficiently large in order to guarantee that the reconstruction of the output will have, with some probability, at least one white pixel in the white area of the original secret image. More specifically, denoting with d the depth of the circuit, we have that the probability that a specific pixel in the reconstructed white area is white is equal to $(\frac{1}{2})^d$. Assume that our secret image is defined by a matrix of $t \times t$ pixels and that our representation encodes the bit values, 0 and 1, as depicted in Fig. 2. The secret white area consists of $t^2/2$ pixels. Hence, the condition that we seek is that $\frac{1}{2^d} \gg \frac{1}{t^2/2}$, which implies $t \gg \sqrt{2^{d+1}}$. In the example which follows, where $d = 2$, we have chosen $t = 8$.

5 A Simple Example

In this section we provide a simple example of application of the proposed method. The secret function is

$$f((x_1, x_2), (y_1, y_2)) = (x_1 \text{ and } y_1) \text{ or } (x_2 \text{ and } y_2)$$

where (x_1, x_2) is the private input of Alice and (y_1, y_2) is the private input of Bob, with x_1, x_2, y_1 and y_2 being bits.




Fig. 2. Bit representations: bit value, $\text{Image}(0)$ and $\text{Image}(1)$, and permutation bit, prepended to a blank image.

Binary values are represented as two images consisting of 8×8 pixels, more specifically we will use $\text{Image}(0)$ and $\text{Image}(1)$ shown in Fig. 2 to encode 0 and 1.

In the share construction phase of the V2PC protocol, Alice has to construct a VGESS for each gate. Alice starts from gate G_3 . Gate G_3 gives the output value of f , which can be either 0 or 1. Alice constructs the VGESS_{G_3} which uses the two 2-MVCS A and B . The shares of scheme A reconstruct the secrets $s_{G_3(0,0)}$, $s_{G_3(0,1)}$, and those of scheme B reconstruct $s_{G_3(1,0)}$, $s_{G_3(1,1)}$. Since G_3 is an **or** gate we have that scheme A reconstructs $\text{Image}(0)$, $\text{Image}(1)$, and scheme B $\text{Image}(1)$, $\text{Image}(1)$.

To finish up the construction of the shares for VGESS_{G_3} Alice has to choose, at random, the permutation bit b . In the example we are constructing we assume that the share of scheme A are placed on the left, so that $b = 0$ for Sh_1^A and clearly $\bar{b} = 1$ for Sh_1^B . The random bit will be visually represented as a 2-pixel image which encodes 0 as one black pixel and one white pixel and 1 as two black pixels¹⁰.

The 2-pixel image will be prepended to the share image (and will become part of the share). Figure 2 shows the permutation bit prepended to a blank share.

Figure 3 (left) shows the shares for G_3 , including the permutation bit.

Now Alice can go on and consider gate G_1 . The output of G_1 can be either $0 || Sh_1^A$ or $1 || Sh_1^B$, where the first element is the permutation bit. Hence the

¹⁰ Notice that, for the permutation bit, we are using a deterministic $(2, 2)$ -VCS with pixel expansion $m = 2$. We have used this solution for the permutation bit because, first of all it is possible to use a scheme with pixel expansion since each permutation bit propagates only from one level of the circuit to the subsequent one, and secondly because a scheme with pixel expansion allows a deterministic reconstruction.




Fig. 5. Visual circuit for the computation of f

Also for gate G_1 Alice has to choose the permutation bit that will allow the correct reconstruction. Also in this case we decided to use $b = 0$. Figure 3 (right) shows the shares for G_1 .

Finally Alice constructs the shares for G_2 . The output wire of G_2 has to be able to reconstruct either $Sh_2^A || Sh_2^B$ (when the wire value is 0) or $Sh_3^A || Sh_3^B$ (when the wire value is 1). Gate G_2 is an **and** gate, hence Alice will need to use two 2 -MVCS schemes E and F such that scheme E reconstructs $s_{G_2(0,0)} = Sh_2^A || Sh_2^B$ and $s_{G_2(0,1)} = Sh_2^A || Sh_2^B$, and scheme F reconstructs $s_{G_2(1,0)} = Sh_2^A || Sh_2^B$ and $s_{G_2(1,1)} = Sh_3^A || Sh_3^B$.

Also for gate G_2 Alice has to choose a permutation bit that will allow the correct reconstruction. In this case we decided to use $b = 1$. Figure 4 shows the shares for G_2 .




Fig. 6. An example of visual evaluation of the circuit for the computation of f for the input $((1, 0), (1, 1))$

Alice has now completed the construction phase and all the shares that she needs for the computation are the ones shown in Fig. 5. The figure shows for each input wire the shares that correspond to the values 0 and 1. For example for the left input wire of G_1 the value 0 corresponds to share Sh_1^C while the value 1 corresponds to the share Sh_1^D .

Notice that all the shares shown in the figure are known only to Alice so far. At this point Alice chooses the shares that represent the values of her input. As an example, assume that Alice’s input values are $x_1 = 0$ and $x_2 = 1$. Alice can throw away Sh_1^D and Sh_1^E and keep Sh_1^C , that represents $x_1 = 0$, and Sh_1^F , that represents $x_2 = 1$. Alice passes both shares, Sh_1^C and Sh_1^F to Bob. Then Alice and Bob run two executions of the 1-out-of-2 physical OT protocol so that Alice will pass to Bob only the shares that correspond to Bob’s input. As an example assume that Bob’s input values are $y_1 = 1$ and $y_2 = 1$. After the execution of the two 1-out-of-2 OT protocols, Bob has all the shares that correspond to his input values and can perform the visual computation of $f((1,0), (1,1))$, as depicted in Fig. 6.

6 Conclusions

Chapter 7 of [15] describes several applications of visual cryptography. In this paper we have shown a new application: every two-party computation representable by means of a boolean function $f(\cdot, \cdot)$ can be performed preserving the privacy of the inputs x and y through a pure physical visual evaluation process.

Several extensions are possible: study non-trivial extensions to cope with malicious adversaries or to the multi-party case, optimizations, use of different visual cryptography schemes in order to achieve different properties, just to name a few.

Acknowledgment. We would like to thank Alfredo De Santis for discussions and for pointing out to our attention [29], Carlo Blundo for comments on a preliminary version of this paper, and an anonymous referee for hints and suggestions.

References

1. Ateniese, G., Blundo, C., De Santis, A., Stinson, D.R.: Visual cryptography for general access structures. *Inf. Comput.* **129**(2), 86–106 (1996)
2. Beaver, D., Micali, S., Rogaway, P.: The round complexity of secure protocols. In: *Proceedings of 22nd ACM Symposium on Theory of Computing*, pp. 503–513 (1990)
3. Beimel, A.: Secret-sharing schemes: a survey. In: Chee, Y.M., Guo, Z., Ling, S., Shao, F., Tang, Y., Wang, H., Xing, C. (eds.) *IWCC 2011*. LNCS, vol. 6639, pp. 11–46. Springer, Heidelberg (2011)
4. Bellare, M., Hoang, V.T., Rogaway, P.: Garbling schemes. *Cryptology ePrint archive*, report 2012/265 (2012)

5. Bellare, M., Rogaway, P.: Robust computational secret sharing and a unified account of classical secret-sharing goals. In: Proceedings of the 14th ACM Conference on Computer and Communications Security (ACM CCS), ACM (2007)
6. Blundo, C., D'Arco, P., De Santis, A., Stinson, D.R.: Contrast optimal threshold visual cryptography schemes. *SIAM J. Discrete Math.* **16**, 224–261 (2003)
7. Boneh, D., Sahai, A., Waters, B.: Functional encryption: definitions and challenges. In: Ishai, Y. (ed.) TCC 2011. LNCS, vol. 6597, pp. 253–273. Springer, Heidelberg (2011)
8. Capocelli, R.M., De Santis, A., Gargano, L., Vaccaro, U.: On the size of shares for secret sharing schemes. In: Feigenbaum, J. (ed.) CRYPTO 1991. LNCS, vol. 576, pp. 101–113. Springer, Heidelberg (1992)
9. Canetti, R.: Security and composition of multiparty cryptographic protocols. *J. Cryptol.* **13**, 143–202 (2000)
10. Chaum, D.: Secret-Ballot receipts and transparent integrity. <http://www.vreceipt.com/article.pdf>
11. Cimato, S., De Prisco, R., De Santis, A.: Colored visual cryptography without color darkening. In: Blundo, C., Cimato, S. (eds.) SCN 2004. LNCS, vol. 3352, pp. 235–248. Springer, Heidelberg (2005)
12. Cimato, S., De Prisco, R., De Santis, A.: Optimal colored threshold visual cryptography schemes. *Des. Codes. Crypt.* **35**, 311–335 (2005)
13. Cimato, S., De Prisco, R., De Santis, A.: Probabilistic visual cryptography schemes. *Comput. J.* **49**(1), 97–107 (2006)
14. Cimato, S., De Prisco, R., De Santis, A.: Colored visual cryptography without color darkening. *Theor. Comput. Sci.* **374**(1–3), 261–276 (2007)
15. Cimato, S., Yang, C.-N. (eds.): *Visual Cryptography and Secret Image Sharing*. CRC Press, Boca Raton (2012). ISBN: 978-1-4398-3721-4
16. De Prisco, R., De Santis, A.: Using colors to improve visual cryptography for black and white images. In: Fehr, S. (ed.) ICITS 2011. LNCS, vol. 6673, pp. 182–201. Springer, Heidelberg (2011)
17. De Prisco, R., De Santis, A.: Color visual cryptography schemes for black and white secret image. *Theoretical Computer Science*. <http://dx.doi.org/10.1016/j.tcs.2013.09.005> (to appear)
18. Even, S., Goldreich, O., Lempel, A.: A randomized protocol for signing contracts. *Commun. ACM.* **28**(6), 637–647 (1985)
19. Eisen, P.A., Stinson, D.R.: Threshold visual cryptography schemes with specified whiteness levels of reconstructed pixels. *Des. Codes. Crypt.* **25**, 15–61 (2002)
20. Goldreich, O.: *Foundation Cryptography*, vol. II. MIT Press, Cambridge (2004)
21. Goldreich, O., Micali, S., Wigderson, A.: How to play any mental game. In: STOC, pp. 218–229 (1987)
22. Gennaro, R., Gentry, C., Parno, B.: Non-interactive verifiable computing: outsourcing computation to untrusted workers. In: Rabin, T. (ed.) CRYPTO 2010. LNCS, vol. 6223, pp. 465–482. Springer, Heidelberg (2010)
23. Hofmeister, T., Krause, M., Simon, H.U.: Contrast-optimal k out of n secret sharing schemes in visual cryptography. *Theor. Comput. Sci.* **240**, 471–485 (2000)
24. Kafri, O., Keren, E.: Encryption of pictures and shapes by random grids. *Opt. Lett.* **12**(6), 377–379 (1987)
25. Karnin, E., Greene, J., Hellman, M.: On secret sharing systems. *IEEE Trans. Inf. Theor.* **29**(1), 3551 (1983)
26. Kolesnikov, V.: Gate evaluation secret sharing and secure one-round two-party computation. In: Roy, B. (ed.) ASIACRYPT 2005. LNCS, vol. 3788, pp. 136–155. Springer, Heidelberg (2005)

27. Naor, M., Shamir, A.: Visual cryptography. In: De Santis, A. (ed.) EUROCRYPT 1994. LNCS, vol. 950, pp. 1–12. Springer, Heidelberg (1995)
28. Lindell, Y., Pinkas, B.: A proof of security of Yao's protocol for two-party computation. *J. Cryptology* **22**, 161–188 (2009)
29. Moran, T., Naor, M.: Basing cryptographic protocols on tamper-evident seals. *Theor. Comput. Sci.* **411**, 1283–1310 (2010)
30. Yang, C.-N.: New visual secret sharing schemes using probabilistic method. *Pattern Recogn. Lett.* **25**, 481–494 (2004)
31. Yao, A.C.: Protocols for secure computations. In: Proceedings of 23rd IEEE Symposium on Foundations of Computational Science, pp. 160–164 (1982)
32. Yao, A.C.: How to generate and exchange secrets (extended abstract). In: Proceedings of 27th IEEE Symposium on Foundations of Computational Science, pp. 162–167 (1986)

Information Theoretic Security

7th International Conference, ICITS 2013, Singapore,

November 28-30, 2013, Proceedings

Padró, C. (Ed.)

2014, XII, 259 p. 29 illus., Softcover

ISBN: 978-3-319-04267-1