

Contents

1	Introduction	1
1.1	Motivation	1
1.2	Thesis Overview	2
	References	3
2	Theoretical Background and Literature Overview	7
2.1	Reversible Addition-Fragmentation Chain Transfer Polymerization	7
2.1.1	Living Polymerization	7
2.1.2	Mechanism and Kinetics	8
2.1.3	Applicability of the Method and Reaction Conditions	12
2.1.4	Preparation of Water-Soluble Polymers via RAFT Polymerization	13
2.1.5	Complex Macromolecular Architectures via RAFT Polymerization	14
2.2	Cyclodextrins and Their Complexes	17
2.2.1	Supramolecular Chemistry	17
2.2.2	Structure and Properties of CDs	18
2.2.3	Thermodynamics and Theory of CD Inclusion Complexation	19
2.2.4	Complex Types, Common Host/Guest Pairs and Their Stability	20
2.3	Complex Macromolecular Architectures Governed by CD Complexes	23
2.3.1	Common CD Containing Building Blocks	23
2.3.2	Block Copolymers	25
2.3.3	Brush Polymers	27
2.3.4	Star Polymers	28
2.3.5	Branched Polymers and Gels	31
2.3.6	Other Architectures	33
	References	34

3	CD-Complexed RAFT Agents	45
3.1	Introduction	45
3.2	Results and Discussion	47
3.2.1	Design and Synthesis of the Chain Transfer Agents	47
3.2.2	Complexation of Chain Transfer Agents with Me- β -CD	47
3.2.3	Polymerization with Complexed Chain Transfer Agents	51
3.3	Conclusions	62
3.4	Experimental Part	63
3.4.1	Synthesis of 4-(tert-butyl)phenyl 2-(((ethylthio)carbonothioyl)thio)-2-methylpropanoate (1)	63
3.4.2	Synthesis of bis(4-(tert-butyl)benzyl)carbonotrithioate (2)	64
3.4.3	Synthesis of 3-bromo-N-(4-(tert-butyl)phenyl)propanamide (4)	64
3.4.4	Synthesis of benzyl (3-((4-(tert-butyl)phenyl)amino)-3-oxopropyl) carbonotrithioate (3)	65
3.4.5	Exemplary Procedure for the Polymerization of DMAAm	65
3.4.6	Exemplary Procedure for the Chain Extension of PDMAAm	66
3.4.7	Exemplary Procedure for Kinetic Measurements of DMAAm	66
3.4.8	Exemplary Procedure for the Polymerization of DEAAm	67
3.4.9	Exemplary Procedure for Kinetic Measurements of the Polymerization of DEAAm	68
3.4.10	Exemplary Procedure for the Polymerization of NIPAAm	68
3.4.11	Exemplary Procedure for the Chain Extension of PNIPAAm	69
3.4.12	Exemplary Procedure for Kinetic Measurements of the Polymerization of NIPAAm	69
	References	69
4	Supramolecular ABA Triblock Copolymers	73
4.1	Introduction	73
4.2	Results and Discussion	75
4.2.1	Synthesis of the Building Blocks	75
4.2.2	Formation of ABA Triblock Copolymers via Self-Assembly	80
4.2.3	Investigations of the Stimuli-Responsive Behavior	83

4.3	Conclusions	88
4.4	Experimental Part	89
4.4.1	Synthesis of 6-(adamantan-1-ylamino)-6-oxohexyl 2- (((3-((6-(adamantan-1-ylamino)-6-oxohexyl)oxy)-3- oxopropyl)thio)carbonothioyl)thio)-2- methylpropanoate (5)	89
4.4.2	Synthesis of bis(6-(4-(phenyldiazenyl)phenoxy) hexyl) 2,2'-(thiocarbonylbis(sulfanediyl))bis (2-methylpropanoate) (6)	90
4.4.3	Synthesis of prop-2-yn-1-yl 4-cyano-4-((ethylthio) carbonothioyl)thio)pentanoate (7)	90
4.4.4	Exemplary Procedure for the RAFT Polymerization of DEAAm	91
4.4.5	Exemplary Procedure for the RAFT Polymerization of HPMA	91
4.4.6	Exemplary Click-Reaction of Alkyne-Functionalized PHPMA with β -CD- N_3	92
4.4.7	Exemplary Supramolecular ABA Block Copolymer-Formation via CD/Guest Interaction	92
	References	92
5	Supramolecular Three Armed Star Polymers	95
5.1	Introduction	95
5.2	Results and Discussion.	97
5.2.1	Synthesis and Characterization of the Building Blocks	97
5.2.2	Star Polymer Formation: Investigations Using Light Scattering.	99
5.2.3	Investigations of the Self-Assembly via ROESY	105
5.3	Conclusions	105
5.4	Experimental Part	106
5.4.1	Synthesis of 6-(Adamantan-1-ylamino)-6- oxohexyl 2-((ethylthio)carbonothioyl)thio)-2- methylpropanoate (10)	106
5.4.2	Synthesis of N,N,N-(Tris-1-(mono-(6-desoxy)- β -CD)-1 H-1,2,3-triazol-4-yl)methanamine (β -CD $_3$)	106
5.4.3	Exemplary Procedure for the RAFT Polymerization.	107
5.4.4	Exemplary Procedure for the Self-Assembly of the Adamantyl-Functionalized PDMAAm with β -CD $_3$	107
5.4.5	Preparation for Dynamic Light Scattering Experiments	107
	References	108

6. AB₂ Miktoarm Star Polymers.	111
6.1 Introduction	111
6.2 Results and Discussion.	112
6.2.1 Synthesis of the Building Blocks.	112
6.2.2 Characterization of the Supramolecular Miktoarm Star Polymer	116
6.3 Conclusions	122
6.4 Experimental Part	122
6.4.1 Synthesis of 6-(Adamantan-1-ylamino)-6-oxohexyl- 2,2,5-trimethyl-1,3-dioxane-5-carboxylate (14)	122
6.4.2 Synthesis of 6-(Adamantan-1-ylamino)-6- oxohexyl 3-hydroxy-2-(hydroxymethyl)-2- methylpropanoate (15)	123
6.4.3 Synthesis of 2-(((6-(Adamantan-1-ylamino)-6- oxohexyl)oxy)carbonyl)-2-methylpropane-1,3- diyl bis(2-((ethylthio)carbonothioyl)thio)-2- methylpropanoate (11)	123
6.4.4 Synthesis of prop-2-yn-1-yl 2-((ethylthio) carbonothioyl)thio)-2-methylpropanoate (12).	124
6.4.5 Exemplary Synthesis of Mid-Chain Adamantyl- Functionalized PDMAAm.	124
6.4.6 Exemplary Synthesis of Alkyne-Functionalized PDEAAm	125
6.4.7 Exemplary Click-Reaction of Alkyne-Functionalized PDEAAm with β -CD-N ₃	125
6.4.8 Exemplary Supramolecular Miktoarm Star Polymer-Formation via CD/Guest Interaction	125
References	126
7 Modulation of the Thermoresponsivity of PDEAAm via CD Addition.	129
7.1 Introduction	129
7.2 Results and Discussion.	130
7.2.1 Synthesis of Guest Endfunctionalized PDEAAm	130
7.2.2 Turbidimetric Measurements: Influence of Guest Groups, Chain Length and CD/Endgroup Ratio.	132
7.2.3 Reversal of the Effect via External Stimuli.	136
7.3 Conclusions	138
7.4 Experimental Part	139
7.4.1 Synthesis of 6-(4-(phenyldiazenyl)phenoxy)hexyl 2-((ethylthio)carbonothioyl)thio)-2- methylpropanoate (16)	139
References	141

8 Conclusions and Outlook	143
9 Experimental Part	147
9.1 Materials	147
9.2 Additional Experimental Procedures	148
9.2.1 Synthesis of Mono-(6-O-(p-toluenesulfonyl))- β -CD (18).	148
9.2.2 Synthesis of Mono-(6-azido-6-desoxy)- β -CD (β -CD- N_3)	149
9.2.3 Synthesis of 2-(((Ethylthio)carbonothioyl)thio)- 2-methylpropanoic Acid (EMP).	149
9.2.4 Synthesis of 2-(((2-Carboxyethyl)thio)carbonothioyl) thio)-2-methylpropanoic Acid (CEMP).	150
9.2.5 Synthesis of 2-(1-Carboxy-1-methylethylsulfanylthio- carbonylsulfanyl)-2-methylpropionic Acid (CMP)	150
9.2.6 Synthesis of 4-Cyano-4-(((ethylthio)carbonothioyl) thio)pentanoate (CEP)	151
9.2.7 Synthesis of N-(Adamantan-1-yl)-6- hydroxyhexanamide (8)	151
9.2.8 Synthesis of N-(2-Hydroxypropyl)methacrylamide (HPMA)	152
9.2.9 Synthesis of 6-(4-(Phenyldiazenyl)phenoxy) hexan-1-ol (9)	152
9.3 Characterization and Methods	153
References	155
Appendix A: CD-Complexed RAFT Agents (Appendix to Chapter 3)	157
Appendix B: Supramolecular ABA Triblock Copolymers (Appendix to Chapter 4)	167
Appendix C: Supramolecular Three Armed Star Polymers (Appendix to Chapter 5)	181
Appendix D: AB₂ Miktoarm Star Polymers (Appendix to Chapter 6)	187
Appendix E: Modulation of the Thermoresponsivity of PDEAAm via CD Addition (Appendix to Chapter 7)	193
Curriculum Vitae	197
Publications and Conference Contributions	199

Novel Macromolecular Architectures via a Combination
of Cyclodextrin Host/Guest Complexation and RAFT
Polymerization

Schmidt, B.V.K.J.

2014, XXIII, 202 p. 109 illus., 21 illus. in color.,

Hardcover

ISBN: 978-3-319-06076-7