

Contents

1	Introduction and Background	1
1.1	Comparison Between Hyperbranched Polymers and Their Linear Analogues	1
1.2	What is a “Perfect” Hyperbranched Structure?	2
1.3	Structural Defects of the Resultant Hyperbranched Structures Prepared by Previous Synthetic Methods	2
1.4	Existing Important Issues for the Study on Hyperbranched Polymers	4
1.4.1	Difficulty in the Preparation of “Perfect” Hyperbranched Samples	4
1.4.2	Does Hyperbranched Structure Still Hold the Fractal Nature?	4
1.4.3	Hyperbranched Structure-Dependent Solution Properties	6
	References	8
2	Our Main Goals	11
3	Seesaw-Type Macromonomer Strategy: A Versatile Approach for the Preparation of “Perfect” Hyperbranched Polymers	13
3.1	Comparison Between Seesaw-Type Macromonomer Strategy and Other Synthetic Strategies	13
3.2	Preparation of Seesaw-Type Macromonomers by Controlled/Living Polymerization	14
3.2.1	Preparation of Seesaw-Type Macromonomer Homopolymers	14
3.2.2	Preparation of Seesaw-Type Macromonomer Triblock Comopolymers	19
3.2.3	Preparation of Seesaw-Type Macromonomer Diblock Comopolymers	21
3.2.4	Preparation of Seesaw-Type Macromonomer Homopolymers with Clevable Disulfide Linkage	25
	References	30

4 Preparation of “Perfect” Hyperbranched Homopolymers and Copolymers by “Click” Chemistry	33
4.1 Preparation of Hyperbranched Polystyrene Homopolymers	33
4.2 Preparation of Hyperbranched Block Copolymers	41
4.3 Preparation of Hyperbranched Graft Copolymers	43
4.4 Preparation of Hyperbranched Hetero-subchain Copolymers	48
4.5 Preparation of Degradable Hyperbranched Polystyrene Homopolymers with Cleavable Disulfide Linkages	50
References	53
5 Solution Properties of “Perfect” Hyperbranched Homopolymers and Copolymers	55
5.1 Fractal Property of “Perfect” Hyperbranched Chains: Scaling Laws of Sizes and Intrinsic Viscosities	55
5.1.1 Theoretical Background	55
5.1.2 Experimental Result	57
5.2 Deformation Property of “Perfect” Hyperbranched Chains: How Do They Pass through a Cylindrical Pore?	63
5.2.1 Unified Theoretical Description of Polymer Chains with Different Topologies Passing Through a Nanopore	64
5.2.2 Experimental Result	67
5.3 Solution Properties of Amphiphilic Hyperbranched Copolymer Chains in Dilute and Semidilute Solutions	75
5.3.1 Solution Properties of Hyperbranched Block Copolymer Hyper-(PtBA-PS-PtBA) _n and Hyper-(PAA-PS-PAA) _n	75
5.3.2 Solution Properties of Hyperbranched Graft Copolymer HB-(PAA ₇₈) _n -g-(PS ₁₀) _{n+1}	82
5.4 Crystallization Property of Hyperbranched Hetero-subchain Copolymer HB-(PS- <i>b</i> -PCL) _n	91
5.5 Degradation Property of Degradable Hyperbranched Chains with Cleavable Disulfide Linkages	94
References	100
6 Conclusion	103
7 Experimental Part	107
7.1 Materials	107
7.2 Experimental Details About Hyperbranched Polystyrene Homopolymers	108
7.2.1 Synthesis of Macromonomers and Hyperbranched Polymers	108
7.2.2 Characterization	110

7.3	Experimental Details About Hyperbranched Block Copolymers. . . .	113
7.3.1	Synthesis of Macromonomers and Hyperbranched Polymers.	113
7.3.2	Characterization	115
7.4	Experimental Details About Hyperbranched Graft Copolymers	117
7.4.1	Synthesis of Macromonomers and Hyperbranched Polymers.	117
7.4.2	Characterization	120
7.5	Experimental Details About Hyperbranched Hetero-Subchain Copolymers	121
7.5.1	Synthesis of Macromonomers and Hyperbranched Polymers.	121
7.5.2	Characterization	123
7.6	Experimental Details About Degradable Hyperbranched Homopolymers with Clevable Disulfide Linkages.	124
7.6.1	Synthesis of Macromonomers and Hyperbranched Polymers.	124
7.6.2	Characterization	128

Studies on "Perfect" Hyperbranched Chains Free in
Solution and Confined in a Cylindrical Pore

Li, L.

2014, XIII, 128 p. 111 illus., 26 illus. in color., Hardcover

ISBN: 978-3-319-06096-5