

Contents

1	Introduction	1
1.1	Classification of Electronic Structure Based on the Diradical Character	1
1.2	Diradical Character Based Design Principles for Nonlinear Optical Properties and Singlet Fission	3
	References	6
2	Electronic Structures of Symmetric Diradical Systems	9
2.1	Symmetric Diradical Model Using the Valence Configuration Interaction Method	9
2.2	Diradical Character of Symmetric Systems	14
2.2.1	Diradical Character in the VCI Model	14
2.2.2	Diradical Character in the Spin-Unrestricted Single Determinant Formalism with Spin-Projection Scheme	17
2.3	Diradical Character Dependences of Excitation Energies and Transition Properties	21
	References	26
3	Electronic Structures of Asymmetric Diradical Systems	27
3.1	Asymmetric Diradical Model Using the Valence Configuration Interaction Method	27
3.2	Asymmetry (r_h) Dependences of the Neutral and Ionic Configurations as well as of the Diradical Character	32
3.3	Asymmetry (r_h) Dependences of the Excitation Energies and Excitation Properties for Different Pseudo Diradical Characters y_S	37
	References	41
4	Diradical Character View of (Non)Linear Optical Properties	43
4.1	(Non)Linear Optical Properties: (Hyper)Polarizabilities	43
4.2	Second Hyperpolarizability (γ) for Symmetric Systems	47

4.3	One-Photon Absorption for Symmetric Systems	52
4.4	Two-Photon Absorption for Symmetric Systems	53
4.5	First Hyperpolarizability (β) for Asymmetric Systems	57
4.6	Second Hyperpolarizability (γ) for Asymmetric Systems	59
4.7	Second Hyperpolarizability (γ) for Multiradical Systems	63
4.7.1	Linear H ₄ Model, Multiple Diradical Character, and Virtual Excitation Processes in the Perturbative Expression of γ	64
4.7.2	Effect of the Interatomic Distances on γ	65
4.7.3	Effect of the Diradical Characters on γ	65
4.8	Examples of Open-Shell Singlet Molecular Systems	69
	References	76
5	Diradical Character View of Singlet Fission	79
5.1	Singlet Fission	79
5.1.1	Singlet Fission from the Viewpoint of Photoelectric Conversion.	79
5.1.2	Kinetic Scheme of Singlet Fission.	81
5.1.3	Molecular Design Guidelines: Energy Level Matching Conditions	87
5.2	Diradical Character View of Singlet Fission Based on H ₄ Model	91
5.2.1	Introduction	91
5.2.2	H ₄ Model.	91
5.2.3	Relationship between Multiple Diradical Character and Excitation Energies in H ₄ Model	93
5.2.4	Diradical Character Based Molecular Design Guideline for Singlet Fission	97
5.3	[<i>n</i>]Acenes and [<i>n</i>]Phenacenes	102
5.3.1	Introduction	102
5.3.2	Analytical Relationship between Energy Matching Condition and Diradical Character	104
5.3.3	Computational Details	106
5.3.4	Difference in Excitation Energies between [<i>n</i>]Acenes and [<i>n</i>]Phenacenes	107
5.3.5	Summary	110
	References	111
6	Summary and Future Prospects	113
	References	116
	Index	117

Excitation Energies and Properties of Open-Shell
Singlet Molecules
Applications to a New Class of Molecules for Nonlinear
Optics and Singlet Fission
Nakano, M.
2014, XII, 121 p. 54 illus., 28 illus. in color., Softcover
ISBN: 978-3-319-08119-9