

Contents

1	Introduction	1
	References	2
2	Clogging of Recirculating Nuclear Steam Generators	3
2.1	Pressurised Water Reactor Power Plants	3
2.2	Functioning of Recirculating Steam Generator	5
2.3	Physical Measurement Near the Steam Generator	7
2.3.1	Steam Generator Water Level Measurement	7
2.4	Steam Generators Degradation by Iron Oxides Deposition	8
2.4.1	Tube Support Plate Clogging	9
2.4.2	Maintenance and Remediation Operations	11
	References	12
3	State of the Art of Clogging Diagnosis	15
3.1	Visual Inspection of Uppermost Tube Support Plate	15
3.1.1	Uncertainty	16
3.1.2	Equivalent Uniform Clogging Ratio	17
3.2	Eddy Current Probes	19
3.3	Wide Range Level Monitoring in Stationary Regime	19
3.4	Analysis of the Dynamic Response of the Wide Range Level	20
3.4.1	Selecting a Transient: The RGL 4 Scheduled Test	20
3.4.2	Arbitrary Profile Diagnosis Method	21
3.4.3	Choice of a Family of Clogging Configurations	22
	References	23

4	Steam Generator Physical Model	25
4.1	Model Structure.	25
4.2	Single-phase Flow: Primary Fluid Modeling	26
4.2.1	Balance Equations for the Single-phase Flow	27
4.2.2	Practical Set of Balance Equations for the Single-phase Flow	28
4.2.3	Constitutive Equation for Single-phase Flow	29
4.3	Two-phase Flow: Secondary Fluid Modeling	30
4.3.1	Averaging Operators	31
4.3.2	Void Fraction, Quality and Phases Velocity Ratio.	32
4.3.3	Balance Equations for the Two-phase Flow	33
4.3.4	Constitutive Equations for the Two-phase Flow	36
4.4	Tube Support Plates.	40
	References	40
5	Sensitivity Analysis	43
5.1	Choice of Sensitivity Analysis Technique.	43
5.2	Sobol' Indices	44
5.2.1	ANOVA Decomposition	45
5.2.2	Computation of Sobol' Indices	46
5.3	Sensitivity Analysis of a Functional Output	48
5.3.1	Principal Component Analysis	48
	References	49
6	Sliced Inverse Regression	51
6.1	General Principle of Sliced Inverse Regression	51
6.1.1	Inverse Regression Curve.	52
6.2	Algorithm of Sliced Inverse Regression	53
6.2.1	Determination of the Projection Subspace Dimension	54
6.2.2	A Remark on Input Sampling.	55
	References	56
7	Statistical Analysis of the Physical Model	59
7.1	Preprocessing of the Wide Range Level Responses	59
7.2	Sequential Sensitivity Analysis	60
7.3	Dimension Reduction of the Output.	62
7.3.1	Principal Components of a Simulation Sample	64
7.3.2	Principal Components of Sample of Measured Responses	65
7.3.3	Looking Back at the Pre-processing	66
7.4	Sensitivity Analysis of the Reduced Dimension Output	66

7.5	Dimension Reduction of the Model Input	68
7.5.1	Dimension of the Effective Dimension Reduction Subspace	69
7.5.2	Effective Dimension Reduction Directions	70
7.5.3	Correlation Between the New Input and Output Variables	71
	References	74
8	New Diagnosis Method	75
8.1	Conditioning the Diagnosis	75
8.2	Definition of a New Clogging Indicator	76
8.3	Application of the New Diagnosis Method	78
	References	92
9	Synthesis and Usage Recommendation	93
9.1	Synthesis of the Method Elaboration	93
9.2	Usage Recommendations and Improvement Perspectives	94
	References	95
	Appendix: Characteristics of the Type 51B Steam Generator	97

Physical and Statistical Models for Steam Generator
Clogging Diagnosis

Girard, S.

2014, IX, 97 p. 76 illus., 42 illus. in color., Softcover

ISBN: 978-3-319-09320-8