

Contents

- 1 Introduction** 1
 - 1.1 Today’s Power Grid 1
 - 1.2 Drivers and Objectives of the Smart Grid 2
 - 1.3 Communications for the Smart Grid 8
 - 1.3.1 SGCN: Characteristics, Requirements, Challenges 8
 - 1.3.2 Smart Meters 11
 - 1.4 Structure of This Brief 13
 - References 14
- 2 Smart Grid Communications Network (SGCN)**..... 15
 - 2.1 Overall Architecture of the SGCN 15
 - 2.1.1 Premises Network 15
 - 2.1.2 Neighbor Area Network (NAN) 17
 - 2.1.3 Field Area Network (FAN) 17
 - 2.1.4 Wide Area Network (WAN) 18
 - 2.1.5 Interconnection of Network Segments 18
 - 2.2 Standards in the SGCN 18
 - 2.2.1 IEEE Standards 19
 - 2.2.2 NIST Standards 21
 - 2.3 QoS Requirements in the SGCN 23
 - 2.3.1 Home and AMI Networks 23
 - 2.3.2 Substation Networks 26
 - 2.3.3 Distribution Network 27
 - References 29
- 3 Wireless Communications Technologies for the SGCN**..... 31
 - 3.1 Brief Overview of Communications Technologies for the SGCN 31
 - 3.2 Short-Range Radios 33
 - 3.2.1 IEEE 802.15.1/Bluetooth 33

3.2.2	Bluetooth Low Energy (BLE)	33
3.2.3	Near-Field Communication (NFC)	34
3.3	Low-Rate Wireless Personal Area Networks (LR-WPANs)	34
3.3.1	IEEE 802.15.4	34
3.3.2	ZigBee	35
3.3.3	IEEE 802.15.4g	35
3.3.4	WirelessHART	36
3.3.5	6LoWPAN	36
3.3.6	Z-Wave	37
3.4	Wireless High-Speed LANs	37
3.4.1	IEEE 802.11 Infrastructured WiFi	37
3.4.2	IEEE 802.11 WiFi Mesh	38
3.5	Wireless MANs/WANs	39
3.5.1	IEEE 802.11 Municipal/City-Wide WiFi Mesh	39
3.5.2	Cellular Networks	39
3.5.3	IEEE 802.16/WiMAX	40
3.5.4	Satellite Communications	41
3.6	Candidate Wireless Technologies for SGCN Implementation	43
3.6.1	Wireless Technologies for HANs	43
3.6.2	Wireless Technologies for NANs	44
3.6.3	Wireless Technologies for WANs	45
3.7	A Typical Implementation of the SGCN	47
3.7.1	Network Architecture	47
3.7.2	Protocol Architecture	48
	References	49
4	Wireless Routing Protocols for NANs	51
4.1	Routing in Wireless Networks	51
4.1.1	Wireless Routing Protocol Classification	51
4.1.2	Flooding-Based Protocols	52
4.1.3	Cluster-Based Protocols	52
4.1.4	Geographic Protocols	53
4.1.5	Self-Organizing Coordinate Protocols	54
4.2	Routing in NANs	54
4.3	GPSR Protocol for NAN	58
4.3.1	Detailed Description	58
4.3.2	Advantages and Disadvantages	60
4.4	RPL Protocol for NAN	61
4.4.1	Detailed Description	61
4.4.2	Advantages and Disadvantages	63
4.5	Proactive Parent Switching for RPL	64
4.5.1	A Review on Global and Local Repair	64
4.5.2	Proactive Parent Switching (PPS)	65
4.5.3	Parameter Selection for PPS	67
	References	67

5	Performance and Feasibility of GPSR and RPL in NANs	71
5.1	Simulation Setup	71
5.1.1	Network Topology and SM Placement	71
5.1.2	Wireless Channel Model	72
5.1.3	PHY and MAC Layer Specifications	73
5.1.4	Traffic Model	74
5.2	Performance Metrics	75
5.2.1	Packet Transmission Delay	75
5.2.2	Packet Delivery Ratio (PDR)	76
5.3	Simulation Results and Discussions	76
5.3.1	Network Performance Without Node Failure	78
5.3.2	Network Performance with Node Failures	90
5.4	Discussions	96
	References	97
6	SGCN: Further Aspects and Issues	99
6.1	Cyber Security	99
6.2	QoS Differentiation and Provisioning	100
6.3	Network Coding	101
6.4	Machine-to-Machine Communications	102
6.5	Cloud Computing	103
6.6	Software-Defined Networking and Network Virtualization	104
6.7	Smart Grids and Smart Cities	106
	References	107

Wireless Communications Networks for the Smart Grid

Ho, Q.-D.; Gao, Y.; Rajalingham, G.; Le-Ngoc, T.

2014, XIV, 108 p. 41 illus. in color., Softcover

ISBN: 978-3-319-10346-4