
Contents

1 The Environment of the Dolomites: A General Outline	1
Geographic Area and Boundaries	1
Climate	2
Geology	4
Soils	6
Flora	6
Synchronic and Diachronic Interpretations	7
The Series of Soils and Vegetation in the Dolomites	8
An Historical View of the Plant Cover of the Dolomites	9
The Current Vegetation of Dolomites: A First Approach to Biodiversity	12
Bibliographical Sources	14
Analytical Charts	14

Part I The Human Habitat

2 Stable Meadows and Vegetation of Fields and Human Settlements . . .	19
Introduction	19
Habitat	19
Ecogram	20
Ecology	20
Structure and Classification	23
The <i>Arrhenatheretum</i> and the Economy of the Permanent Meadow . . .	24
Flowerings Mark the Periodicity of the Vegetation in Stable Meadows	26
Data Sheets	35
<i>Pastinaco-Arrhenatheretum</i> Passarge 1964	35
<i>Deschampsio-Agrostetum</i> Pign. E. et S. 1995 n.n.	38
<i>Trisetetum flavescens</i> Rübel 1911	41
<i>Molinietum caeruleae</i> W. Koch 1926	44
<i>Scirpetum sylvatici</i> Knapp 1946	46
<i>Agrostio-Ranunculetum repens</i> (Knapp 1957) Oberd. 1967	46
<i>Adonido-Delphinietum consolidae</i> Br.-Bl. 1970	49
<i>Alchemillo-Poetum supinae</i> Aichinger 1933	51
<i>Lolio-Plantaginetum majoris</i> Beger 1930	53
<i>Hackelio deflexae-Chenopodietum foliosi</i> Bernatova 1986	56
<i>Tanaceto-Artemisietum</i> Sissingh 1950	59
<i>Echio-Melilotetum</i> Tx. 1947	61

<i>Onopordetum acanthii</i> Br.-Bl. et al. 1936	61
<i>Aegopodio-Sambucetum nigrae</i> Doing 1963	62
<i>Senecioni-Epilobietum angustifolii</i> Tx. 1937	62
<i>Rubetum idaei</i> Gams 1927	64
<i>Rumicetum alpini</i> Beger 1922	66

Part II Natural Forests and Meadows on the Valley Floor and in the Montane Habitat

3 Forests of Broadleaved Trees and Shrubs at Low Elevations . . .	71
Introduction to Forest Vegetation	71
Habitat	72
Ecogram	74
Ecology	75
Biogeographical Relationships	76
Structure and Classification	77
Data Sheets	86
<i>Pruno-Ligustretum</i> Tx. 1952	86
<i>Populo-Coryletum</i> Br.-Bl. 1950	88
<i>Berberido-Rosetum</i> Br.-Bl. (1948) 1971	89
<i>Astragalo-Juniperetum sabinae</i> Br.-Bl. 1961	91
<i>Buglossoidi-Ostryetum</i> Gerdol, Lausi, Piccoli, Poldini 1982	93
<i>Ostryo-Fraxinetum orni</i> Aichinger 1933	95
<i>Galio-Carpinetum</i> Oberd. 1957	98
<i>Alnetum incanae</i> Lüdi 1921	101
<i>Matteuccietum struthiopteridis</i> Lasen, Pignatti E., and Pignatti S. 1992	103
<i>Carici elongatae-Alnetum glutinosae</i> Koch 1926	104
<i>Cirsio erisithali-Ulmetum</i> Antonietti 1968	104
<i>Carici albae-Fagetum</i> Rübel 1930	107
<i>Cardamini pentaphyllae-Fagetum</i> Mayer H. et Hofmann A. 1969 .	109
<i>Cardamini trifoliae-Fagetum</i> (Mayer H. et Hofmann A. 1969) Oberd. et Müller Th. 1984	112
<i>Luzulo-Fagetum</i> Meusel 1937	114
<i>Oxalidi-Abietetum</i> Mayer H. e Hofmann A. 1969	117
4 Arid and Steppe Grasslands	121
Introduction	121
Habitat	121
Ecogram	121
Ecology	122
Structure and Classification	123
Distant Causes of the Formation of Steppe Vegetation in the Alps . .	123
The Steppe as Evidence of Landslides and Postglacial Alluvia . . .	124
Biogeographical Relationships	126
Data Sheets	134
<i>Laserpitio-Festucetum alpestris</i> Pedrotti 1970	134
<i>Euphrasio cuspidatae-Globularietum cordifoliae</i> Pign. E. et S. ass. nov.	136

De-alpine Steppe with <i>Sesleria</i>	138
The Lessini Mountains and the Giudicarie	139
<i>Bromo-Stipetum</i> Lasen 1995	139
<i>Thlaspidi-Trifolietum pratensis</i> Zanutto 1960	142
<i>Trifolium montani-Brachypodietum rupestris</i> Ranner 1988	146
<i>Petrorragio-Koelerietum macranthae</i> Br.-Bl. 1961	146
<i>Fumano-Cymbopogonetum</i> Br.-Bl. 1961	149
Locations of <i>Viola pinnata</i>	150
<i>Sedetum montani</i> Br.-Bl. 1955	150
<i>Peucedanetum cervariae</i> Kaiser 1926	153

Part III The Subalpine Habitat: The Coniferous Forest Belt

5 The Alpine Taiga (Coniferous Forests and Heaths with Rhododendrons)	159
Introduction	159
Habitat	159
Ecogram	161
Ecology	161
Soil	162
Evolution	165
Biosystematics	166
Structure and Classification	167
Data Sheets	179
<i>Rhododendro hirsuti-Pinetum prostratae</i> Zöttl 1951	179
<i>Erico-Pinetum sylvestris</i> Br.-Bl. in Br.-Bl. et al. 1939	184
<i>Orno-Pinetum nigrae</i> Martin-Bosse 1967	187
<i>Vaccinio vitis-ideae-Pinetum sylvestris</i> H. Mayer et Hoffm. 1969	187
<i>Carici humilis-Pinetum sylvestris</i> Br.-Bl. 1939	190
<i>Listero-Piceetum</i> Mayer et Hofmann 1969	191
The Paneveggio Forest	195
The Karer Forest	196
<i>Veronico-Piceetum</i> Ellenb. et Klötzli 1972	196
<i>Laricetum deciduae</i> Bojko 1931	199
<i>Larici-Pinetum cembrae</i> Ellenb. 1963	201
<i>Vaccinio-Rhododendretum ferruginei</i> Br.-Bl. 1927	204
<i>Junipero-Arctostaphyletum</i> (Br.-Bl. 1926) Haffter in Br.-Bl. et al. 1939	208
<i>Empetro-Vaccinietum</i> Br.-Bl. 1926	210
<i>Cetrario-Loiseleurietum</i> Br.-Bl. in Br.-Bl. et Jenny-Lips 1926	211
6 Subalpine Broadleaved Shrub Communities	215
Introduction	215
Habitat	215
Ecogram	215
Ecology	216
Reestablished Woodlands	216
Evolution	218
Structure and Classification	218

Data Sheets	225
<i>Adenostyli-Cicerbitetum</i> Br.-Bl. 1950	225
<i>Peucedano ostruthii-Cirsietum spinosissimi</i> Rübel 1911	227
<i>Alnetum viridis</i> Br.-Bl. 1918	230
<i>Salicetum waldsteinianae</i> Beger 1922	232
<i>Salicetum appendiculatae</i> Oberd. 1957	235
<i>Salicetum helveticae</i> Br.-Bl. et al. 1954	235
<i>Salici-Betuletum pendulae</i> Pign. E. et S. 2004	238
<i>Salicetum eleagno-purpureae</i> Sillinger 1933	240
<i>Myricario-Chondriletum</i> Br.-Bl. in Volk 1939	242
7 Wet Habitats	243
Introduction	243
Habitat	243
Ecogram	244
Ecology I—Springs	244
Ecology II—Lakes, Ponds, and Pools	245
Ecology III—Marshes	245
Ecology IV—Peat Bogs	246
Evolution	247
Structure and Classification	247
Data Sheets	253
<i>Cratoneuretum falcati</i> Gams 1927	253
<i>Bryetum schleicheri</i> Br.-Bl. 1926	255
<i>Caricetum rostratae</i> Oswald 1923	256
<i>Nymphaetum albae</i> (Vollmar 1947) Oberd. 1967	258
<i>Eriophoretum scheuchzeri</i> Rübel 1911	259
<i>Drepanoclado-Trichophoretum caespitosi</i> Gerdol et Tomaselli 1997	261
<i>Caricetum fuscae</i> Br.-Bl. 1915	261
<i>Caricetum davallianae</i> Dutoit 1924	264
<i>Sphagnetum magellanici</i> Kästn. et Flössn. 1933	266
The Bülden/Schlenken Problem	269
Part IV Alpine Vegetation on Granite, Porphyry, and Volcanic Rock	
8 Alpine Grasslands with Acidocline Species	273
Introduction	273
Habitat	273
Ecogram	273
Ecology	274
Succession	274
Evolution	275
The Alpine Grasslands of Siliceous Massifs	276
The Spread of <i>Nardus stricta</i> in Overgrazed Habitats	278
Structure and Classification	279
The <i>Seslerio-Festucetum varia</i> e—An Interpretation at the Mesoscale and the Microscale	279

The <i>Knautio-Trifolietum</i> —Focal Point of Biodiversity in the Dolomites?	281
Data Sheets	289
<i>Danthonio-Nardetum</i> Pign. E. et S. 1986	289
<i>Geo montani-Nardetum</i> Lüdi 1948	291
<i>Hypochoerido uniflorae-Festucetum paniculatae</i> Hartl 1983	294
<i>Knautio longifoliae-Trifolietum nivalis</i> Pign. E. et S. 1988	297
<i>Anthoxantho-Poetum violaceae</i> Pign. E. et S. ass. nov.	300
<i>Gentianello-Festucetum varia</i> Wallossek 1999	303
<i>Seslerio-Festucetum varia</i> Pign. E. et S. 1988	306
<i>Senecioni-Festucetum halleri</i> Pign. E. et S., ass. nov.	308
<i>Caricetum curvulae</i> Rübel 1911	312

Part V The Ascent Toward the Cliffs: The Screes

9 Plant Life on Dolomitic and Calcareous Scree	319
Introduction	319
The Habitat of Screes	319
Ecogram	319
The Ecology of the Screes	321
Structure and Classification	323
The Main Association of the Screes: The <i>Papaveretum</i>	324
The Evolution of the Flora of Screes	326
The Scree as a Microcosm	328
Dawn at the Sella Pass: The Awakening of a Boulder	329
Data Sheets	341
<i>Drabetum hoppeanae</i> Friedel 1956	341
<i>Saxifragetum sedoidis</i> Pign. E. et S. 1995	343
<i>Leontodontetum montani</i> Jenny-Lips 1930	345
Stage with <i>Ranunculus parnassifolius</i>	348
<i>Athamanto-Trisetetum distichophylli</i> (Jenny-Lips 1930) Lippert 1966	348
<i>Papaveretum rhaetici</i> Wikus 1958–61	349
15/b. Locations of <i>Rhizobotrya alpina</i>	352
<i>Adenostyli-Heracleetum polliniani</i> Pign. E. et S. 1984	352
<i>Cortusetum matthioli</i> Pign. E. et S. 1984	355
<i>Alyssetum ovirensis</i> Pign. E. et S. 1984	357
<i>Festucetum pulchellae</i> Pign. E. et S. ass. nov.	359
<i>Adenostyletum glabrae</i> Pign. E. et S. 1984	362
<i>Petasitetum paradoxi</i> Beger 1922	364
<i>Tussilago farfara</i> —Community	366
<i>Petasites albus</i> —Community	366
<i>Leontodonti berinii-Chondrilleetum</i> T. Wraber 1972	367
<i>Festucetum spectabilis</i> Pedrotti 1971	369
<i>Vitaliano-Eritrichietum nani</i> Pign. E. et S. 1996	372
<i>Geo-Artemisietum genipi</i> Pign. E. et S. 1995	374
Locations with <i>Saxifraga cernua</i>	376
<i>Oxyrietum digynae</i> (Lüdi 1921) Br.-Bl. 1926	377

Part VI Alpine Vegetation on Dolomite and Limestones

10 Alpine Grasslands on Limestones and Dolomites	381
Introduction	381
Habitat	381
Ecogram	382
Ecology 1—The Soil	383
Ecology 2—Topographic and Microclimate Conditions	385
Evolution and Succession	386
Structure and Classification	388
The <i>Seslerietum</i> , Paradigm for the Vegetation of Dolomites	388
When a Plant Puts on a Sweater	401
A Morning of Measurements Below the “Big Peak”	
of the Drei Zinnen	402
The Vette di Feltre—The Hot Spot of the Biodiversity	
on the Dolomites	403
Data Sheets	411
<i>Seslerio-Caricetum sempervirentis</i> Beger 1922 em. Br.-Bl. 1926 . . .	411
(a) Subassociation with <i>Selaginella selaginoides</i> and <i>Homogyne</i>	
<i>alpina</i>	412
(b) Subassociation with <i>Euphrasia salisburgensis</i>	413
(c) Subassociation with <i>Erica carnea</i> and <i>Globularia cordifolia</i> . . .	414
c ₁ —Variant with <i>Carex firma</i> and <i>C. mucronata</i>	414
c ₂ —Variant with <i>Linum catharticum</i>	415
<i>Caricetum brachystachydis</i> Lüdi 1921	416
Community with <i>Genista radiata</i>	419
<i>Pimpinellidi-Seslerietum</i> Pign. E. et S. 2002	421
<i>Seslerio-Helictotrichetum parlatorei</i> Pign. E. et S. ass. nov.	425
<i>Laserpitio-Calamagrostidetum</i> (Kuhn 1937) Moor 1957	427
<i>Caricetum ferrugineae</i> Lüdi 1921	430
<i>Festuco-Trifolietum thalii</i> Br.-Bl. 1926	432
 11 Pioneer Patches and Discontinuous Vegetation of Ridges	
and Peak Habitats	435
Introduction	435
Habitat	435
Ecogram	437
Ecology	437
Evolution	438
Structure and Classification	440
The <i>Caricetum firmae</i> (The <i>Firmetum</i>)	441
Data Sheets	447
<i>Seslerio-Geranium argentei</i> Sutter 1969	447
<i>Caricetum firmae</i> Br.-Bl. 1926 ((a) subassociation without	
differentials: the typical composition)	449
(b) Subassociation with <i>Dryas octopetala</i>	452

	(c) Subassociation with <i>Carex mucronata</i>	453
	(d) Community with <i>Sempervivum dolomiticum</i>	454
	<i>Dryado-Rhodothamnetum chamaecisti</i> Pign. E., Pign. S. et	
	Gerdol, ass. nov.	455
	<i>Caricetum rupestris</i> Pign. E. et S. 1985	457
	<i>Elynetum myosuroidis</i> Br.-Bl. 1926	460
	(b) <i>Elyno-Caricetum rosae</i> Erschbamer 1992	463
12	Snowbeds	465
	Introduction	465
	Habitat	465
	Ecogram	466
	Ecology	466
	Evolution	468
	Structure and Classification	469
	Recent Views Regarding the Alpine Tundra	469
	Data Sheets	474
	<i>Arabidetum coeruleae</i> Br.-Bl. 1918	474
	(b) <i>Taraxaco-Luzuletum alpino-pilosae</i> Lasen 1982	476
	<i>Salicetum retusae-reticulatae</i> Br.-Bl. 1926	477
	<i>Salicetum herbaceae</i> Br.-Bl. 1926	480
13	Rupestrian Habitats	483
	Introduction	483
	Habitat	483
	Ecogram	484
	The Rocky Substrate	486
	Ecology	488
	Evolution	488
	Structure and Classification	489
	The Principal Rupestrian Associations: The <i>Potentilletum</i>	
	Associations	490
	Some of the Record-Holding Plants of the Dolomites	491
	Conclusion of the Plant Association Survey (Chaps. 2–13)	493
	Data Sheets	499
	<i>Androsacetum helveticae</i> Br.-Bl. 1918	499
	<i>Campanuletum morettianae</i> Pign. E. et S. 1978	501
	<i>Potentilletum nitidae</i> Wikus 1958–61	503
	<i>Potentilletum caulescentis</i> (Br.-Bl. 1926) Aich. 1933	506
	<i>Saxifragetum mutatae</i> Pign. E. et S. 1983	508
	<i>Saxifragetum burseranae</i> Pign. E. et S. (1981) 1983	511
	<i>Physoplexidi-Asplenietum seelosii</i> Pign. E. et S. 1960	513
	<i>Valeriano-Asplenietum viridis</i> Wikus 1958–61	516
	(b) Community with <i>Heliosperma veselskyi</i>	518
	<i>Saxifragetum bryoidis</i> Pign. E. et S. 1995	519
	<i>Saxifrago-Artemisietum umbelliformis</i> Pign. E. et S. 1995	521
	<i>Asplenietum trichomano-rutaemurariae</i> Kuhn 1937	523

Part VII Synthesis, Data Interpretation and Statistical Calculations

14 Energy Flow and Vegetation	527
The Bioclimatic Approach	527
Macroclimate	528
Light	528
The Thermal Gradient as a Function of Elevation	529
Soil Temperatures	531
Water Relations	532
Conclusion	532
Microclimate	533
Microclimate—Methods	533
The Microclimate of Vegetation of the Dolomites	533
Temperatures Measured on the Surface of Leaves	533
Ecomorphological and Ecophysiological Adaptations	535
Thermal Adaptation at the Foliar Level	535
Anathermal and Catathermal Strategies	537
Adaptations to Light: The “Luminous Cascade”	537
The Plant Community and the Bioclimatic Niche	538
The Temperature of Individuals, Species, and Communities	538
Thermal Environment of the Alpine Belt	540
The Microclimate of the <i>Picea abies</i> Belt and of the Higher Belts on Acid Soil	544
Microclimate of the <i>Fagus sylvatica</i> Forest Belt and Other Broadleaf Forests	546
The Microclimate of the Stable Meadows	547
Mesoclimate	548
Adaptations to the Luminous Environment in the Alpine Belt	549
Anomaly I: The Heat Island at High Elevation	550
Anomaly II: The Foggy Belt of the Prealps	551
A Complex Problem: The Forest Belts	552
The Vegetation of the Dolomites as a Complex System	554
15 Soil and Vegetation: Bioindicators	557
Pedogenesis	557
Types of Soil	559
Chemical Characteristics	562
The Soil Water	562
Forms of Humus in Forest Soils	563
Elevational Distribution and Relationships with the Series of Vegetation	565
Bioindication	568
Independent Variables, Feedback, and Passage to Complexity	571
16 Biomass and Biodiversity: The Classical Approach	575
Biomass	576
The Structure and Diversity of the Tree Layer	576
Biodiversity: General Concepts	580

Species Density	580
Frequency Distribution	581
Proportional Abundance, Evenness, and Indices of Biodiversity	588
Saturation	590
Diversity in an Elevational Gradient	590
Biodiversity and Conservation	593
Calculations Based on the Analysis of Variance	594
Concluding Notes	595
17 Vegetation in a Diachronic View	597
Introduction	597
Long-Term Transformations: The History of the Vegetation	598
A Critical Time: The Postglacial Period	599
The Example of the Dorferkees Glacier in the Austrian Alps	603
The Nunataks of the Dolomites	604
The Selection of Species with Adaptations for Seed Dispersion Over a Distance	605
Short-Term Transformations: Successions	608
The Traditional Concept of Succession and Series	608
The Series of Vegetation in the Dolomites	609
The Habitat Molded by the Work of Humans (see Chap. 2)	609
The Habitat of the Broadleaves (The Succession in the Montane Belt; see Chaps. 3–4)	610
The Habitat of the Conifers (The Succession in the Subalpine Belt; see Chaps. 5–7)	610
The Habitat of the Alpine Belt on Silica (see Chap. 8)	614
The Habitat of the Alpine Belt on Dolomite and Limestones (see Chaps. 9–13)	614
The Dynamics of the Vegetation in the Systemic Approach	616
Coverage and Stratification	618
Floristic Density	619
Diversity and Dominance	620
Biogeographical Indicators, Emergent Structures	621
Bioindication According to Ellenberg	623
Chaotic Behaviors	626
Succession as a Phenomenon of Self-organization	627
18 Phytogeographical and Ecological Indicators	631
General Statistical Data	631
Chorotypes	632
Life Forms	640
Alien Species	642
Ecological Bioindication According to Ellenberg (<i>Zeigerwerte</i>)	643
Ecosystemic Relationships	646
The Territorial Distribution of Plants (Species and Communities)	647
19 The Landscape of the Dolomites	649
An Excursion Through the Concepts of the Landscape Ecology	649
The Dolomite Trail No. 2	650
The Vegetation Complexes	653

Three Landscape Systems	655
The Principal Vegetation Complexes of the Dolomites	658
A Comparison of the Dolomites and the Bavarian Alps	660
Multivariate Processing of the Surveys in the Dolomites	669
First Problem: Three Altitudinal Belts (Thermal Gradient)	670
Second Problem: Three Landscape Systems (Continental Gradient)	673
Successions in the Three Landscape Systems	674
The Vegetation Complex as an Expression of Order	675
The Classification of the Vegetation of the Dolomites	681
Cultural Ecology	684
The Blue Ray of the Antelao (Fig. 19.31)	684
The Last Delibàna (Wolff, op. cit., pp. 380–424)	685
A Story That Has Not Yet Been Written	687
The Classification of the Habitats, the Corine Biotopes, and Biotope Cartography	688
Two Surveys of Vegetation Complexes, Among the First Carried Out in the Dolomites	688

Part VIII Conclusions

20 A New Paradigm: The Approach to Complexity	693
The New Paradigm	693
Vegetation as the Result of the Relationship between Plants and the Habitat	693
Methods	694
Processing Level I: On the Basis of the Bioindication Values According to Ellenberg	695
Processing Levels II–III (See Chap. 18)	696
Processing Level IV: Combination of the Bioindication Values According to Ellenberg and Chorotypes	696
Processing Level V: Combination of the Bioindication Values, Chorotypes, and Life Forms (All of the Information Available)	696
Biodiversity as a Function of Ecosystem	699
Use of Descriptors	699
Data Analysis	700
Step 1: Indices of Diversity or Dominance	700
Step 2: Chi-Square Measurement of Difference	701
Step 3: Selection of Informative Chorotypes	704
Step 4: Ellenberg Values of Ecological Bioindication	707
Conclusions	708
Appendix	711
21 Conclusions	715
Comparison of the Analytical Data	715
Summary of the Ecological Study	716
The History of the Plant Population	717
Biodiversity and Ecoregions	720
Methodological Conclusions	723

Global Change	723
The Conservation of the Communities and Ecosystems of the Dolomites	726
22 The Dolomites: The Heritage of All Humanity	729
Operating Conclusions: Contribution to the Conservation of the Natural Heritage of the Dolomites	729
Ecoregions	729
Conservation	731
Methods	731
Risk of Alteration	733
Area (in German, <i>Bestandsgrösse</i>)	734
Distribution Within the Territory (in German, <i>Bestandsverteilung</i>)	734
Risks and Threats (in German, <i>Bedrohung</i>)	734
Heritage Value	734
Content of Species at Risk (in German, <i>Gefährdungsinhalt</i>)	734
Degree of Naturalness (in German, <i>Natürlichkeitsgrad</i>)	735
Responsibility (in German, <i>Verantwortlichkeit</i>)	735
Overall Assessment	735
Conservation and Succession	738
Conclusion	738
Appendix A: Afterword	741
Appendix B: The Plant Associations of the Dolomites in the Traditional Phytosociological Classification	743
Glossary of Scientific Terms	747
Bibliography	751
Subject Index	761
Index of Phytosociological Units	767

<http://www.springer.com/978-3-642-31042-3>

Plant Life of the Dolomites

Vegetation Structure and Ecology

Pignatti, E.; Pignatti, S.

2014, XXXVII, 771 p. 503 illus., 16 illus. in color.,

Hardcover

ISBN: 978-3-642-31042-3