

Contents

1	Introduction	1
1.1	Overview of Plant Litter Decomposition	1
1.2	A Short Retrospective	2
1.3	The Ecological Significance of Litter Decomposition and the Formation of Humus	3
1.4	Factors Influencing Decay and Humus Formation	4
1.5	Accumulation of Humus and Nutrients	5
1.6	The Contents and Organization of the Book	6
1.7	Motives for the Present Synthesis	9
1.8	New Developments Included in the Third Edition	10
2	Decomposition as a Process: Some Main Features	11
2.1	Litter Decomposition: A Set of Different Processes Including Synthesis	11
2.2	Definition of Litter Decomposition	14
2.3	Ash Dynamics	16
2.4	Degradation of the Main Groups of Organic Compounds in Litter	16
2.4.1	Degradation and Leaching of Soluble Organic Substances	17
2.4.2	Degradation of Non-Lignified Organic Substances	18
2.4.3	A Pattern of Degradation of the Main Organic Compounds in Pine Needle Litter	19
2.4.4	Pattern for Main Organic Compounds Based on AUR: Gravimetric Analyses of Lignin	21
2.4.5	¹³ C-NMR Analysis Applied onto Decomposing Foliar Litter	22
2.5	Factors Regulating Degradation of Lignin/AUR	24
2.5.1	Potential Effects and Possible Interactions on Lignin/AUR Degradation	24
2.5.2	Effects of Litter Mn Concentration on Lignin/AUR Degradation and Litter Mass Loss	25

2.5.3	Effect of N on Lignin/AUR and Late-Stage Litter Degradation	26
2.6	Proposed Model for Decomposition from Newly Shed Litter to the Humus Stage	28
2.6.1	The Early Stage	30
2.6.2	The Late Stage May Have Substages	30
2.6.3	The Humus-Near or Limit-Value Stage	31
3	Decomposer Organisms	35
3.1	Introduction	35
3.2	General Properties of a Given Microbial Population	36
3.3	The Degradation of the Main Polymers in Litter	38
3.3.1	Degradation of Cellulose	38
3.3.2	Degradation of Hemicelluloses	41
3.3.3	Degradation of Lignin	41
3.4	Degradation of Fibers	48
3.4.1	Bacteria	48
3.4.2	Soft Rot	48
3.4.3	Brown Rot	49
3.4.4	White Rot	49
3.5	Mycorrhizae	50
3.6	Ecological Aspects	50
4	Initial Litter Chemical Composition	53
4.1	Introduction	53
4.2	Organic-Chemical Components of Plant Litter and Fiber Structure	55
4.2.1	Organic-Chemical Components	55
4.2.2	Fiber Structure	59
4.3	Nutrient and Heavy Metals' Concentrations in Newly Shed Litter	61
4.3.1	General Features	61
4.3.2	Nutrient Resorption and Withdrawal Efficiency	62
4.3.3	Nutrient Concentration Change; Green Foliage versus Brown Litter	62
4.4	Factors Influencing Litter Chemical Composition	64
4.4.1	General Factors	64
4.4.2	Nutrients, Heavy Metals and AUR in Needle Litter of Two Conifers, Pine and Spruce spp: Two Case Studies in Climate Gradients	66
4.4.3	Influence of Soil Properties	73
4.5	Several Deciduous and Coniferous Leaf Litter Species	74
4.5.1	Variation in a Eurasian to Global Gradient—Focus on Nitrogen	74

4.5.2	Coniferous versus Deciduous Genera/Species and Influence of Species: An Old Concept	75
4.5.3	General (Global) Relationships.	78
4.6	Wood and Fine Root Litter	79
4.7	Anthropogenic Influences on Initial Litter Composition	79
4.7.1	N-fertilized Scots Pine and Norway Spruce Monocultures	79
4.7.2	Heavy Metal Pollution and Initial Litter Chemical Composition	82
5	Changes in Substrate Composition during Decomposition	85
5.1	Introductory Comments	85
5.2	Organic-Chemical Changes during Litter Decomposition.	86
5.2.1	Traditional Analytical Fractions	86
5.2.2	Relationships Between Holocellulose and AUR	91
5.2.3	¹³ C-NMR Technique.	92
5.3	Nutrient and Heavy Metal Concentrations during Decay	94
5.3.1	Changes in Concentrations of Elements in Decomposing Litter	94
5.4	Special Studies on Mn and N Dynamics	99
5.4.1	Mn Dynamics	99
5.4.2	Nitrogen Concentration Dynamics Over a Climatic Gradient	102
6	Chemical Constituents as Rate Regulating: Initial Variation and Changes during Decomposition. New and Traditional Analytical Techniques.	109
6.1	Introduction	109
6.2	New Finding, Possible to Relate to a Phase-Based Model	110
6.3	A Three-Phase Model Applied to Different Litter Species of Different Chemical Composition	111
6.3.1	Early Decomposition Stage: Dominated by Cellulose and Hemicelluloses.	114
6.3.2	Decomposition in the Late Stage: Lignin-Regulated Phase	123
6.4	Litter at Humus-Near or Limit-Value Stage.	136
6.4.1	General Comments	136
6.4.2	General Relationships	136
6.4.3	Do Limit Values Indicate a Stable Fraction?	140
6.5	Does Chemical Composition Influence Leaching of Compounds from Humus?	141

7	Climatic Environment	143
7.1	Introduction	143
7.2	Microbial Response to Temperature and Moisture	144
7.3	Effects of Variation in Weather and Topography	144
7.3.1	Decomposition at One Site: Variation in Weather	144
7.3.2	Effects of Local Topography	146
7.4	Decomposition Over Climatic Gradients	146
7.5	Multi-Species Gradient Across Asia and Europe	150
7.5.1	First-Year Mass Loss versus Climate and Litter Chemical Composition	150
7.6	Climate and Decomposition of Spruce (<i>Picea</i>) Needle Litter	158
7.6.1	First-Year Mass Loss	158
7.7	Climate and Decomposition of Oak Species (<i>Quercus</i>) Leaf Litter	159
7.7.1	Climate versus First-Year Mass Loss	159
7.8	Decomposition in Climate Gradients and the 3-Stage Model	160
7.8.1	Scots Pine Litter	160
7.8.2	Norway Spruce	166
7.9	A Series of Limiting Factors	168
7.10	Climate and the Decomposition of Humus and Litter in Humus-Near Stages	169
8	Decomposition of Fine Root and Woody Litter	171
8.1	Introduction	171
8.2	Woody Litter Decomposition	174
8.2.1	Methods	174
8.2.2	Decomposition Rates versus Climate	176
8.2.3	Carbon Dioxide Release	178
8.2.4	Organic Chemical Changes	179
8.2.5	Changes in Nutrient Concentrations	179
8.3	Fine Root Decomposition	182
8.3.1	Fine Root Litter	182
8.3.2	Mass-Loss Rates	183
8.3.3	Changes in Chemical Composition	186
9	Models that Describe Litter Decomposition	189
9.1	Introduction	189
9.2	Four Commonly Used Models	191
9.3	Models	192
9.3.1	Single Exponential	192
9.3.2	The Double Exponential	193
9.3.3	Asymptotic Models	193

9.4	Type of Model and Some Dominant Influencing Factors.	195
9.4.1	Some Aspects of Litter Chemical Composition	195
9.4.2	Extent and Quality of the Dataset.	199
10	Some Possible Influences on Decomposition Pattern, Regression Model, Stable Fraction, and C Sequestration.	201
10.1	Introduction	201
10.1.1	Background	201
10.1.2	Potential Influence	203
10.2	Two Main Patterns and Two Main Models?	204
10.3	Specific Factors that May Determine a Pattern: and a Model?.	204
10.3.1	Litter Type versus Litter Chemistry Revealing a Pattern.	204
10.3.2	Litter Chemical Properties: Specific Factors for Foliar Litter	206
10.3.3	Environmental Factors	208
10.4	What is the Relevance of a Limit Value or a Complete Decomposition? Long-Term Stability at the Limit Value and in Humus: Low or No Decomposition?.	210
10.4.1	Can We Use Limit Values to Estimate Organic Matter or Carbon Budgets?	210
10.4.2	Humus in Scots Pine and Norway Spruce Stands, Stability versus Humus N Concentration	212
11	Does Humus Accumulate and Where? What Factors May Influence?	215
11.1	Introduction	215
11.2	Amounts of Humus and Increase in Organic Layers. Is There a Steady State?	217
11.3	Accumulation of Stabilized Humus/Carbon in Organic Layers of Boreal and Temperate Forests	219
11.3.1	Accumulation with Stand Age	219
11.4	Variation in Carbon Sequestration Rates among Tree Species and Soil Properties: Data for Northern Europe	222
11.4.1	Large-Scale Comparisons among Species Over Northern Europe.	222
11.4.2	Accumulation of SOM-C with Climate: Coniferous Forests in Gradients	225
11.5	Some Factors Related to Mineral Soil may Influence Organic Layer C Sequestration.	226
11.5.1	Soil Texture and Mineral Soil Nutrients	227
11.5.2	Organic Layers' Natural Nutrient Availability	227

11.6	Humus Layer Stability versus its Turnover	230
11.7	Carbon in the Mineral Soil	230
11.7.1	Does the Amount of Organic Matter in the Mineral Soil Change?	230
11.7.2	Organic Matter Mixed into the Mineral Soil	231
11.7.3	Is There any Effect of Disturbance?	232
12	Estimating Carbon Sequestration Rates on a Regional Scale	235
12.1	Long-Term Accumulation of Carbon in Organic Layers (O Horizon): General Comments	235
12.2	Influences on Carbon Sequestration Rates in Forested Land: Regional Level	237
12.2.1	Undisturbed Sites and Anthropogenic Influence	237
12.2.2	General Consideration as Regards a Database for Regional Modeling	238
12.3	Two Case Studies	239
12.4	Case Study for a Region: Direct Measurements of Humus Depth	240
12.4.1	Background	240
12.4.2	General Design of the Humus Inventory	240
12.4.3	Scaling up from Field Measurements on Humus Depth in Plots to C Sequestered on Country Level: Overview	241
12.4.4	Changes in Organic Layer Thickness Over Time	243
12.4.5	Calculations of Carbon Bulk Density in the Humus Layer	250
12.4.6	Calculated Carbon Sequestration Rates and Some Patterns	250
12.4.7	Possible Sources of Error in Estimates of C Sequestration Rates	252
12.5	Carbon Sequestration in Mineral Soil. Observations on a Regional Scale	253
12.5.1	Different Sequestration Patterns?	253
12.6	Remaining Stable Fraction: A Theory and a Possible Regional Approach	256
12.6.1	Short Background	256
12.6.2	Geographical Database	256
12.6.3	Expanding to a Regional Scale	258
12.6.4	Calculation of the Buildup of Humus and Carbon . . .	259
12.6.5	Potential Carbon Sequestration Rates	259
12.6.6	The Effect of Tree Species on Carbon Sequestration Rates in the Humus Layer	260

12.6.7	Sources of Error in the Limit-Value Approach.	261
12.7	Carbon Sequestration Rates in the Case Studies Compared to Quantitative Measurements in Single Stands and Chronosequences as well as among them	262
Appendix I: Glossary		265
Appendix II: Comments to Design of Litter-bag Experiments and Some Calculations		269
Appendix III: Short Overview to Some Common Analytical Methods of Organic Compounds in Litter with Focus on Lignin		275
Appendix IV: Scientific Names of Vascular Plants		283
References		287
Index		311

Plant Litter

Decomposition, Humus Formation, Carbon
Sequestration

Berg, B.; McClaugherty, C.

2014, XVII, 315 p. 92 illus., Hardcover

ISBN: 978-3-642-38820-0