

# Contents

<b>1</b>	<b>Introduction</b>	<b>1</b>
1.1	X-ray imaging and tomosynthesis . . . . .	1
1.2	Contribution of this work . . . . .	2
1.3	Outline of the thesis . . . . .	5
1.4	Publications . . . . .	6
<b>2</b>	<b>Where we are today: Tomosynthesis research and development</b>	<b>11</b>
2.1	Tomosynthesis basics . . . . .	12
2.1.1	Introduction . . . . .	12
2.1.2	Tomosynthesis technology . . . . .	16
2.1.3	DICOM format . . . . .	17
2.2	From radiostereoscopy to digital tomosynthesis . . . . .	18
2.3	Evolution of reconstruction algorithms . . . . .	23
2.4	CT and tomosynthesis today: practical comparison . . . . .	26
2.4.1	Technical parameters . . . . .	26
2.4.2	Reconstructed images . . . . .	27
2.5	Problems of limited data tomography . . . . .	33
2.5.1	Types of limited data problems . . . . .	33
2.5.2	Radon transform and singularities . . . . .	34
2.5.3	Incomplete Fourier space . . . . .	36
2.5.4	Tuy-Smith sufficiency condition . . . . .	38
2.5.5	Artifacts and limited resolution . . . . .	38

<b>3</b>	<b>Forward and backprojection model (FP/BP)</b>	<b>43</b>
3.1	Discrete image representation using series expansion . . . . .	44
3.2	Pixel basis functions . . . . .	45
3.3	FP/BP algorithms for pixel basis functions . . . . .	46
3.4	Kaiser-Bessel basis functions (blobs) . . . . .	49
3.4.1	Properties of the blobs . . . . .	49
3.4.2	Finding the optimal parameters $a, \alpha, m$ . . . . .	53
3.5	FP/BP algorithms for blob basis functions . . . . .	55
3.5.1	Ray tracing through grid of blobs . . . . .	55
3.5.2	Lookup table calculation . . . . .	57
3.6	Efficient distance-driven projector in 2D . . . . .	58
3.6.1	General strategy . . . . .	58
3.6.2	Unification of four angular cases . . . . .	60
3.6.3	The sweep line principle for pixels . . . . .	63
3.6.4	The sweep line principle for blobs . . . . .	67
3.7	Efficient distance-driven projector in 3D . . . . .	69
3.7.1	General strategy . . . . .	69
3.7.2	Unification of the angular cases . . . . .	71
3.7.3	Sweep line in three dimensions . . . . .	72
<b>4</b>	<b>Iterative image reconstruction for tomosynthesis</b>	<b>75</b>
4.1	Discrete model of the physical system . . . . .	76
4.2	Iterative reconstruction schemes . . . . .	77
4.2.1	Algebraic reconstruction . . . . .	78
4.2.2	Statistical Reconstruction . . . . .	79
4.3	Considerations for practical implementation of SART . . . . .	82
4.3.1	How to address tomography datasets: a dictionary approach . . . . .	82
4.3.2	Memory handling in MATLAB®: the base workspace . . . . .	83
4.3.3	Memory costs . . . . .	84
4.3.4	Computational complexity . . . . .	86
4.4	Projection access order for SART . . . . .	87
4.4.1	Literature review . . . . .	87
4.4.2	Sequential order . . . . .	88
4.4.3	Random permutation . . . . .	88
4.4.4	Golden ratio . . . . .	89
4.4.5	Prime numbers decomposition (PND) . . . . .	89
4.4.6	Prime number increment (PNI) . . . . .	93

4.4.7	Multilevel scheme (MLS)	93
4.4.8	Weighted distance scheme (WDS)	94
4.4.9	Data-based minimum total correlation order	94
4.4.10	Simulation results	95
<b>5</b>	<b>Backprojected space in image reconstruction</b>	<b>99</b>
5.1	Theory of backprojected space	100
5.1.1	Stackgram representation in literature	100
5.1.2	Properties of BP-space	101
5.2	A weighting scheme based on dissimilarity	106
5.2.1	Motivation for weighting: tomosynthesis blur formation	106
5.2.2	Dissimilarity degree	108
5.2.3	Weighting scheme	109
5.3	Non-linear backprojection $\omega$ BP for tomosynthesis	111
5.3.1	Introducing weighting in the BP operator	111
5.3.2	Demonstration of the dissimilarity and weighting	114
5.3.3	Reconstruction results	117
5.4	Weighted $\omega$ SART for tomosynthesis	120
5.4.1	Introducing the non-linear BP into SART	120
5.4.2	Computational complexity and implementation strategy	120
5.4.3	Reconstruction results	122
5.5	Weighted $\omega$ SART for metal artifact reduction in CT	125
5.5.1	Parameter $\gamma$	125
5.5.2	Reconstruction results	128
5.6	Interpolation in BP-space for metal artifact reduction in CT	133
5.6.1	$\theta$ -interpolation in BP-space	133
5.6.2	Preliminary results	135
<b>6</b>	<b>Dual-axis tilt acquisition geometry</b>	<b>137</b>
6.1	Tomosynthesis “mini” simulator	138
6.1.1	A finger bone software phantom	138
6.1.2	Simulation software	139
6.1.3	Image quality metrics for performance evaluation	141
6.2	Influence of the system acquisition parameters	142
6.2.1	The impact of the angular range $\theta$	142
6.2.2	Influence of the number of projections $N_{proj}$	146
6.2.3	Influence of the angular step size $\Delta\theta$	149

---

6.3	A novel geometry: hybrid dual-axis tilt acquisition . . . . .	151
6.3.1	How to acquire more information of the object? . . . . .	151
6.3.2	Theoretical background . . . . .	153
6.3.3	Singularities of Radon transform and limited data . . . . .	154
6.3.4	Incomplete Fourier space . . . . .	154
6.3.5	Tuy-Smith sufficiency condition . . . . .	156
6.3.6	Angle in $x$ -direction and re-distribution of projections. . . . .	157
6.3.7	Influence of number of projections . . . . .	159
6.4	Influence of the object orientation . . . . .	161
<b>7</b>	<b>Conclusions and suggestions for further work</b>	<b>163</b>
<b>8</b>	<b>Appendix: MATLAB®</b>	<b>167</b>
8.1	MATLAB® File Exchange . . . . .	167
8.2	PubMed trend search . . . . .	168
<b>9</b>	<b>References</b>	<b>169</b>

Three-Dimensional Digital Tomosynthesis  
Iterative Reconstruction, Artifact Reduction and  
Alternative Acquisition Geometry

Levakhina, Y.

2014, XVIII, 192 p. 71 illus., 6 illus. in color., Softcover

ISBN: 978-3-658-05696-4