

Contents

Part I Core of the Semantic Web

1	A Web of Data: Toward the Idea of the Semantic Web	3
1.1	A Motivating Example: Data Integration on the Web	4
1.1.1	A Smart Data Integration Agent	4
1.1.2	Is Smart Data Integration Agent Possible?	10
1.1.3	The Idea of the Semantic Web	11
1.2	A More General Goal: A Web Understandable to Machines . . .	12
1.2.1	How Do We Use the Web?	12
1.2.2	What Stops Us From Doing More?	15
1.2.3	Again, the Idea of the Semantic Web	17
1.3	The Semantic Web: A First Look	17
1.3.1	The Concept of the Semantic Web	17
1.3.2	The Semantic Web, Linked Data and the Web of Data . . .	18
1.3.3	Some Basic Things About the Semantic Web	20
	Reference	21
2	The Building Block for the Semantic Web: RDF	23
2.1	RDF Overview	23
2.1.1	RDF In Official Language	23
2.1.2	RDF in Plain English	25
2.2	The Abstract Model of RDF	29
2.2.1	The Big Picture	29
2.2.2	Statement	30
2.2.3	Resource and Its URI Name	31
2.2.4	Predicate and Its URI Name	36
2.2.5	RDF Triples: Knowledge That Machines Can Use	38
2.2.6	RDF Literals and Blank Node	40
2.2.7	A Summary So Far	47

2.3	RDF Serialization: RDF/XML Syntax	48
2.3.1	The Big Picture: RDF Vocabulary	48
2.3.2	Basic Syntax and Examples	49
2.3.3	Other RDF Capabilities and Examples	66
2.4	Other RDF Sterilization Formats	73
2.4.1	Notation-3, Turtle and N-Triples	73
2.4.2	Turtle Language	73
2.5	Fundamental Rules of RDF	81
2.5.1	Information that Is Understandable by Machines	81
2.5.2	Distributed Information Aggregation	84
2.5.3	A Hypothetical Real World Example	85
2.6	More About RDF	88
2.6.1	Dublin Core: Example of Predefined RDF Vocabulary	88
2.6.2	XML vs. RDF?	90
2.6.3	Use a RDF Validator	93
2.7	Summary	94
3	Other RDF-Related Technologies: Microformats, RDFa and GRDDL	97
3.1	Introduction: Why Do We Need These?	97
3.2	Microformats	98
3.2.1	Microformats: The Big Picture	98
3.2.2	Microformats: Syntax and Examples	99
3.2.3	Microformats and RDF	105
3.3	RDFa	106
3.3.1	RDFa: The Big Picture	106
3.3.2	RDFa Attributes and RDFa Elements	107
3.3.3	RDFa: Rules and Examples	108
3.3.4	RDFa and RDF	115
3.4	GRDDL	116
3.4.1	GRDDL: The Big Picture	116
3.4.2	Using GRDDL with Microformats	117
3.4.3	Using GRDDL with RDFa	118
3.5	Summary	119
4	RDFS and Ontology	121
4.1	RDFS Overview	121
4.1.1	RDFS in Plain English	121
4.1.2	RDFS in Official Language	123
4.2	RDFS + RDF: One More Step Toward Machine-Readable	123
4.2.1	A Common Language to Share	123
4.2.2	Machine Inferencing Based on RDFS	125
4.3	RDFS Core Elements	126
4.3.1	The Big Picture: RDFS Vocabulary	126
4.3.2	Basic Syntax and Examples	127
4.3.3	Summary So Far	146

4.4	The Concept of Ontology	150
4.4.1	What Is Ontology	151
4.4.2	The Benefits of Ontology	151
4.5	Building the Bridge to Ontology: SKOS	152
4.5.1	Knowledge Organization Systems (KOS)	152
4.5.2	Thesauri vs. Ontologies	154
4.5.3	Filling the Gap: SKOS	156
4.6	Another Look at Inferencing Based on RDF Schema	163
4.6.1	RDFS Ontology Based Reasoning: Simple, Yet Powerful	163
4.6.2	Good, Better and Best: More Is Needed	166
4.7	Summary	166
5	OWL: Web Ontology Language	169
5.1	OWL Overview	169
5.1.1	OWL in Plain English	169
5.1.2	OWL in Official Language: OWL 1 and OWL 2	170
5.1.3	From OWL 1 to OWL 2	172
5.2	OWL 1 and OWL 2: The Big Picture	173
5.2.1	Basic Notions: Axiom, Entity, Expression and IRI Names	173
5.2.2	Basic Syntax Forms: Functional-Style, RDF/XML Syntax, Manchester Syntax and XML Syntax	174
5.3	OWL 1 Web Ontology Language	175
5.3.1	Defining Classes: The Basics	176
5.3.2	Defining Classes: Localizing Global Properties	178
5.3.3	Defining Classes: Using Set Operators	188
5.3.4	Defining Classes: Using Enumeration, Equivalent and Disjoint	191
5.3.5	Our Camera Ontology So Far	194
5.3.6	Define Properties: The Basics	197
5.3.7	Defining Properties: Property Characteristics	203
5.3.8	Camera Ontology Written Using OWL 1	212
5.4	OWL 2 Web Ontology Language	216
5.4.1	What Is New in OWL 2	217
5.4.2	New Constructs for Common Patterns	217
5.4.3	Improved Expressiveness for Properties	221
5.4.4	Extended Support for Datatypes	232
5.4.5	Punning and Annotations	237
5.4.6	Other OWL 2 Features	241
5.4.7	OWL Constructs in Instance Documents	246
5.4.8	OWL 2 Profiles	250
5.4.9	Our Camera Ontology in OWL 2	256
5.5	Summary	262

6	SPARQL: Querying the Semantic Web	265
6.1	SPARQL Overview	265
6.1.1	SPARQL in Official Language	265
6.1.2	SPARQL in Plain Language	266
6.1.3	RDF Datasets and SPARQL Endpoints	267
6.2	SPARQL 1.0 Query Language	269
6.2.1	The Big Picture	271
6.2.2	SELECT Query	274
6.2.3	CONSTRUCT Query	302
6.2.4	DESCRIBE Query	305
6.2.5	ASK Query	306
6.2.6	What Is Missing from SPARQL 1.0?	307
6.3	SPARQL 1.1 Query Language	308
6.3.1	Introduction: What Is New?	308
6.3.2	SPARQL 1.1 Query	309
6.3.3	SPARQL 1.1 Federated Query	327
6.3.4	SPARQL 1.1 Update	330
6.3.5	Other SPARQL 1.1 Features	342
6.4	Summary	352

Part II Applied Semantic Web

7	FOAF: Friend of a Friend	357
7.1	What FOAF Is and What It Does	357
7.1.1	FOAF in Plain English	357
7.1.2	FOAF in Official Language	358
7.2	Core FOAF Vocabulary and Examples	359
7.2.1	The Big Picture: FOAF Vocabulary	360
7.2.2	Core Terms and Examples	361
7.3	Create Your FOAF Document and Get into the Friend Circle	368
7.3.1	How Does the Circle Work?	369
7.3.2	Create Your FOAF Document	371
7.3.3	Get into the Circle: Publish Your FOAF Document	371
7.3.4	From Web Pages for Human Eyes to Web Pages for Machines	374
7.4	Semantic Markup: A Connection Between the Two Worlds	375
7.4.1	What Is Semantic Markup?	376
7.4.2	Semantic Markup: Procedure and Example	376
7.4.3	Semantic Markup: Feasibility and Different Approaches	380
7.5	Summary	382

8	DBpedia	383
8.1	Introduction to DBpedia	383
8.1.1	From Manual Markup to Automatic Generation of Annotation	383
8.1.2	From Wikipedia to DBpedia	384
8.1.3	The Look-and-Feel of DBpedia: Page Redirect	385
8.2	Semantics in DBpedia	389
8.2.1	Infobox Template	389
8.2.2	Creating DBpedia Ontology	392
8.2.3	Infobox Extraction Methods	398
8.3	Accessing DBpedia Dataset	401
8.3.1	Using SPARQL to Query DBpedia	401
8.3.2	Direct Download of DBpedia Datasets	406
8.3.3	Access DBpedia as Linked Data	412
8.4	Summary	414
	Reference	414
9	Linked Open Data	415
9.1	The Concept of Linked Data and Its Basic Rules	415
9.1.1	The Concept of Linked Data	415
9.1.2	How Big Are the Web of Linked Data and the LOD Project?	417
9.1.3	The Basic Rules of Linked Data	418
9.2	Publishing RDF Data on the Web	419
9.2.1	Identifying Things with URIs	420
9.2.2	Choosing Vocabularies for RDF Data	431
9.2.3	Creating Links to Other RDF Data	433
9.2.4	Serving Information as Linked Data	440
9.3	The Consumption of Linked Data	446
9.3.1	Discover Specific Targets on the Linked Data Web	448
9.3.2	Accessing the Web of Linked Data	452
9.4	Linked Data Application	462
9.4.1	Linked Data Application Example: Revyu	462
9.4.2	Web 2.0 Mashups vs. Linked Data Mashups	470
9.5	Summary	472
10	schema.org and Semantic Markup	475
10.1	Introduction to schema.org	475
10.1.1	What Is schema.org?	475
10.1.2	Understanding the schema.org Vocabulary	477
10.2	Content Markup Using schema.org	479
10.2.1	RDFa 1.1 Lite: A Simple Subset of RDFa	479
10.2.2	What Markup Format to Use?	485
10.2.3	Type Checking and Other Issues	486
10.2.4	Validating Your Markup	488

10.3	Content Markup Example 1: Google Rich Snippets	490
10.3.1	What Is Rich Snippets: An Example	490
10.3.2	Google Rich Snippets: Semantic Markup Using schema.org	492
10.3.3	Using Google Rich Snippets Testing Tool	501
10.4	Content Markup Example 2: LRMI Project	505
10.4.1	The Idea of LRMI	505
10.4.2	LRMI Specification	507
10.4.3	LRMI Implementation Examples	510
10.5	Summary	514
	References	515
11	Social Networks and the Semantic Web	517
11.1	Overview of Social Networking Websites	517
11.2	Facebook's Open Graph Protocol	519
11.2.1	Open Graph Protocol	520
11.2.2	How Does It Work: Creating Typed Links Using OGP	524
11.2.3	Implications for the Semantic Web	529
11.3	Twitter Cards for Structured Information	530
11.3.1	Twitter Cards Overview	530
11.3.2	How Does It Work: Structured Information for Rich Tweets	533
11.3.3	Structured Information, But Not Semantic Web Yet	538
11.4	Rich Pins for Structured Information	541
11.4.1	Rich Pin Overview	541
11.4.2	How Does It Work: Generating Rich Pins Using schema.org	543
11.4.3	Semantic Markup at Work	547
11.5	Summary	549
12	Other Recent Applications: data.gov and Wikidata	551
12.1	Data.gov and the Semantic Web	551
12.1.1	Understanding Data.gov	551
12.1.2	How Is Data.gov Related to the Semantic Web?	557
12.1.3	Potential eGov Standards: Breaking the Boundaries of Datasets	561
12.1.4	Example Data.gov Applications	564
12.2	Wikidata and the Semantic Web	566
12.2.1	From Wikipedia to Wikidata	566
12.2.2	Three Phases of the Wikidata Project	571
12.2.3	Wikidata as a Data Repository	574
12.2.4	Wikidata and the Semantic Web	577
12.3	Summary	585

Part III Building Your Own Applications on the Semantic Web

13	Getting Started: Change Your Data into Structured Data	589
13.1	RDF Data in General	589
13.1.1	What Does RDF Data Refer to?	590
13.1.2	Decide in Which Format to Publish Your RDF Data	591
13.1.3	Decide Which Ontology to Use to Publish Your Data	596
13.2	Creating RDF Data Manually	602
13.2.1	Popular Editors and Validators	602
13.2.2	Examples: Using TopBraid to Create RDF Data	603
13.3	RDB2RDF: W3C's Standard for Converting DB Content to RDF Triples	608
13.3.1	RDB2RDF: General Background	608
13.3.2	Direct Mapping from RDB to RDF	609
13.3.3	R2RML: RDB to RDF Mapping You Can Control	613
13.4	RDB2RDF Example Implementation	623
13.4.1	RDB2RDF Direct Mapping	623
13.4.2	Step-by-Step R2RML Example: Virtuoso	624
13.5	Summary	642
14	Building the Foundation for Development on the Semantic Web	643
14.1	Development Tools for the Semantic Web	643
14.1.1	Frameworks for the Semantic Web Applications	643
14.1.2	Reasoners for the Semantic Web Applications	647
14.1.3	Ontology Engineering Environments	650
14.1.4	Other Tools: Search Engines for the Semantic Web	654
14.1.5	Where to Find More?	654
14.2	Semantic Web Application Development Methodology	655
14.2.1	From Domain Models to Ontology-Driven Architecture	655
14.2.2	An Ontology Development Methodology Proposed by Noy and McGuinness	661
14.3	Summary	666
	Reference	667
15	Example: Using Jena for Development on the Semantic Web	669
15.1	Jena: A Semantic Web Framework for Java	669
15.1.1	What Is Jena and What Can It Do for Us?	669
15.1.2	Getting the Jena Package	670
15.1.3	Using Jena in Your Projects	671
15.2	Basic RDF Model Operations	676
15.2.1	Creating an RDF Model	677
15.2.2	Reading an RDF Model	683
15.2.3	Understanding an RDF Model	685

15.3	Handling Persistent RDF Models	692
15.3.1	From In-Memory Model to Persistent Model	692
15.3.2	Setting up MySQL	693
15.3.3	Database-Backed RDF Models	694
15.4	Inferencing Using Jena	702
15.4.1	Jena Inferencing Model	702
15.4.2	Jena Inferencing Examples	703
15.5	Summary	710
16	Follow Your Nose: A Basic Semantic Web Agent	711
16.1	The Principle of Follow-Your-Nose Method	711
16.1.1	What Is the Follow-Your-Nose Method?	711
16.1.2	URI Declarations, Open Linked Data and Follow-Your-Nose Method	713
16.2	A Follow-Your-Nose Agent in Java	714
16.2.1	Building the Agent	714
16.2.2	Running the Agent	721
16.2.3	More Clues for Follow-Your-Nose	724
16.2.4	Can You Follow Your Nose on Traditional Web?	725
16.3	A Better Implementation of Follow-Your-Nose Agent: Using SPARQL Queries	727
16.3.1	In-Memory SPARQL Operation	727
16.3.2	Using SPARQL Endpoints Remotely	732
16.4	Summary	735
17	A Search Engine That Supports Rich Snippets	737
17.1	Why This Is an Interesting Project	737
17.2	Introduction to Lucene	738
17.2.1	Lucene and Our Own Customized Search Engine	738
17.2.2	Core Components of Lucene	739
17.2.3	Use Lucene in Your Development Environment	745
17.3	Preparing the Semantic Markups	746
17.3.1	From Semantic Markup to Rich Snippets	746
17.3.2	Different Deployment Models of the Markup	747
17.3.3	Examples of Markup	749
17.4	Building the Search Engine	752
17.4.1	Creating the Indexer	752
17.4.2	Creating the Searcher	759
17.4.3	Using Web Container to Start the Search	763
17.5	Test It Out and Possible Expansions	768
17.5.1	Test Runs of the Search Engine	768
17.5.2	Possible Expansions	770
17.6	Summary	772

18	More Application Examples on the Semantic Web	773
18.1	Building Your Circle of Trust: A FOAF Agent You Can Use . . .	773
18.1.1	Who Is on Your E-Mail List?	773
18.1.2	The Basic Idea	774
18.1.3	Building the EmailAddressCollector Agent . . .	777
18.1.4	Can You Do the Same for the Traditional Web?	788
18.2	A ShopBot on the Semantic Web	788
18.2.1	A ShopBot We Can Have	788
18.2.2	A ShopBot We Really Want	790
18.2.3	Building Our ShopBot	799
18.2.4	Discussion: From Prototype to Reality	817
18.3	Summary	818
	Index	819

A Developer's Guide to the Semantic Web

Yu, L.

2014, XXV, 829 p. 624 illus. in color., Hardcover

ISBN: 978-3-662-43795-7