

# Contents

<b>1</b>	<b>General Introduction</b>	<b>1</b>
1.1	Thermoresponsive Polymers	1
1.2	Properties of Polyacrylamides	3
1.3	Historical Aspect of Precise Synthesis for Polyacrylamides	4
1.4	Properties of Well-Defined Thermoresponsive Polyacrylamides and Their Block Copolymers	8
1.5	Potential of Group Transfer Polymerization for the Synthesis of Well-Defined Polyacrylamides.	15
1.6	Objects and Outline of the Thesis	17
	References	20
<b>2</b>	<b>Control of Thermoresponsive Properties of Urea End-Functionalized Poly(<i>N</i>-isopropylacrylamide) Based on the Hydrogen Bond Assisted Self-Assembly in Water</b>	<b>27</b>
2.1	Introduction	27
2.2	Experimental Section	29
2.2.1	Materials	29
2.2.2	Instruments	30
2.2.3	Synthesis of 1-(4-Ethynylphenyl)-3-phenylurea (3a)	30
2.2.4	Synthesis of 1-(4-Ethynylphenyl)-3-(4-methoxyphenyl)urea (3b)	30
2.2.5	Synthesis of 1-(4-Ethynylphenyl)-3-(4-methylphenyl)urea (3c)	31
2.2.6	Synthesis of 1-(4-Ethynylphenyl)-3-(4-nitrophenyl)urea (3d)	31
2.2.7	Synthesis of 1-(4-Ethynylphenyl)-3-(4-chlorophenyl)urea (3e)	32
2.2.8	Synthesis of 1-(4-Ethynylphenyl)-3-[4-(trifluoromethyl)phenyl]urea (3f)	32
2.2.9	Synthesis of 1-(4-Ethynylphenyl)-1-methyl-3-[4-(trifluoromethyl)phenyl]urea (3g)	32
2.2.10	Synthesis of Azido End-Functionalized PNIPAM (2) by the ATRP	33

2.2.11	The CuAAC of 2 and Alkyne Compounds for the Synthesis of End-Functionalized PNIPAMs (4a–h) . . . .	33
2.2.12	Synthesis of Triazolyl End-Functionalized PNIPAM (4i) from 4h . . . . .	34
2.2.13	Turbidimetric Analysis . . . . .	34
2.2.14	Dynamic Light Scattering Measurement . . . . .	34
2.2.15	Transmission Electron Microscopy Measurement . . . . .	34
2.3	Results and Discussion . . . . .	35
2.3.1	Synthesis of Diphenylurea End-Functionalized PNIPAMs . . .	35
2.3.2	Effect of the Terminal Urea Group on the Thermoresponsive Properties of PNIPAM . . . . .	37
2.3.3	Aggregation State of Urea End-Functionalized PNIPAM in Water . . . . .	39
2.4	Conclusions . . . . .	41
	References . . . . .	42
<b>3</b>	<b>Precise Synthesis of Poly(<i>N,N</i>-Dimethylacrylamide) by Group Transfer Polymerization Using a Strong Brønsted Acid and an Amino Silyl Enolate . . . . .</b>	<b>45</b>
3.1	Introduction . . . . .	45
3.2	Experimental Section . . . . .	47
3.2.1	Materials . . . . .	47
3.2.2	Measurements . . . . .	47
3.2.3	Synthesis of (Z)-DATP . . . . .	49
3.2.4	Polymerization of DMAA . . . . .	49
3.2.5	Post-polymerization of DMAA . . . . .	50
3.3	Results and Discussion . . . . .	51
3.3.1	Initiator for Tf <sub>2</sub> NH-Promoted GTP of DMAA . . . . .	51
3.3.2	Living Characteristics of Tf <sub>2</sub> NH-Promoted GTP of DMAA . . . . .	53
3.3.3	Mechanism of the Tf <sub>2</sub> NH-Promoted GTP of DMAA . . . .	55
3.3.4	Stereoregularity and Thermal Properties of PDMAA . . . .	56
3.4	Conclusions . . . . .	57
	References . . . . .	58
<b>4</b>	<b>Facile Synthesis of Thermoresponsive Block Copolymers Bearing Poly(<i>N,N</i>-diethylacrylamide) Segment Through Group Transfer Polymerization . . . . .</b>	<b>61</b>
4.1	Introduction . . . . .	61
4.2	Experimental Section . . . . .	63
4.2.1	Materials . . . . .	63
4.2.2	Measurements . . . . .	63
4.2.3	GTP of <i>N,N</i> -Diethylacrylamide (DEAA) . . . . .	64
4.2.4	Block Copolymerization of DEAA and <i>N,N</i> -Dimethylacrylamide (DMAA) . . . . .	65

4.2.5	Synthesis of PDEAA-block-poly(ethylene oxide) (PDEAA <sub>63</sub> -b-PEO <sub>44</sub> ) . . . . .	65
4.2.6	Synthesis of PDEAA-block-poly(propylene oxide) (PDEAA <sub>63</sub> -b-PPO <sub>44</sub> ), PDEAA-block-poly (1,2-butene oxide) (PDEAA <sub>63</sub> -b-PBO <sub>41</sub> ), and PDEAA-block-poly(1-ethoxyethyl glycidyl ether) (PDEAA <sub>63</sub> -b-PEEGE <sub>40</sub> ) . . . . .	65
4.2.7	Synthesis of PDEAA-block-poly(glycidol) (PDEAA <sub>63</sub> -b-PGD <sub>40</sub> ) . . . . .	66
4.2.8	Turbidimetric Analysis . . . . .	66
4.3	Results and Discussion . . . . .	66
4.3.1	Group Transfer Polymerization (GTP) of <i>N,N</i> -Diethylacrylamide (DEAA) . . . . .	66
4.3.2	Synthesis of PDEAA-block-PDMAA by Sequential GTP . .	69
4.3.3	Synthesis of PDEAA-block-Polyethers . . . . .	70
4.3.4	Thermoresponsive Properties of PDEAA-block-Polyethers . .	73
4.4	Conclusions . . . . .	74
	References . . . . .	75
<b>5</b>	<b>Conclusions . . . . .</b>	<b>79</b>
	<b>Curriculum Vitae . . . . .</b>	<b>81</b>

Design and Precise Synthesis of Thermoresponsive  
Polyacrylamides

Fuchise, K.

2014, XVIII, 81 p. 60 illus., 6 illus. in color., Hardcover

ISBN: 978-4-431-55045-7