

Contents

Part I

1	Introduction	3
1.1	Theoretical and Industrial Importance of the Study of Thermal Decomposition of Kaolinite.	3
1.2	A Short Structural View of Kaolinite	4
1.2.1	Tetrahedral Si–O Network	4
1.2.2	Octahedral Network	4
1.2.3	Kaolin Layer	5
1.2.4	Relationship Between Adjacent Layers	5
1.2.5	The Major Objective of this Book is to Focus on the Followings	6
1.3	Chemical and XRD Analysis of Kaolinites of Different Origins	8
	References	12
2	Thermal Evolution of Kaolinite.	13
2.1	Various Method Used for Thermal Evolution of Kaolinite. . .	13
3	Thermal Methods.	15
3.1	Introduction	15
3.2	DTA Technique	16
3.3	Dynamic Difference Calorimeter	19
3.4	D.DTA	19
3.5	TGA	20
3.6	TMA.	22
3.7	Correlation Between DTA, TGA, and TMA Results	24
3.7.1	Between Dilatometry and DTA.	25
3.7.2	Between DTA, Dilatometer, and TGA.	25
3.7.3	Between TGA and DTA	25

3.8	Factors Affecting Thermal Events in DTA, TGA and TMA.	27
3.8.1	Crystallinity and Size of Kaolinite	27
3.8.2	Impurities, Particle Size, and Crystalline Order of Kaolinite	29
3.8.3	Particle Size of Kaolinite	29
3.8.4	Heating Schedule	30
3.8.5	Atmosphere	31
3.8.6	Effect of Grinding on DTA Analysis.	32
3.8.7	External Influence of Oxides	34
3.9	Interrelationship Between 1st and 2nd Exothermic Peaks in DTA	36
3.10	Summary	37
	References	40
4	Extraction Techniques	43
4.1	Introduction	43
4.2	Acid Dissolution Technique	43
4.3	Sodium Carbonate Extraction Technique	44
4.4	Miscellaneous Test	45
4.4.1	Dye Absorption Test	45
4.4.2	Rehydration Test.	46
4.5	Summary	47
	References	47
5	X-Ray Methods	49
5.1	Introduction	49
5.2	Powder X-Ray Diffraction Study	49
5.3	Single Crystal Study	55
5.4	Factors Affecting Phase Transformation of Kaolinite	61
5.4.1	Role of Crystallinity	61
5.4.2	Role of Inherent Impurities on Phase Formation	64
5.5	Summary	66
	References	67
6	Electron Microscopy Study	69
6.1	Morphology and Electron Diffraction	69
6.2	High Resolution Electron Microscopy	74
6.3	Summary	80
	References	81
7	IR Study	83
7.1	Introduction	83
7.2	Characterization of Intermediate Phases.	84
7.3	IR Shift During Dehydroxylation	87

7.4	IR Shift During Metakaolin to Spinel Formation	88
7.5	IR Shift During Mullite Formation	88
7.6	Summary	90
	References	91
8	XRF Study	93
8.1	Introduction	93
8.2	Characterization of Phases	94
8.3	Summary	95
	References	96
9	Radial Electron Density Distribution	97
9.1	Introduction	97
9.2	Characterization of Phases	97
9.3	Summary	100
	References	101
10	Density and Surface Area Measurement	103
10.1	Density Measurement	103
10.2	Surface Area Measurement	105
10.3	Summary	106
	References	107
11	Crystallization Studies of Preheated Metakaolinite	109
11.1	Pretreated with Acids e.g., HF and Fuming H_2SO_4	109
11.2	Pretreated with NaOH	110
11.2.1	Reaction Behavior of Metakaolinite with Alkali Solution	110
11.3	Pretreated with Basic Oxides	112
11.4	Summary	113
	References	114
12	Thermodynamic Approach	115
12.1	Introduction	115
12.2	Calculation of Free Energy and Enthalpy	115
12.3	Calculation of Lattice Energy	120
12.3.1	Kapustinsky's Method	121
12.4	Summary	122
	References	122
13	MAS NMR	125
13.1	Characterization of Phases	125
13.2	Summary	129
	References	130

14	QXRD Studies of Phases Formed	131
14.1	Introduction	131
14.2	Estimations of 980 °C Spinel Phase and Mullite Phase	131
14.3	Calculated Value of Aluminosilicate (A) Phase	134
14.4	Estimation of Mullite and Cristobalite Phases	135
14.5	Assessment of Vitreous Phase	136
14.6	Summary	140
	References	140
15	Scanning Electron Microscopic (SEM) Study	143
15.1	Morphology of Mullite	146
15.2	Summary	147
	References	147
16	Hot Pressing (RHP) Study	149
16.1	Introduction	149
16.2	Application of Pressure on Transformation of Kaolinite	149
16.3	Summary	152
	References	152
17	NaOH Leaching Study	153
17.1	Introduction	153
17.2	Dissolution of Free SiO ₂ by Use of Pyrocatechol	153
17.3	Dissolution of Free SiO ₂ Alkali Leaching Technique	154
17.3.1	Leaching Behavior of Metakaolinite with Alkali Solution	154
17.3.2	Leaching Behavior of Kaolinite Heated to 1,000 °C in Alkali Solution	160
17.3.3	Leaching Behavior of Kaolinite Heated Beyond 1,000 °C with Alkali Solution	161
17.3.4	Comparison of Alkali Leaching Data of Various Authors	161
17.3.5	Different Conditions of Alkali Leaching Processes used in Estimating Exolved Silica and Their Comparisons	164
17.4	Summary	172
	References	173
18	Various Ways of Characterization of Alkali Leached Residue	175
18.1	Heat Treatment of the Leached Residue Followed by XRD Study	175
18.2	MAS NMR	175
18.3	Microscopy	178
18.4	DTA	180

18.5	IR	180
18.6	DTMA	181
18.7	IR Study of Leached Residue	181
18.8	Transmission Electron Microscopic Study of Leached Residue	181
18.9	Microstructure of Leached Residue	183
18.10	Summary	184
	References	184

Part II

19	Meta Kaolinite Phase	189
19.1	Introduction	189
19.2	Effect of Dehydroxylation on Two Layers of Kaolinite	189
19.3	Effect of Dehydroxylation on Tetrahedral Layer	191
19.4	Effect of Dehydroxylation on Octahedral Layer	193
	19.4.1 Coordination of Aluminum Shifts on Dehydroxylation	193
	19.4.2 Change in Symmetry of Silica Sheet	194
	19.4.3 Existence of OH Groups	195
19.5	Comparison of the Predicted Metakaolinite Structures	197
19.6	Newer Concept in Variability of Metakaolinite Structure	200
19.7	Utilization of Metakaolinite and Alkali-leached Heat-treated Kaolinite	202
19.8	Summary	203
	References	203
20	Spinel Phase	207
20.1	Introduction	207
20.2	Arise of Controversy	207
	20.2.1 First School	208
	20.2.2 Second School	209
20.3	Thermodynamic Approach	211
	20.3.1 Free Energy and Heat of Formation	211
	20.3.2 Lattice Energy Data	212
20.4	Comparative Mullitization Behaviors of Kaolinite Versus Synthetic Mixture	213
20.5	Theoretical Concept of Al–Si Spinel Formation	214
20.6	Lattice Parameter Measurement	215
20.7	Density Measurements	216
20.8	Main Distinguishing Parameter for Two Types of Spinel	216
	20.8.1 First Approach	216
	20.8.2 Second Approach	217
	20.8.3 Third Approach	217

20.9	First Approach of Characterizing Spinel Phase	217
20.9.1	Estimation of Siliceous Phase	217
20.9.2	Characterization of Alkali Leached Residue	218
20.9.3	Detection and Estimation of Other 980 °C Phases by QXRD	219
20.9.4	Comparative Analysis of Leached Residue by Analytical Method Versus EDS Method	220
20.10	Second Approach of Characterizing Spinel Phase: Structural Analysis of Three Spinel Models by RED Technique	222
20.11	Third Approach: Measurement of Coordination Number of Aluminum in Heat Treated Kaolinite	226
20.11.1	I.R.	226
20.11.2	XRF	227
20.11.3	MAS NMR	228
20.11.4	Effect of Grinding on Spinel Formation.	229
20.11.5	Mineralizing Effect	230
20.12	Utilization Alkali Leached Heat Treated Kaolinite	231
20.13	Summary	231
	References	232
21	Mullite Phase	235
21.1	Introduction on the Formation of Mullite.	235
21.1.1	X-ray.	235
21.1.2	TEM	236
21.2	Size of Mullite	237
21.3	Views of Mullite Formation from Kaolinite	237
21.3.1	Solid-State Reaction of γ -Al ₂ O ₃ and SiO ₂ (A)	237
21.3.2	Polymorphic Transformation of Al-Si Spinel	238
21.3.3	Comparison of Mullite Formation in Kaolinite Versus Mixture of γ -Al ₂ O ₃ and SiO ₂ (A).	239
21.3.4	Comparison of Mullite Formation in Kaolinite and Fumed Kaolintie	240
21.3.5	Peak Width and Semi Quantitative Analysis of Mullite.	240
21.4	Nature of Mullite	243
21.4.1	Changes in L.C. Values of Mullite and its Explanation	243
21.4.2	Composition of Mullite	244
21.5	Kinetics of Mullite Formation	246
21.6	Newer Concept of Mullite Formation	248
21.7	Verification of Mullitization Processes by I.R. Data	250
21.8	Mechanism of Mullite Formation	253
21.9	Applicability of Clausius–Clapeyron Equation in Mullitization Process	260

21.10	Effect of Mineralizer on Mullite Formation	260
21.11	Effect of Iron and Titanium Oxide on Decomposition of Kaolinite to Mullite Formation	262
21.12	Industrial Use of Kaolinite (See References)	264
21.13	Summary	265
	References	266
22	Reasons for First and Second Exothermic Peaks	273
22.1	Introduction	273
22.2	Earlier Thoughts	273
22.2.1	γ -Al ₂ O ₃ Formation May be a Cause of 1st Exotherm	273
22.2.2	Mullite Formation May be a Cause of 1st Exotherm	274
22.2.3	β -Quartz Formation May be a Cause of 1st Exotherm	276
22.3	Factors Affecting 980 °C Exotherm	278
22.3.1	Non Equilibrium (or Dynamic) Heating	279
22.3.2	Static Heating	280
22.3.3	R.H.P.	281
22.4	Criteria for Exhibiting Exotherm	283
22.5	Correlation Between Phases Forming with Exotherm	285
22.6	Application of Clausius–Clapyron Equation on 1st Exotherm	286
22.7	Endo-Exo Region of 980 °C Reaction of Metakaolinite	286
22.8	Second Exothermic Peak	287
22.9	Summary	290
	References	291
23	Cristobalite Phase	295
23.1	Introduction	295
23.1.1	Role of SiO ₂ Component of Kaolinite During Heating	295
23.2	Earlier Views of Last Exotherm	296
23.3	Cristobalite Development in Kaolinite	297
23.4	Changes in Lattice Parameter of Cristobalite and its Explanation	299
23.5	Summary	300
	References	301
24	Topotaxy IN K-MK-AL/SI Spinel-Mullite Reaction Series	303
24.1	Geometrical Part	303
24.2	Textual Part	306

24.3	Chemical Part.	308
24.4	Summary	308
	References	309
25	Dehydroxylation Mechanism.	313
25.1	Introduction	313
25.2	Newer Explanation on Dehydroxylation Mechanism	317
25.3	Summary	320
	References	321
26	Final Conclusion on the Thermal Effects of Kaolinite	323
	Appendix	331
	Author Index	333
	Subject Index	339

Phase Transformation of Kaolinite Clay

Chakraborty, A.K.

2014, XVI, 342 p. 113 illus., Hardcover

ISBN: 978-81-322-1153-2