

Contents

1	Review of Phosphatidylinositol Phosphate Kinase in Phosphatidylinositol Signaling Pathway	1
1.1	Brief Introduction of Phosphatidylinositol Signaling Pathway	1
1.2	Phosphatidylinositol Phosphate Kinase and Phosphatidylinositol Bisphosphate in Phosphatidylinositol Pathway	2
1.2.1	Classification of PIPKs	3
1.2.2	Substrates and Products of PIPKs	4
1.2.3	Regulation of PIPKs	5
1.2.4	Biological Functions of PIPKs	6
1.3	Research Progresses of PIPKs in Higher Plants	8
1.3.1	PIPKs in <i>Oryza Sativa</i>	8
1.3.2	PIPK Family in <i>Arabidopsis</i> and Their Functions	8
1.4	Summary and Prospective	11
	References	12
2	Structure and Expression Pattern Analysis of <i>Arabidopsis</i> <i>PIP5K2</i>	17
2.1	Introduction	17
2.2	Materials and Methods	18
2.2.1	Plant Material	18
2.2.2	Strains and Plasmids	18
2.2.3	Chemicals and Reagents	19
2.2.4	Methods	19
2.3	Results	21
2.3.1	Structural Analysis of PIP5K2 Gene and Protein	21
2.3.2	Expression Pattern Analysis of <i>PIP5K2</i>	22
2.3.3	PIP5K2 Is Mainly Localized on the Plasma Membrane	25
2.4	Discussion	26
	References	26

3	<i>Arabidopsis</i> PIP5K2 Is Involved in Lateral Root Development Through Regulating Auxin Accumulation	29
3.1	Introduction	29
3.2	Materials and Methods	30
3.2.1	Plant Materials	30
3.2.2	Strains and Plasmids	30
3.2.3	Chemicals and Reagents.	31
3.2.4	Methods.	31
3.3	Results	33
3.3.1	Identification of <i>PIP5K2</i> Knockout Mutant.	33
3.3.2	Generation of <i>PIP5K2</i> Transgenic Lines with Enhanced Expression or Transformation Rescue of <i>PIP5K2</i>	34
3.3.3	<i>pip5k2</i> Seedlings Have Reduced Lateral Root Formation, Which Can Be Rescued by Exogenous Auxin.	35
3.3.4	Transformation Rescue of <i>PIP5K2</i> Recovers the Phenotype of <i>pip5k2</i>	36
3.3.5	<i>pip5k2</i> Seedlings Have Reduced Auxin Accumulation and Altered Expression of Auxin Biosynthesis and Homeostasis Related Genes.	38
3.4	Discussion	40
3.4.1	PIP5K2 Is Involved in Lateral Root Development by Regulating Auxin Homeostasis.	40
	References	42
4	<i>Arabidopsis</i> PIP5K2 Is Involved in Root Gravitropism Through Regulation of Polar Auxin Transport	45
4.1	Introduction	45
4.2	Materials and Methods	46
4.2.1	Plant Materials	46
4.2.2	Chemicals and Reagents.	47
4.2.3	Methods.	47
4.3	Results	49
4.3.1	<i>pip5k2</i> Seedlings Have Delayed Root Gravity Response, Which Cannot Be Rescued by Exogenous Auxin	49
4.3.2	<i>pip5k2</i> Is More Sensitive to Auxin Transport Inhibitor NPA.	51
4.3.3	Vesicle Trafficking Is Decelerated in <i>pip5k2</i> Which Can Be Recovered by Exogenous PtdIns(4,5)P ₂	52
4.3.4	<i>pip5k2</i> Is More Sensitive to the Vesicle Trafficking Inhibitor, BFA	53

4.3.5	<i>PIP5K2</i> Deficiency Caused Decelerated PIN2 Cycling . . .	53
4.3.6	Auxin Redistribution Upon Gravistimulation Is Decelerated Under <i>PIP5K2</i> Deficiency	57
4.4	Discussion	58
4.4.1	<i>PIP5K2</i> Regulates Vesicle Trafficking Through Its Product PtdIns(4,5)P ₂	58
4.4.2	The Regulatory Role of <i>PIP5K2</i> in Root Gravity Response Is Likely Achieved by Modulating PIN Protein Cycling	59
	References	60
5	<i>Arabidopsis</i> <i>PIP5K2</i> Is Involved in Salt Tolerance	63
5.1	Introduction	63
5.2	Materials and Methods	64
5.2.1	Plant Materials	64
5.2.2	Chemicals and Reagents.	64
5.2.3	Methods.	65
5.3	Results	66
5.3.1	<i>PIP5K2</i> Knockout Results in Hypersensitivity to Salt Stress	66
5.3.2	<i>pip5k2</i> Has Similar Sensitivity to Exogenous Calcium and EGTA as Wild Type	69
5.3.3	The Salt-Stress Induced Bulk-Flow Endocytosis Is Suppressed in <i>pip5k2</i>	72
5.3.4	<i>pip5k2</i> Has Similar Response to Cytoskeleton-Specific Drugs as Wild Type	73
5.4	Discussion	75
	References	76

Functional Characterization of Arabidopsis
Phosphatidylinositol Monophosphate 5-kinase 2 in
Lateral Root Development, Gravitropism and Salt
Tolerance

Mei, Y.

2014, XIX, 77 p. 33 illus., Hardcover

ISBN: 978-94-017-9372-8