

Contents

| | | |
|---|--|----|
| 1 | Introduction | 1 |
| 1.1 | Mixed Hodge Modules | 1 |
| 1.2 | From Hodge Toward Twistor | 6 |
| 1.3 | Mixed Twistor \mathcal{D} -Modules | 8 |
| 1.3.1 | Pure Twistor \mathcal{D} -Modules | 8 |
| 1.3.2 | Mixed Twistor \mathcal{D} -Modules | 9 |
| 1.3.3 | Gluing Procedure | 10 |
| 1.3.4 | Admissible Variation of Mixed Twistor Structure | 10 |
| 1.3.5 | Duality and Real Structure | 11 |
| Part I Gluing and Specialization of \mathcal{R}-Triples | | |
| 2 | Preliminary | 17 |
| 2.1 | \mathcal{R} -Triples | 19 |
| 2.1.1 | \mathcal{R} -Modules | 19 |
| 2.1.2 | Strict Specializability for \mathcal{R} -Modules | 20 |
| 2.1.3 | Some Sheaves | 23 |
| 2.1.4 | \mathcal{R} -Triple | 26 |
| 2.1.5 | Integrable \mathcal{R} -Triple | 28 |
| 2.1.6 | Smooth \mathcal{R} -triples and Some Functorial Properties | 30 |
| 2.1.7 | Variation of Twistor Structure | 33 |
| 2.1.8 | Tate Object | 35 |
| 2.1.9 | Other Basic Examples of Smooth \mathcal{R} -Triples of Rank One | 37 |
| 2.2 | Deformation Associated to Nilpotent Morphisms | 39 |
| 2.2.1 | Twistor Nilpotent Orbit in \mathcal{R} -Triple | 39 |
| 2.2.2 | Variant | 43 |
| 2.3 | Beilinson Triples | 44 |
| 2.3.1 | Triples on a Point | 44 |
| 2.3.2 | The Associated Twistor Nilpotent Orbit | 45 |
| 2.3.3 | Appendix | 46 |

| | | |
|----------|---|----|
| 3 | Canonical Prolongations | 49 |
| 3.1 | Canonical Prolongations of $\mathcal{R}(*t)$ -Modules | 50 |
| 3.1.1 | Strictly Specializable $\mathcal{R}(*t)$ -Modules | 50 |
| 3.1.2 | The \mathcal{R} -Module $\mathcal{M}[*t]$ | 50 |
| 3.1.3 | The \mathcal{R} -Module $\mathcal{M}[!t]$ | 53 |
| 3.1.4 | Characterization | 57 |
| 3.1.5 | Morphisms | 57 |
| 3.1.6 | Canonical Prolongations of \mathcal{R} -Modules | 58 |
| 3.2 | Canonical Prolongations of \mathcal{R} -Triples | 60 |
| 3.2.1 | Canonical Prolongations of $\mathcal{R}(*t)$ -Triples | 60 |
| 3.2.2 | Morphisms | 63 |
| 3.2.3 | Canonical Prolongations of \mathcal{R} -Triples | 63 |
| 3.2.4 | Compatibility of Canonical Prolongation with Push-Forward | 64 |
| 3.3 | Canonical Prolongations Across Hypersurfaces | 65 |
| 3.3.1 | Canonical Prolongations Across Holomorphic Functions | 65 |
| 3.3.2 | Canonical Prolongations Across Hypersurfaces | 68 |
| 4 | Gluing and Specialization of \mathcal{R}-Triples | 71 |
| 4.1 | Beilinson Functors for \mathcal{R} -Modules | 72 |
| 4.1.1 | The Functors $\Pi^{a,b}$, $\Pi_{!}^{a,b}$, $\Pi_{*}^{a,b}$ and $\Pi_{*!}^{a,b}$ for \mathcal{R} -Modules | 72 |
| 4.1.2 | Another Description | 74 |
| 4.1.3 | The Induced Morphism | 75 |
| 4.1.4 | Compatibility with the Push-Forward | 76 |
| 4.1.5 | The Functors $\psi^{(a)}$ and $\Xi^{(a)}$ for $\mathcal{R}(*t)$ -Modules | 77 |
| 4.1.6 | Beilinson Functors for \mathcal{R} -Modules | 78 |
| 4.1.7 | Beilinson Functors Along General Holomorphic Functions | 79 |
| 4.2 | Beilinson Functors for \mathcal{R} -Triples | 80 |
| 4.2.1 | Functors $\Pi^{a,b}$, $\Pi_{*}^{a,b}$ and $\Pi_{!}^{a,b}$ for $\mathcal{R}(*t)$ -Triple | 80 |
| 4.2.2 | Functors $\Pi_{*!}^{a,b}$, $\psi^{(a)}$ and $\Xi^{(a)}$ | 82 |
| 4.2.3 | Vanishing Cycle Functor for \mathcal{R} -Triple | 84 |
| 4.2.4 | Gluing of \mathcal{R} -Triples | 85 |
| 4.2.5 | Dependence on the Function t | 86 |
| 4.2.6 | Compatibility with Push-Forward | 87 |
| 4.2.7 | Beilinson Functors Along General Holomorphic Functions | 88 |
| 4.3 | Comparison of the Nearby Cycle Functors | 89 |
| 4.3.1 | Statements | 89 |
| 4.3.2 | Preliminary (1) | 90 |
| 4.3.3 | Preliminary (2) | 91 |
| 4.3.4 | Construction of Isomorphisms | 92 |
| 4.3.5 | Hermitian Adjoint | 95 |

| | | |
|----------|---|------------|
| 4.4 | Admissible Specializability | 96 |
| 4.4.1 | Filtered \mathcal{R} -Modules | 96 |
| 4.4.2 | Filtered \mathcal{R} -Triples | 99 |
| 4.4.3 | Admissible Specializability Along Hypersurfaces | 100 |
| 5 | Gluing of Good-KMS Smooth \mathcal{R}-Triples | 103 |
| 5.1 | Good-KMS Smooth \mathcal{R} -Modules | 104 |
| 5.1.1 | Good-KMS Meromorphic Prolongment | 104 |
| 5.1.2 | Induced Bundles on the Intersection of Divisors | 104 |
| 5.1.3 | Hukuhara-Levelt-Turrittin Type Decomposition | 105 |
| 5.1.4 | Specialization | 106 |
| 5.1.5 | Reduction with Respect to Stokes Structure | 107 |
| 5.2 | Compatibility of Filtrations | 108 |
| 5.2.1 | Compatibility with Hukuhara-Levelt-Turrittin Type Decomposition | 108 |
| 5.2.2 | Extension of Good-KMS Smooth \mathcal{R} -Modules | 109 |
| 5.2.3 | Compatibility with KMS Structure | 110 |
| 5.2.4 | Curve Test | 111 |
| 5.3 | Canonical Prolongations of Good-KMS Smooth \mathcal{R} -Modules | 112 |
| 5.3.1 | Goal | 112 |
| 5.3.2 | Uniqueness and Lemma 5.3.2 | 113 |
| 5.3.3 | Local Construction | 114 |
| 5.3.4 | Preliminary | 115 |
| 5.3.5 | Some Filtrations | 116 |
| 5.3.6 | Globalization | 118 |
| 5.3.7 | Ramified Covering | 119 |
| 5.4 | Strict Specializability Along Monomial Functions | 119 |
| 5.4.1 | Statement | 119 |
| 5.4.2 | Refinement | 120 |
| 5.4.3 | Preliminary | 121 |
| 5.4.4 | Regular and Pure Case | 122 |
| 5.4.5 | Regular and Filtered Case | 124 |
| 5.4.6 | Good Irregular Case with Unique Irregular Value | 125 |
| 5.4.7 | End of the Proof of Proposition 5.4.3 | 126 |
| 5.5 | Good-KMS Smooth \mathcal{R} -Triple | 126 |
| 5.5.1 | Reduction with Respect to Stokes Structure | 126 |
| 5.5.2 | Specialization | 128 |
| 5.5.3 | Canonical Prolongations | 129 |
| 5.5.4 | Variant of Beilinson Functors | 130 |
| 5.5.5 | Growth Order and the Compatibility of Stokes Filtrations | 131 |
| 5.5.6 | \mathcal{I} -Good-KMS Smooth \mathcal{R} -Triples | 132 |
| 5.6 | Gluing of Good-KMS Smooth \mathcal{R} -Triples on the Intersections | 132 |
| 5.6.1 | A Category | 133 |
| 5.6.2 | Construction of the Functor | 134 |

| | | |
|-------|---------------------------------------|-----|
| 5.6.3 | Some Properties | 138 |
| 5.6.4 | Dependence on Coordinate Systems..... | 138 |

Part II Mixed Twistor \mathcal{D} -Modules

| | | |
|----------|--|------------|
| 6 | Preliminary for Relative Monodromy Filtrations..... | 143 |
| 6.1 | Relative Monodromy Filtrations..... | 144 |
| 6.1.1 | Definition and Basic Properties | 144 |
| 6.1.2 | Canonical Decomposition | 146 |
| 6.1.3 | A Criterion | 146 |
| 6.1.4 | Functoriality for Tensor Product and Duality | 147 |
| 6.2 | Transfer of Filtrations | 147 |
| 6.2.1 | Gluing Data | 147 |
| 6.2.2 | Inheritance of Relative Monodromy Filtration | 148 |
| 6.2.3 | Transfer of Filtration | 149 |
| 6.2.4 | Special Case | 151 |
| 6.2.5 | Duality and Tensor Product | 151 |
| 6.3 | Pure and Mixed Objects..... | 153 |
| 6.3.1 | Setting | 153 |
| 6.3.2 | A Category $L\mathcal{A}(\Lambda)$ | 156 |
| 6.3.3 | S -Decomposability and Strict Support..... | 156 |
| 6.3.4 | A Category $L\mathcal{A}(\Lambda_1, \Lambda_2)$ | 158 |
| 6.3.5 | Pure Objects in $L\mathcal{A}(\Lambda_1, \Lambda_2)$ | 158 |
| 6.3.6 | Mixed Objects in $L\mathcal{A}(\Lambda_1, \Lambda_2)$ | 160 |
| 6.3.7 | Some Functors | 161 |
| 6.3.8 | Gluing | 162 |
| 6.3.9 | Another Description of $ML\mathcal{A}(\Lambda_1, \Lambda_2)$ | 163 |
| 6.3.10 | Commutativity of the Transfer | 165 |
| 6.3.11 | Canonical Prolongations | 166 |
| 7 | Mixed Twistor \mathcal{D}-Modules..... | 169 |
| 7.1 | Admissible Specializability of Pre-mixed Twistor \mathcal{D} -Modules | 170 |
| 7.1.1 | Pre-mixed Twistor \mathcal{D} -Modules | 170 |
| 7.1.2 | Push-Forward by Projective Morphisms | 171 |
| 7.1.3 | Admissible Specializability for Pre-mixed Twistor \mathcal{D} -Modules..... | 175 |
| 7.1.4 | Admissible Specializability and Push-Forward | 180 |
| 7.1.5 | Gluing Along a Coordinate Function | 181 |
| 7.1.6 | Localization | 182 |
| 7.1.7 | Integrable Case | 187 |
| 7.1.8 | Restriction of KMS-Spectrum | 189 |
| 7.2 | Mixed Twistor \mathcal{D} -Modules | 191 |
| 7.2.1 | Definition | 191 |
| 7.2.2 | Some Basic Properties..... | 192 |
| 7.2.3 | Integrable Case | 194 |

| | | |
|----------|--|-----|
| 8 | Infinitesimal Mixed Twistor Modules | 195 |
| 8.1 | Preliminary | 196 |
| 8.1.1 | Pure Twistor Structure | 196 |
| 8.1.2 | Mixed Twistor Structure | 198 |
| 8.1.3 | Reduction | 199 |
| 8.1.4 | Some Conditions for the Existence of Relative Monodromy Filtration | 200 |
| 8.2 | Polarizable Mixed Twistor Structure | 201 |
| 8.2.1 | Statements | 201 |
| 8.2.2 | Proof of Proposition 8.2.1 | 203 |
| 8.2.3 | Proof of Proposition 8.2.3 | 205 |
| 8.2.4 | Proof of Lemmas 8.2.4 and 8.2.5 | 206 |
| 8.3 | Infinitesimal Mixed Twistor Modules | 206 |
| 8.3.1 | Definition | 206 |
| 8.3.2 | Statements | 207 |
| 8.3.3 | Canonical Filtrations | 208 |
| 8.3.4 | Property M2.2 | 209 |
| 8.3.5 | Property M0 | 210 |
| 8.3.6 | Property M3 | 211 |
| 8.3.7 | Transfer for Pre-IMTM | 211 |
| 8.3.8 | Existence of Relative Monodromy Filtration in a Special Case | 212 |
| 8.3.9 | End of the Proof of Proposition 8.3.14 | 213 |
| 8.4 | Nearby Cycle Functor Along a Monomial Function | 214 |
| 8.4.1 | Beilinson IMTM and Its Deformation | 214 |
| 8.4.2 | Statement | 214 |
| 8.4.3 | Variant | 215 |
| 8.4.4 | Reformulation | 215 |
| 8.4.5 | Proof | 216 |
| 8.5 | Twistor Version of a Theorem of Kashiwara | 216 |
| 8.5.1 | A Purity Theorem (Special Case) | 217 |
| 8.5.2 | Proof of Proposition 8.5.1 | 217 |
| 8.6 | Integrable Case | 217 |
| 8.6.1 | Integrable Mixed Twistor Structure | 217 |
| 8.6.2 | Integrable Polarizable Mixed Twistor Structure | 218 |
| 8.6.3 | Infinitesimal Mixed Twistor Module | 218 |
| 9 | Admissible Mixed Twistor Structures and Their Variants | 221 |
| 9.1 | Admissible Mixed Twistor Structure | 222 |
| 9.1.1 | Mixed Twistor Structure on (X, D) | 222 |
| 9.1.2 | Pre-admissibility | 222 |
| 9.1.3 | Admissibility in the Smooth Divisor Case | 223 |
| 9.1.4 | Admissibility in the Normal Crossing Case | 224 |
| 9.1.5 | Category of Admissible MTS | 225 |
| 9.1.6 | Some Operations | 227 |

| | | |
|-----------|--|------------|
| 9.1.7 | Curve Test | 229 |
| 9.1.8 | Tensor Products | 229 |
| 9.2 | Admissible Polarizable Mixed Twistor Structure | 229 |
| 9.2.1 | Definition | 229 |
| 9.2.2 | Category of Admissible (w, Λ) -Polarizable Mixed Twistor Structure..... | 231 |
| 9.2.3 | An Equivalent Condition | 232 |
| 9.2.4 | Specialization | 234 |
| 9.2.5 | Some Operations..... | 234 |
| 9.3 | Admissible IMTM | 235 |
| 9.3.1 | Definitions | 235 |
| 9.3.2 | Category of Admissible IMTM | 237 |
| 9.3.3 | Some Operations..... | 239 |
| 9.3.4 | A Remark on Nearby Cycle Functors | 240 |
| 9.4 | Specialization of Admissible Mixed Twistor Structure..... | 241 |
| 9.4.1 | Statement..... | 241 |
| 9.4.2 | Some Notation | 241 |
| 9.4.3 | Proof of Proposition 9.4.1 | 242 |
| 9.5 | Integrable Case | 244 |
| 9.5.1 | Admissible Mixed Twistor Structure | 244 |
| 9.5.2 | Admissible Polarizable Mixed Twistor Structure | 245 |
| 9.5.3 | Admissible IMTM..... | 246 |
| 10 | Good Mixed Twistor \mathcal{D}-Modules | 247 |
| 10.1 | Good Gluing Data | 248 |
| 10.1.1 | An Equivalence | 248 |
| 10.1.2 | Canonical Prolongments | 250 |
| 10.1.3 | Beilinson Functors..... | 251 |
| 10.1.4 | Nearby Cycle Functors, Maximal Functors and Vanishing Cycle Functors | 254 |
| 10.1.5 | Gluing Along a Monomial Function..... | 256 |
| 10.2 | Good Pre-Mixed Twistor \mathcal{D} -Module | 256 |
| 10.2.1 | Weak Admissible Specializability | 256 |
| 10.2.2 | Local Case | 257 |
| 10.2.3 | Global Case | 260 |
| 10.2.4 | Gluing | 263 |
| 10.3 | Good Mixed Twistor \mathcal{D} -Modules..... | 263 |
| 10.3.1 | Statement..... | 263 |
| 10.3.2 | Preliminary..... | 264 |
| 10.3.3 | Localizability of Good Pre-mixed Twistor \mathcal{D} -Modules..... | 264 |
| 10.3.4 | Proof of Theorem 10.3.1 and Proposition 10.3.2 | 265 |
| 10.3.5 | Proof of Lemma 10.3.4..... | 267 |
| 10.4 | Integrable Case | 268 |

| | | |
|-----------|---|-----|
| 11 | Some Basic Property | 271 |
| 11.1 | Expression as Gluing of Admissible Mixed Twistor Structure | 272 |
| 11.1.1 | Cell | 272 |
| 11.1.2 | Cell of Mixed Twistor \mathcal{D} -Modules | 273 |
| 11.1.3 | Expression as a Gluing | 273 |
| 11.1.4 | Gluing | 275 |
| 11.1.5 | Admissibility of Cells | 276 |
| 11.2 | Localization | 279 |
| 11.2.1 | Localization Along Functions | 279 |
| 11.2.2 | Localization Along Hypersurfaces | 280 |
| 11.2.3 | The Underlying \mathcal{D} -Modules | 282 |
| 11.2.4 | Independence from Compactification | 283 |
| 11.3 | Twist by Admissible Twistor Structure and Beilinson Functors | 285 |
| 11.3.1 | Smooth Case | 285 |
| 11.3.2 | Admissible Case | 285 |
| 11.3.3 | Beilinson Functors | 287 |
| 11.4 | External Tensor Product | 289 |
| 11.4.1 | Preliminary | 289 |
| 11.4.2 | External Tensor Product of Mixed Twistor \mathcal{D} -Modules | 291 |
| 11.4.3 | Compatibility | 295 |
| 12 | \mathcal{D}-Triples and Their Functoriality | 297 |
| 12.1 | \mathcal{D} -Triples and Their Push-Forward | 298 |
| 12.1.1 | \mathcal{D} -triples and \mathcal{D} -Complex-Triples | 298 |
| 12.1.2 | The Push-Forward | 301 |
| 12.1.3 | Hermitian Adjoint of \mathcal{D} -Complex-Triples | 309 |
| 12.1.4 | Comparison with the Naive Push-Forward | 310 |
| 12.1.5 | Rules for Signature (Appendix) | 312 |
| 12.2 | Some Basic Functors for Non-degenerate \mathcal{D} -Triples | 314 |
| 12.2.1 | Category of Non-degenerate \mathcal{D} -Triples | 314 |
| 12.2.2 | Localization | 314 |
| 12.2.3 | Tensor Product with Smooth \mathcal{D} -Triples | 315 |
| 12.2.4 | Beilinson Functors for \mathcal{D} -Triples | 316 |
| 12.2.5 | External Tensor Product | 317 |
| 12.3 | De Rham Functor | 319 |
| 12.3.1 | \mathbb{C}_X -Complex-Triples | 319 |
| 12.3.2 | De Rham Functor for \mathcal{D}_X -Complex-Triples | 320 |
| 12.3.3 | Compatibility with the Shift | 321 |
| 12.3.4 | Compatibility with the Hermitian Adjoint | 321 |
| 12.3.5 | Compatibility with the Push-Forward | 322 |
| 12.3.6 | Compatibility with the External Tensor Product | 323 |
| 12.4 | Duality of \mathcal{D} -Triples | 324 |
| 12.4.1 | Duality for Non-degenerate \mathcal{D} -Triples | 324 |
| 12.4.2 | Duality of Complexes of Non-degenerate \mathcal{D}_X -Triples | 327 |

| | | |
|-----------|---|------------|
| 12.4.3 | Compatibility of the Push-Forward and the Duality | 328 |
| 12.4.4 | Compatibility with Other Functors | 329 |
| 12.4.5 | Functor $\tilde{\gamma}^*$ | 334 |
| 12.4.6 | Push-Forward and Duality of \mathcal{D} -Modules (Appendix) ... | 335 |
| 12.5 | Proof of Theorems 12.4.1 and 12.4.5 | 339 |
| 12.5.1 | Preliminary | 339 |
| 12.5.2 | Push Forward and the Functor \mathcal{C}_X | 339 |
| 12.5.3 | Pairing on the Push-Forward | 342 |
| 12.5.4 | Duality and Push-Forward | 345 |
| 12.5.5 | Canonical Prolongation of Good Meromorphic Flat Bundles | 347 |
| 12.5.6 | Special Case | 349 |
| 12.5.7 | End of the Proof | 350 |
| 12.6 | Real Structure | 350 |
| 12.6.1 | Real Structure of Non-degenerate \mathcal{D} -Triple | 350 |
| 12.6.2 | Descriptions of Real Perverse Sheaves | 351 |
| 12.6.3 | The de Rham Functor | 356 |
| 12.6.4 | Regular Case | 359 |
| 12.6.5 | \mathbb{R} -Betti Structure | 361 |
| 12.6.6 | Basic Examples | 364 |
| 13 | Duality and Real Structure of Mixed Twistor \mathcal{D}-Modules | 371 |
| 13.1 | Duality of \mathcal{R} -Modules | 372 |
| 13.1.1 | Duality | 372 |
| 13.1.2 | Compatibility with Push-Forward | 373 |
| 13.1.3 | Specialization Along \mathcal{X}^{λ_0} | 375 |
| 13.1.4 | Twist by Smooth \mathcal{R} -Modules | 376 |
| 13.1.5 | Duality of Smooth \mathcal{R} -Modules | 377 |
| 13.1.6 | Duality of Integrable \mathcal{R}_X -Modules | 379 |
| 13.2 | Duality and Strict Specializability of \mathcal{R} -Modules | 380 |
| 13.2.1 | Statement | 380 |
| 13.2.2 | Preliminary | 381 |
| 13.2.3 | $\mathcal{R}_{X_0[t]}$ -Modules | 381 |
| 13.2.4 | Filtered Free Module | 383 |
| 13.2.5 | A Filtered Free Resolution | 384 |
| 13.2.6 | Proof of Proposition 13.2.1 | 385 |
| 13.3 | Duality of Mixed Twistor \mathcal{D} -Modules | 386 |
| 13.3.1 | Statements | 386 |
| 13.3.2 | Relative Monodromy Filtrations | 389 |
| 13.3.3 | Duality of Smooth \mathcal{R} -Triples | 389 |
| 13.3.4 | Duality of Canonical Prolongation as \mathcal{R} -Triples | 390 |
| 13.3.5 | Duality of Minimal Extensions in the Pure Case | 390 |
| 13.3.6 | Duality of the Canonical Prolongations in MTM | 392 |
| 13.3.7 | Local Construction of the Pairing $D\mathcal{T}$ | 392 |
| 13.3.8 | End of the Proof of Theorem 13.3.1 | 393 |

| | | |
|-----------|--|------------|
| 13.4 | Real Structure of Mixed Twistor \mathcal{D} -Modules | 394 |
| 13.4.1 | Some Functors | 394 |
| 13.4.2 | Real Structure of Mixed Twistor \mathcal{D} -Modules | 396 |
| 13.4.3 | \mathbb{R} -Betti Structure of the Underlying \mathcal{D} -Modules | 397 |
| 13.4.4 | Real Structure in the Integrable Case | 398 |
| 13.5 | Relation with Mixed Hodge Modules | 404 |
| 13.5.1 | Some Compatibilities | 407 |
| 13.5.2 | Polarization | 408 |
| 14 | Algebraic Mixed Twistor \mathcal{D}-Modules and Their Derived Category | 413 |
| 14.1 | Algebraic Mixed Twistor \mathcal{D} -Modules | 414 |
| 14.1.1 | Definition | 414 |
| 14.1.2 | Restriction of KMS-Spectrum | 415 |
| 14.1.3 | Some Functors for Algebraic Mixed Twistor \mathcal{D} -Modules | 415 |
| 14.1.4 | Cech Resolutions | 422 |
| 14.1.5 | The Underlying \mathcal{R}^{λ_0} -Modules | 423 |
| 14.1.6 | Real Structure | 425 |
| 14.1.7 | Algebraic Integrable Mixed Twistor \mathcal{D} -Modules | 425 |
| 14.2 | Derived Category of Algebraic Mixed Twistor \mathcal{D} -Modules | 427 |
| 14.2.1 | Some Exact Functors | 427 |
| 14.2.2 | A Version of Kashiwara's Equivalence | 429 |
| 14.2.3 | Enhancement | 430 |
| 14.3 | Push-Forward and Pull Back | 431 |
| 14.3.1 | Push-Forward of Algebraic Holonomic D-Modules | 431 |
| 14.3.2 | Push-Forward of Algebraic Mixed Twistor \mathcal{D} -Modules | 442 |
| 14.3.3 | Pull Back of Algebraic Mixed Twistor \mathcal{D} -Modules | 448 |
| 14.3.4 | Base Change | 452 |
| 14.3.5 | Tensor and Inner Homomorphism | 453 |
| 14.3.6 | Enhancement | 453 |
| 14.3.7 | Mixed Hodge Modules | 454 |
| 14.4 | Algebraicity of the $\tilde{\mathcal{R}}$ -Modules in the Integrable Case | 454 |
| 14.4.1 | Preliminary | 454 |
| 14.4.2 | Statement | 456 |
| 14.4.3 | Preliminary | 457 |
| 14.4.4 | Extension of $\tilde{\mathcal{R}}$ -Modules with Good-KMS Structure | 458 |
| 14.4.5 | The Extension of Admissible Mixed Twistor Structure | 459 |
| 14.4.6 | Affine Case | 460 |
| 14.4.7 | Proof of Theorem 14.4.8 | 463 |

| | | |
|-----------|--|-----|
| 15 | Good Systems of Ramified Irregular Values | 465 |
| 15.1 | Good System of Ramified Irregular Values | 466 |
| 15.1.1 | Good Set of Irregular Values | 466 |
| 15.1.2 | Good System of Ramified Irregular Values | 467 |
| 15.1.3 | Specialization of Good Set of Ramified Irregular Values | 468 |
| 15.1.4 | Resolution..... | 468 |
| 15.2 | Resolution of Turning Points for Lagrangian Covers..... | 471 |
| 15.2.1 | Lagrangian Cover..... | 471 |
| 15.2.2 | Statement..... | 472 |
| 15.2.3 | Separation of Ramification and Polar Part | 473 |
| 15.2.4 | Separation of Cover | 475 |
| 15.2.5 | Proof of Theorem 15.2.7 | 476 |
| | References | 479 |
| | Index | 483 |



<http://www.springer.com/978-3-319-10087-6>

Mixed Twistor D-modules

Mochizuki, T.

2015, XX, 487 p., Softcover

ISBN: 978-3-319-10087-6