

Contents

1	Introduction	1
1.1	Motivation	1
1.2	Organisation of the Book	4
1.3	Fault Detection Techniques	6
1.3.1	Causes for Faults and Types of Faults	6
1.3.2	Modelling Faults	7
1.3.3	Classification of Fault Detection Methods	9
1.3.4	Bond Graph Model-Based Fault Detection Methods	15
1.4	Summary	16
	References	17
2	Bond Graph Representations of Hybrid System Models	21
2.1	Hybrid System Models	21
2.2	Bond Graph Representations of Hybrid System Models	23
2.3	Equations Formulation for Switched LTI Systems	34
2.4	Index of a DAE System Derived from the Bond Graph of a Hybrid Model	36
2.5	Discrete Event Simulation of Hybrid Systems	43
2.6	Summary	47
	References	48
3	Structural Control Properties of Switched LTI Systems	51
3.1	Structural Observability	51
3.1.1	Structural Observability Matrix	52
3.1.2	Bond Graph-based Analysis of Structural Observability	54
3.2	Structural Controllability	60
3.2.1	Matrix-based Analysis of Structural Controllability of Switched LTI Systems	61

3.2.2	Bond Graph-based Analysis of Structural Controllability of Switched LTI Systems	62
3.3	Summary	64
	References	64
4	Bond Graph Model-based Quantitative FDI in Hybrid Systems	67
4.1	ARR Residuals as Fault Indicators	67
4.2	Generation of ARR from a Bond Graph of a Hybrid Model	69
4.2.1	Causality Inversion Method	69
4.2.2	Example: Network with a Semiconductor Switch	70
4.2.3	Covering Path Method	72
4.2.4	Extended Covering Path Method	73
4.3	All-Mode Structural Fault Signature Matrix	75
4.4	Construction of an All-Mode FSM by Inspection of Causal Paths	77
4.5	Coherence Vector and Decision Procedures	80
4.6	Fault Isolation	81
4.7	Parameter Sensitivities of ARRs	83
4.8	Numerical Computation of ARR Residuals	84
4.8.1	Coupling of a Behavioural and a Diagnostic Bond Graph Model	85
4.8.2	Coupling of a Real System Model to a Non-faulty Model by Means of Residual Sinks	88
4.8.3	Residual Sinks Accounting for Uncertainties	93
4.9	Analytical Determination of ARR Residuals for Switched LTI Systems	95
4.10	Summary	98
	References	100
5	Parameter Uncertainties	101
5.1	Introduction	101
5.2	Incremental Bond Graphs for Switched LTI Systems	102
5.2.1	Incremental Models of Bond Graph Elements	102
5.2.2	Incremental Models of Nonlinear Bond Graph Elements	104
5.2.3	An Incremental Model of the Non-ideal Switch	105
5.3	Incremental Bond Graphs for FDI	107
5.3.1	Parameter Sensitivities of ARR Residuals	108
5.3.2	Adaptive Mode-Dependent Thresholds for Parameter Variations of ARR Residuals	112

5.3.3	Measurement Uncertainties	117
5.3.4	Uncertain Excitations	119
5.4	Summary	119
	References	120
6	Isolation of Multiple Parametric Faults from a Hybrid Model . . .	123
6.1	Parameter Estimation by Least Squares Output Error Minimisation	124
6.2	Gauss-Newton Method	125
6.3	The Weighted Nonlinear Least Square Problem	126
6.4	Multiple Fault Isolation by Least Squares ARR Residuals Minimisation	127
6.5	A Fault Parameter Estimation Procedure Based on User Defined Scilab Functions	129
6.6	Computing Implicitly Given ARR Residuals	137
6.7	Sensitivity Pseudo Bond Graphs	140
6.7.1	Parameter Sensitivity Models of Bond Graph Elements	141
6.7.2	Deducing Residual Sensitivity Functions from a Sensitivity Pseudo Bond Graph	142
6.8	Summary	146
	References	148
7	ARR Based System Mode Identification.	149
7.1	Bond Graph Based System Mode Identification Using ARRs	149
7.1.1	Identifying a Set of ARR Residuals Close to Zero	150
7.1.2	Identification of System Mode Changes in a Healthy System	151
7.2	Detection and Isolation of Switch Faults	159
7.3	Summary	160
	References	160
8	Applications	163
8.1	Switched-Mode Boost Converter	164
8.1.1	Fault Scenario 1: The Input Voltage Changes Temporarily.	170
8.1.2	Fault Scenario 2: Temporary Drop of the Duty Ratio.	171
8.1.3	Fault Scenario 3: Non-blocking Diode	171
8.1.4	Analytical Computation of ARR Residuals	174
8.1.5	Parameter Uncertainty Thresholds for ARR Residuals	176

8.1.6	System Mode Identification	179
8.2	Switched Three-Phase Power Inverter	181
8.2.1	Dynamic Behaviour of the Healthy Inverter.	190
8.2.2	Fault Scenario 1: Rupture of Phase Line 'a' for $t \geq t_1$	190
8.2.3	Fault Scenario 2: Abrupt Increase of Load Resistance R_{L_d} at $t = t_2$	192
8.2.4	Fault Scenario 3: Open Circuit Fault in Diode D_4 . . .	194
8.2.5	System Mode Identification	198
8.3	Three-Phase Full-Wave Rectifier	199
8.3.1	Dynamic Behaviour of the Healthy Rectifier	204
8.3.2	Fault Scenario 1: Open-Circuit Fault in Diode 4	206
8.3.3	Fault Scenario 2: Short-Circuit Fault in Diode 4	208
8.3.4	Short-Circuit Fault in the Load of a Z-Source DC Circuit Breaker	210
8.4	Summary	215
	References	217
9	Failure Prognosis for Hybrid Systems Based on ARR Residuals	221
9.1	Prognosis Techniques	222
9.2	Failure Prognosis Based on ARR Residuals Derived from a Bond Graph	223
9.2.1	Degradation Models	223
9.2.2	Estimation of the RUL	224
9.2.3	Failure Prognosis for Hybrid Systems.	227
9.3	Summary	231
	References	232
10	Overall Conclusion and Discussion	235
	References	239
	Appendix A: Some Definitions	241
	Appendix B: Short Introduction into Bond Graph Modelling	245
	Appendix C: Some Mathematical Background	267
	Glossary	271
	Index	275

Bond Graph Model-based Fault Diagnosis of Hybrid
Systems

Wolfgang, B.

2015, XV, 277 p. 172 illus., 98 illus. in color., Hardcover

ISBN: 978-3-319-11859-8