

Contents

1	Introduction	1
	References	6
2	Photoionization and Interatomic Coulombic Decay	9
2.1	Photon-Atom Interaction	10
2.1.1	Single- and Multi-photon Absorption	10
2.1.2	Atoms in Strong Laser Fields	14
2.2	Many-Electron Systems	16
2.2.1	Hartree–Fock Method	17
2.2.2	Electron Correlation	19
2.2.3	Diatomic Molecules	20
2.3	Photoionization for High Photon Energies	24
2.3.1	4 <i>d</i> Shape Resonance	25
2.4	Relaxation Processes in Atoms and Molecules	26
2.5	Interatomic Coulombic Decay	27
2.5.1	Theoretical Treatment	29
2.6	Classical Treatment of the Pump-Probe Technique	36
2.7	Charge Transfer and Classical Over-the-Barrier Model	38
	References	41
3	Free-Electron Lasers	45
3.1	Undulator Radiation	45
3.2	Microbunching and SASE	48
3.3	Pulse Characterization	49
3.4	FLASH	52
	References	54
4	Experimental Setup	57
4.1	Reaction Microscope (REMI)	57
4.1.1	Supersonic Gas Jet	58
4.1.2	Spectrometer	61

4.1.3	Detectors	62
4.1.4	Data Acquisition.	66
4.1.5	Vacuum Requirements.	67
4.2	Setup for the Iodine Experiments	68
4.2.1	Iodine Target	69
4.2.2	Autocorrelator	72
4.2.3	IR Laser	73
4.3	Setup for the Neon Experiments.	74
4.3.1	Neon Target.	74
4.3.2	Beamline	76
4.3.3	Mirror Chamber	77
4.4	The Trouble with the Electrons	79
	References	80
5	Data Analysis	83
5.1	Acquire Step	83
5.2	Unpack Step	85
5.3	Calculate Step	88
5.3.1	Calculation of Momenta	89
5.3.2	Assignment of Coincidences	90
5.3.3	Kinetic Energy Release	92
5.4	Momentum Resolution	93
5.5	Acceptance	95
	References	97
6	Ionization Dynamics of I₂ in XUV and IR Laser Pulses	99
6.1	Single XUV Pulse Measurements	100
6.1.1	Cross Section in the Region of the Shape Resonance	100
6.1.2	Single-Photon Absorption in I ₂	101
6.1.3	Multi-photon Absorption in Xe.	102
6.1.4	Single-Photon Absorption in Iodine.	103
6.1.5	Coulomb-Explosion Imaging in I ₂ ⁿ⁺	109
6.2	XUV Pump-Probe Measurements	115
6.2.1	Interpretation of Pump-Probe Spectra	115
6.2.2	Relevant Charge States and Dissociation Channels	118
6.2.3	Comparison with Simulated Pump-Probe Spectra	120
6.2.4	Simulation with Finite Pulse Length	121
6.2.5	Break-Up into Asymmetrically Charged Fragments	123
6.2.6	Determination of the Critical Distance for Charge Transfer.	126
6.2.7	Collision Physics from a Different Perspective	131
6.2.8	Reaching the High Charge States	132

6.3	IR/XUV Pump-Probe Measurements	133
6.3.1	Ionization of I_2 in Strong IR Laser Fields	133
6.3.2	Combining IR and XUV Radiation	138
6.3.3	What Can Be Charged Up Higher, Two Atoms or a Molecule?	143
	References	145
7	ICD Lifetime in Ne_2	149
7.1	Single-Pulse Measurements on Ne and Ne_2	150
7.1.1	Photoionization of Ne	150
7.1.2	Photoionization of Ne_2 by a Single Photon	152
7.1.3	Interatomic Coulombic Decay	155
7.1.4	Shake-Up Processes	158
7.2	Pump-Probe Measurements on Ne_2	159
7.2.1	Delay-Dependence of Coincident $Ne^+ - Ne^+$ Ions	159
7.2.2	Pump-Probe Scheme for the ICD Lifetime Determination.	161
7.2.3	Fragmentation Channel $Ne^+ - Ne^{2+}$ as a Function of the Pump-Probe Time Delay	162
7.2.4	Classical Simulation	164
7.2.5	Lifetime Determination	167
7.2.6	Alternative Pathways to $Ne^+ - Ne^{2+}$ Ion Pairs	168
7.2.7	Simulation of Competing Processes.	172
7.2.8	Discussion of the Lifetime and Comparison with Theory	174
	References	177
8	Conclusions and Outlook	181
8.1	Results from the I_2 Experiments.	181
8.2	Results from the Ne_2 Experiments	184
8.3	Outlook	186
	References	187
	Appendix: Units	189

XUV Pump-Probe Experiments on Diatomic Molecules
Tracing the Dynamics of Electron Rearrangement and
Interatomic Coulombic Decay

Schnorr, K.

2015, XI, 191 p. 95 illus., 25 illus. in color., Hardcover

ISBN: 978-3-319-12138-3